



GlobalHealth

GlobalHealth 2022 Formulary (List of Covered Drugs)

For Generations State of
Oklahoma Group Retirees
(HMO)



PLEASE READ: THIS
DOCUMENT CONTAINS
INFORMATION ABOUT
THE DRUGS WE COVER
IN THIS PLAN

This formulary was updated on 10/01/2021
For more recent information or questions,
please contact GlobalHealth Customer Care at
1-866-494-3927 or,
for TTY users, 711
24 hours a day, seven days a week
www.GlobalHealth.com

HPMS Formulary File Submission ID: 00022085
Version Number 6

GlobalHealth is an HMO plan with
a Medicare contract. Enrollment in
GlobalHealth depends on contract
renewal.

Generations State of Oklahoma Group Retirees (HMO)

2022 Formulary

(List of Covered Drugs)

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION
ABOUT THE DRUGS WE COVER IN THIS PLAN**

HPMS Approved Formulary File Submission ID 00022085, Version Number 6

This formulary was updated on 10/01/2021. For more recent information or other questions, please contact Generations State of Oklahoma Group Retirees Customer Care at 1-866-494-3927 (TTY users should call 711), 24 hours a day, seven days a week, or visit www.GlobalHealth.com.

GlobalHealth is an HMO plan with a Medicare contract. Enrollment in GlobalHealth is dependent on contract renewal.

The formulary may change at any time, you will receive notice when necessary.

H3706_FMLRY_OSR_2022_C

10/01/2021

Note to existing members: This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us”, or “our,” it means GlobalHealth, Inc. When it refers to “plan” or “our plan,” it means Generations State of Oklahoma Group Retirees (HMO).

This document includes a list of the drugs (formulary) for our plan which is current as of 10/01/2021. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2022, and from time to time during the year.

What is the Generations State of Oklahoma Group Retirees (HMO) Formulary?

A formulary is a list of covered drugs selected by our plan in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. Our plan will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a plan network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

For a complete listing of all prescription drugs covered by our plan, please visit our website or call us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

Can the Formulary (drug list) change?

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the Drug List during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow the Medicare rules in making these changes.

Changes that can affect you this year: In the below cases, you will be affected by coverage changes during the year:

- **New generic drugs.** We may immediately remove a brand name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand name drug on our Drug List, but immediately move it to a different cost-sharing tier or add new restrictions. If you are currently taking that brand name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.
 - If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can find information in the section below titled “How do I request an exception to the Generations State of Oklahoma Group Retirees (HMO)’s Formulary?”

- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug’s manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a generic drug that is not new to market to replace a brand name drug currently on the formulary; or add new restrictions to the brand name drug or move it to a different cost sharing tier or both. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, or add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.
 - If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the Generations State of Oklahoma Group Retirees (HMO)’s Formulary?”

Changes that will not affect you if you are currently taking the drug. Generally, if you are taking a drug on our 2022 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2022 coverage year except as described above. This means these drugs will remain available at the same cost sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the Drug List for the new benefit year for any changes to drugs.

The enclosed formulary is current as of 10/01/2021. To get updated information about the drugs covered by our plan please contact us. Our contact information appears on the front and back cover pages. In the event of any mid-year non-maintenance formulary changes, the formularies will be updated monthly and posted on our website.

How do I use the Formulary?

There are two ways to find your drug within the formulary:

Medical Condition

The formulary begins on page 8. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, “Cardiovascular”. If you know what your drug is used for, look for the category name in the list that begins on page 8. Then look under the category name for your drug.

Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page 85. The Index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

What are generic drugs?

Our plan covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs cost less than brand name drugs.

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** Our plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from our plan before you fill your prescriptions. If you don't get approval, we may not cover the drug.
- **Quantity Limits:** For certain drugs, our plan limits the amount of the drug that our plan will cover. For example, our plan provides 30 tablets per prescription for Rosuvastatin. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, our plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, we may not cover Drug B unless you try Drug A first. If Drug A does not work for you, we will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 8. You can also get more information about the restrictions applied to specific covered drugs by visiting our Web site. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask our plans to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, "How do I request an exception to the Generations State of Oklahoma Group Retirees (HMO)'s formulary?" on page 5 for information about how to request an exception.

What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Customer Care and ask if your drug is covered.

If you learn that our plan does not cover your drug, you have two options:

- You can ask Customer Care for a list of similar drugs that are covered by our plan. When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by our plan.
- You can ask our plan to make an exception and cover your drug. See below for information about how to request an exception.

How do I request an exception to the Generations State of Oklahoma Group Retirees (HMO)'s Formulary?

You can ask our plan to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to cover a formulary drug at lower cost-sharing level, unless the drug is on the specialty tier. If approved, this would lower the amount you must pay for your drug.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, our plan limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, our plan will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, tier, or utilization restriction exception. **When you request a formulary, tier, or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

What do I do before I can talk to my doctor about changing my drugs or requesting an exception?

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

If you are a current member in our plan, we will also cover a temporary transition supply if you have a change in your medications because of a level-of-care change. This may include unplanned changes in treatment settings, such as being discharged from an acute care (hospital) setting or being admitted to, or discharged from, a long-term care facility. For each drug that is not in our formulary, or if your ability to get your drugs is limited, we will cover a temporary 30-day supply (up to a 31-day supply if you are a resident of a long-term care facility) when you go to a network pharmacy.

For more information

For more detailed information about your Generations State of Oklahoma Group Retirees (HMO) prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about our plan, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

Generations State of Oklahoma Group Retirees (HMO) Formulary

The formulary that begins on the next page provides coverage information about the drugs covered by our plan. If you have trouble finding your drug in the list, turn to the Index that begins on page 85.

The first column of the chart lists the drug name. Brand name drugs are capitalized (e.g., SYNTHROID) and generic drugs are listed in lower-case italics (e.g., levothyroxine).

The information in the Requirements/Limits column tells you if our plan has any special requirements for coverage of your drug.

You can find information on what the symbols and abbreviations on this table mean here:

- PA – Prior Authorization. Our plan requires you or your provider to get prior authorization for certain drugs. This means that you will need to get approval from us before you fill your prescriptions. If you don't get approval, we may not cover the drug.
- QL – Drug has Quantity limit. For certain drugs, our plan limits the amount of the drug that we will cover. For example, our plan provides 30 tablets per 30 days per prescription for rosuvastatin.
- ST – Step Therapy. In some cases, our plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, we may not cover Drug B unless you try Drug A first. If Drug A does not work for you, we will then cover Drug B.
- NM – Not available at our Mail-order pharmacies.
- LA – Limited Access. This prescription may be available only at certain pharmacies. For more information consult your Pharmacy Directory or call Customer Care at 1-866-494-3927, 24 hours a day, seven days a week. TTY users should call 711.
- B/D – This drug may be covered under Medicare Part B or Part D depending upon the circumstances. Information may need to be submitted describing the use and setting of the drug to make the determination.

Copayments and coinsurance amounts are shown in the Evidence of Coverage booklet in Chapter 6, Sections 5.2 and 5.4.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-------------------------------|
| <u>ANALGESICS</u> | | |
| <i>GOUT</i> | | |
| <i>allopurinol</i> TABS 100mg, 300mg | 2 | GC |
| <i>colchicine</i> TABS .6mg | 4 | QL (120 tabs / 30 days) |
| <i>colchicine w/ probenecid tab 0.5-500 mg</i> | 3 | |
| MITIGARE CAPS .6mg | 3 | QL (60 caps / 30 days) |
| <i>probenecid</i> TABS 500mg | 3 | |
| <i>NSAIDS</i> | | |
| <i>celecoxib</i> CAPS 50mg | 3 | QL (240 caps / 30 days) |
| <i>celecoxib</i> CAPS 100mg | 3 | QL (120 caps / 30 days) |
| <i>celecoxib</i> CAPS 200mg | 3 | QL (60 caps / 30 days) |
| <i>celecoxib</i> CAPS 400mg | 3 | QL (30 caps / 30 days) |
| <i>diclofenac potassium</i> TABS 50mg | 3 | QL (120 tabs / 30 days) |
| <i>diclofenac sodium</i> TB24 100mg | 3 | |
| <i>diclofenac sodium</i> TBEC 25mg, 50mg, 75mg | 2 | GC |
| <i>diflunisal</i> TABS 500mg | 3 | |
| <i>ec-naproxen</i> TBEC 375mg | 2 | GC, QL (120 tabs / 30 days) |
| <i>ec-naproxen</i> TBEC 500mg | 4 | QL (90 tabs / 30 days) |
| <i>etodolac</i> CAPS 200mg, 300mg; TABS 400mg, 500mg; TB24 400mg, 500mg, 600mg | 3 | |
| <i>flurbiprofen</i> TABS 100mg | 3 | |
| <i>ibu</i> TABS 600mg, 800mg | 1 | GC |
| <i>ibuprofen</i> SUSP 100mg/5ml | 3 | |
| <i>ibuprofen</i> TABS 400mg, 600mg, 800mg | 1 | GC |
| <i>meloxicam</i> TABS 7.5mg, 15mg | 1 | GC |
| <i>nabumetone</i> TABS 500mg, 750mg | 2 | GC |
| <i>naproxen</i> TABS 250mg, 375mg, 500mg | 1 | GC |
| <i>naproxen</i> TBEC 375mg | 2 | GC, QL (120 tabs / 30 days) |
| <i>naproxen</i> TBEC 500mg | 4 | QL (90 tabs / 30 days) |
| <i>naproxen sodium</i> TABS 275mg, 550mg | 3 | |
| <i>piroxicam</i> CAPS 10mg, 20mg | 3 | |
| <i>sulindac</i> TABS 150mg, 200mg | 2 | GC |
| <i>OPIOID ANALGESICS, LONG-ACTING</i> | | |
| <i>fentanyl</i> PT72 12mcg/hr, 25mcg/hr, 50mcg/hr, 75mcg/hr, 100mcg/hr | 4 | QL (10 patches / 30 days), PA |
| <i>hydrocodone bitartrate</i> T24A 20mg, 30mg, 40mg, 60mg, 80mg, 100mg, 120mg | 3 | QL (30 tabs / 30 days), PA |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| HYSINGLA ER T24A 20mg, 30mg, 40mg, 60mg, 80mg, 100mg, 120mg | 3 | QL (30 tabs / 30 days), PA |
| <i>methadone hcl</i> SOLN 5mg/5ml, 10mg/5ml | 3 | QL (450 mL / 30 days), PA |
| <i>methadone hcl</i> TABS 5mg, 10mg | 3 | QL (90 tabs / 30 days), PA |
| <i>methadone hydrochloride i</i> CONC 10mg/ml | 3 | QL (90 mL / 30 days), PA |
| <i>morphine sulfate</i> TBCR 15mg, 30mg, 60mg, 100mg, 200mg | 3 | QL (90 tabs / 30 days), PA |

OPIOID ANALGESICS, SHORT-ACTING

| | | |
|---|---|---------------------------------|
| <i>acetaminophen w/ codeine soln</i> 120-12 mg/5ml | 3 | QL (2700 mL / 30 days) |
| <i>acetaminophen w/ codeine tab</i> 300-15 mg | 3 | QL (400 tabs / 30 days) |
| <i>acetaminophen w/ codeine tab</i> 300-30 mg | 3 | QL (360 tabs / 30 days) |
| <i>acetaminophen w/ codeine tab</i> 300-60 mg | 3 | QL (180 tabs / 30 days) |
| <i>butorphanol tartrate</i> SOLN 1mg/ml, 2mg/ml | 4 | |
| <i>endocet tab</i> 2.5-325mg | 3 | QL (360 tabs / 30 days) |
| <i>endocet tab</i> 5-325mg | 3 | QL (360 tabs / 30 days) |
| <i>endocet tab</i> 7.5-325mg | 3 | QL (240 tabs / 30 days) |
| <i>endocet tab</i> 10-325mg | 3 | QL (180 tabs / 30 days) |
| <i>fentanyl citrate</i> LPOP 200mcg | 4 | QL (120 lozenges / 30 days), PA |
| <i>fentanyl citrate</i> LPOP 400mcg, 600mcg, 800mcg, 1200mcg, 1600mcg | 5 | QL (120 lozenges / 30 days), PA |
| <i>hydrocodone-acetaminophen soln</i> 7.5-325 mg/15ml | 4 | QL (2700 mL / 30 days) |
| <i>hydrocodone-acetaminophen tab</i> 5-325 mg | 3 | QL (240 tabs / 30 days) |
| <i>hydrocodone-acetaminophen tab</i> 7.5-325 mg | 3 | QL (180 tabs / 30 days) |
| <i>hydrocodone-acetaminophen tab</i> 10-325 mg | 3 | QL (180 tabs / 30 days) |
| <i>hydrocodone-ibuprofen tab</i> 7.5-200 mg | 3 | QL (150 tabs / 30 days) |
| <i>hydromorphone hcl</i> LIQD 1mg/ml | 4 | QL (600 mL / 30 days) |
| <i>hydromorphone hcl</i> TABS 2mg, 4mg, 8mg | 3 | QL (180 tabs / 30 days) |
| <i>morphine sulfate</i> SOLN 1mg/ml, 4mg/ml, 8mg/ml, 10mg/ml | 4 | B/D |
| MORPHINE SULFATE SOLN 2mg/ml, 4mg/ml, 5mg/ml, 8mg/ml, 10mg/ml | 4 | B/D |
| <i>morphine sulfate</i> SOLN 10mg/5ml, 20mg/5ml | 3 | QL (900 mL / 30 days) |
| <i>morphine sulfate</i> SOLN 100mg/5ml | 3 | QL (180 mL / 30 days) |
| <i>morphine sulfate</i> TABS 15mg, 30mg | 3 | QL (180 tabs / 30 days) |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------|
| <i>nalbuphine hcl</i> SOLN 10mg/ml, 20mg/ml | 4 | |
| <i>oxycodone hcl</i> CAPS 5mg | 4 | QL (180 caps / 30 days) |
| <i>oxycodone hcl</i> CONC 100mg/5ml | 4 | QL (180 mL / 30 days) |
| <i>oxycodone hcl</i> SOLN 5mg/5ml | 4 | QL (900 mL / 30 days) |
| <i>oxycodone hcl</i> TABS 5mg, 10mg, 15mg, 20mg, 30mg | 3 | QL (180 tabs / 30 days) |
| <i>oxycodone w/ acetaminophen tab 2.5-325 mg</i> | 3 | QL (360 tabs / 30 days) |
| <i>oxycodone w/ acetaminophen tab 5-325 mg</i> | 3 | QL (360 tabs / 30 days) |
| <i>oxycodone w/ acetaminophen tab 7.5-325 mg</i> | 3 | QL (240 tabs / 30 days) |
| <i>oxycodone w/ acetaminophen tab 10-325 mg</i> | 3 | QL (180 tabs / 30 days) |
| <i>tramadol hcl</i> TABS 50mg | 2 | GC, QL (240 tabs / 30 days) |
| <i>tramadol-acetaminophen tab 37.5-325 mg</i> | 3 | QL (240 tabs / 30 days) |

ANESTHETICS

LOCAL ANESTHETICS

| | | |
|---|---|-----|
| <i>lidocaine hcl (local anesth.)</i> SOLN .5%, 1%, 1.5%, 2% | 3 | B/D |
|---|---|-----|

ANTI-INFECTIVES

ANTI-INFECTIVES - MISCELLANEOUS

| | | |
|--|---|------------|
| <i>albendazole</i> TABS 200mg | 5 | |
| <i>amikacin sulfate</i> SOLN 1gm/4ml, 500mg/2ml | 4 | |
| <i>atovaquone</i> SUSP 750mg/5ml | 4 | |
| <i>aztreonam</i> SOLR 1gm, 2gm | 4 | |
| CAYSTON SOLR 75mg | 5 | NM, LA, PA |
| <i>clindamycin hcl</i> CAPS 75mg, 150mg, 300mg | 2 | GC |
| <i>clindamycin palmitate hydrochloride</i> SOLR 75mg/5ml | 4 | |
| <i>clindamycin phosphate</i> SOLN 300mg/2ml, 600mg/4ml, 900mg/6ml, 9000mg/60ml | 3 | |
| <i>clindamycin phosphate in d5w iv soln 300 mg/50ml</i> | 4 | |
| <i>clindamycin phosphate in d5w iv soln 600 mg/50ml</i> | 4 | |
| <i>clindamycin phosphate in d5w iv soln 900 mg/50ml</i> | 4 | |
| CLINDMYC/NAC INJ 300/50ML | 4 | |
| CLINDMYC/NAC INJ 600/50ML | 4 | |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| CLINDMYC/NAC INJ 900/50ML | 4 | |
| <i>colistimethate sodium</i> SOLR 150mg | 4 | |
| <i>dapsone</i> TABS 25mg, 100mg | 3 | |
| DAPTOMYCIN SOLR 350mg | 5 | |
| <i>daptomycin</i> SOLR 350mg, 500mg | 5 | |
| EMVERM CHEW 100mg | 5 | QL (12 tabs / year) |
| <i>ertapenem sodium</i> SOLR 1gm | 4 | |
| <i>gentamicin in saline inj 0.8 mg/ml</i> | 3 | |
| <i>gentamicin in saline inj 1 mg/ml</i> | 3 | |
| <i>gentamicin in saline inj 1.2 mg/ml</i> | 3 | |
| <i>gentamicin in saline inj 1.6 mg/ml</i> | 3 | |
| <i>gentamicin in saline inj 2 mg/ml</i> | 3 | |
| <i>gentamicin sulfate</i> SOLN 10mg/ml, 40mg/ml | 3 | |
| <i>imipenem-cilastatin intravenous for soln 250 mg</i> | 4 | |
| <i>imipenem-cilastatin intravenous for soln 500 mg</i> | 4 | |
| <i>ivermectin</i> TABS 3mg | 3 | |
| <i>linezolid</i> SOLN 600mg/300ml | 4 | |
| <i>linezolid</i> SUSR 100mg/5ml | 5 | QL (1800 mL / 30 days) |
| <i>linezolid</i> TABS 600mg | 4 | QL (60 tabs / 30 days) |
| <i>linezolid in sodium chloride iv soln 600 mg/300ml-0.9%</i> | 4 | |
| <i>meropenem</i> SOLR 1gm, 500mg | 4 | |
| <i>methenamine hippurate</i> TABS 1gm | 4 | |
| <i>metronidazole</i> TABS 250mg, 500mg | 1 | GC |
| <i>metronidazole in nacl 0.79% iv soln 500 mg/100ml</i> | 3 | |
| <i>neomycin sulfate</i> TABS 500mg | 2 | GC |
| <i>nitazoxanide</i> TABS 500mg | 5 | QL (6 tabs / 30 days) |
| <i>nitrofurantoin macrocrystal</i> CAPS 50mg, 100mg | 3 | |
| <i>nitrofurantoin monohyd macro</i> CAPS 100mg | 3 | |
| <i>paromomycin sulfate</i> CAPS 250mg | 4 | |
| <i>pentamidine isethionate inh</i> SOLR 300mg | 4 | B/D |
| <i>pentamidine isethionate inj</i> SOLR 300mg | 4 | |
| <i>praziquantel</i> TABS 600mg | 4 | |
| SIVEXTRO SOLR 200mg; TABS 200mg | 5 | |
| <i>streptomycin sulfate</i> SOLR 1gm | 4 | |
| SULFADIAZINE TABS 500mg | 4 | |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>sulfamethoxazole-trimethoprim iv soln 400-80 mg/5ml</i> | 4 | |
| <i>sulfamethoxazole-trimethoprim susp 200-40 mg/5ml</i> | 3 | |
| <i>sulfamethoxazole-trimethoprim tab 400-80 mg</i> | 1 | GC |
| <i>sulfamethoxazole-trimethoprim tab 800-160 mg</i> | 1 | GC |
| SYNERCID INJ 500MG | 5 | |
| <i>tobramycin NEBU 300mg/5ml</i> | 5 | NM, PA |
| <i>tobramycin sulfate SOLN 1.2gm/30ml, 10mg/ml, 40mg/ml, 80mg/2ml</i> | 3 | |
| <i>trimethoprim TABS 100mg</i> | 2 | GC |
| <i>vancomycin hcl CAPS 125mg</i> | 4 | QL (80 caps / 180 days) |
| <i>vancomycin hcl CAPS 250mg</i> | 4 | QL (160 caps / 180 days) |
| <i>vancomycin hcl SOLR 1gm, 5gm, 10gm, 500mg, 750mg</i> | 4 | |
| VANCOMYCIN INJ 1 GM | 4 | |
| VANCOMYCIN INJ 500MG | 4 | |
| VANCOMYCIN INJ 750MG | 4 | |
| ANTIFUNGALS | | |
| ABELCET SUSP 5mg/ml | 4 | B/D |
| AMBISOME SUSR 50mg | 5 | B/D |
| <i>amphotericin b SOLR 50mg</i> | 4 | B/D |
| <i>caspofungin acetate SOLR 50mg, 70mg</i> | 4 | |
| <i>fluconazole SUSR 10mg/ml, 40mg/ml; TABS 50mg, 100mg, 200mg</i> | 3 | |
| <i>fluconazole TABS 150mg</i> | 2 | GC |
| <i>fluconazole in nacl 0.9% inj 200 mg/100ml</i> | 3 | |
| <i>fluconazole in nacl 0.9% inj 400 mg/200ml</i> | 3 | |
| <i>flucytosine CAPS 250mg, 500mg</i> | 5 | PA |
| <i>griseofulvin microsize SUSP 125mg/5ml; TABS 500mg</i> | 4 | |
| <i>griseofulvin ultramicrosize TABS 125mg, 250mg</i> | 4 | |
| <i>itraconazole CAPS 100mg</i> | 4 | PA |
| <i>ketoconazole TABS 200mg</i> | 3 | PA |
| <i>miconazole sodium SOLR 50mg, 100mg</i> | 5 | |
| NOXAFIL SUSP 40mg/ml | 5 | QL (630 mL / 30 days), PA |
| <i>nystatin TABS 500000unit</i> | 3 | |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------|
| <i>posaconazole</i> TBEC 100mg | 5 | QL (93 tabs / 30 days), PA |
| <i>terbinafine hcl</i> TABS 250mg | 1 | GC, QL (90 tabs / year) |
| <i>voriconazole</i> SOLR 200mg; SUSR 40mg/ml | 5 | PA |
| <i>voriconazole</i> TABS 50mg | 4 | QL (480 tabs / 30 days), PA |
| <i>voriconazole</i> TABS 200mg | 4 | QL (120 tabs / 30 days), PA |

ANTIMALARIALS

| | | |
|--|---|----|
| <i>atovaquone-proguanil hcl tab 62.5-25 mg</i> | 4 | |
| <i>atovaquone-proguanil hcl tab 250-100 mg</i> | 4 | |
| <i>chloroquine phosphate</i> TABS 250mg, 500mg | 4 | |
| COARTEM TAB 20-120MG | 4 | |
| <i>mefloquine hcl</i> TABS 250mg | 3 | |
| <i>primaquine phosphate</i> TABS 26.3mg | 3 | |
| PRIMAQUINE PHOSPHATE TABS 26.3mg | 3 | |
| <i>quinine sulfate</i> CAPS 324mg | 4 | PA |

ANTIRETROVIRAL AGENTS

| | | |
|--|---|--|
| <i>abacavir sulfate</i> SOLN 20mg/ml | 4 | |
| <i>abacavir sulfate</i> TABS 300mg | 3 | |
| APTIVUS CAPS 250mg | 5 | |
| <i>atazanavir sulfate</i> CAPS 150mg, 200mg, 300mg | 4 | |
| EDURANT TABS 25mg | 5 | |
| <i>efavirenz</i> CAPS 50mg, 200mg; TABS 600mg | 4 | |
| <i>emtricitabine</i> CAPS 200mg | 3 | |
| EMTRIVA SOLN 10mg/ml | 4 | |
| <i>etravirine</i> TABS 100mg, 200mg | 5 | |
| <i>fosamprenavir calcium</i> TABS 700mg | 5 | |
| FUZEON SOLR 90mg | 5 | |
| INTELENCE TABS 25mg | 4 | |
| INTELENCE TABS 100mg, 200mg | 5 | |
| INVIRASE TABS 500mg | 5 | |
| ISENTRESS CHEW 25mg; PACK 100mg | 3 | |
| ISENTRESS CHEW 100mg; TABS 400mg | 5 | |
| ISENTRESS HD TABS 600mg | 5 | |
| <i>lamivudine</i> SOLN 10mg/ml; TABS 150mg, 300mg | 3 | |
| LEXIVA SUSP 50mg/ml | 4 | |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>nevirapine</i> SUSP 50mg/5ml; TB24 100mg, 400mg | 4 | |
| <i>nevirapine</i> TABS 200mg | 2 | GC |
| NORVIR PACK 100mg; SOLN 80mg/ml | 4 | |
| PIFELTRO TABS 100mg | 5 | |
| PREZISTA SUSP 100mg/ml | 5 | QL (400 mL / 30 days) |
| PREZISTA TABS 75mg | 4 | QL (480 tabs / 30 days) |
| PREZISTA TABS 150mg | 5 | QL (240 tabs / 30 days) |
| PREZISTA TABS 600mg | 5 | QL (60 tabs / 30 days) |
| PREZISTA TABS 800mg | 5 | QL (30 tabs / 30 days) |
| REYATAZ PACK 50mg | 5 | |
| <i>ritonavir</i> TABS 100mg | 3 | |
| RUKOBIA TB12 600mg | 5 | |
| SELZENTRY SOLN 20mg/ml; TABS 75mg, 150mg, 300mg | 5 | |
| SELZENTRY TABS 25mg | 3 | |
| <i>tenofovir disoproxil fumarate</i> TABS 300mg | 3 | |
| TIVICAY TABS 10mg | 3 | |
| TIVICAY TABS 25mg, 50mg | 5 | |
| TIVICAY PD TBSO 5mg | 3 | |
| TROGARZO SOLN 200mg/1.33ml | 5 | LA |
| TYBOST TABS 150mg | 3 | |
| VIRACEPT TABS 250mg, 625mg | 5 | |
| VIREAD POWD 40mg/gm; TABS 150mg, 200mg, 250mg | 5 | |
| <i>zidovudine</i> CAPS 100mg; SYRP 50mg/5ml | 4 | |
| <i>zidovudine</i> TABS 300mg | 3 | |
| ANTIRETROVIRAL COMBINATION AGENTS | | |
| <i>abacavir sulfate-lamivudine tab 600-300 mg</i> | 3 | |
| <i>abacavir sulfate-lamivudine-zidovudine tab 300-150-300 mg</i> | 5 | |
| BIKTARVY TAB | 5 | |
| CIMDUO TAB 300-300 | 5 | |
| COMPLERA TAB | 5 | |
| DELSTRIGO TAB | 5 | |
| DESCOVY TAB 200/25MG | 5 | |
| DOVATO TAB 50-300MG | 5 | |
| <i>efavirenz-emtricitabine-tenofovir df tab 600-200-300 mg</i> | 5 | |
| <i>efavirenz-lamivudine-tenofovir df tab 400-300-300 mg</i> | 5 | |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>efavirenz-lamivudine-tenofovir df tab 600-300-300 mg</i> | 5 | |
| <i>emtricitabine-tenofovir disoproxil fumarate tab 100-150 mg</i> | 5 | QL (30 tabs / 30 days) |
| <i>emtricitabine-tenofovir disoproxil fumarate tab 133-200 mg</i> | 5 | QL (30 tabs / 30 days) |
| <i>emtricitabine-tenofovir disoproxil fumarate tab 167-250 mg</i> | 5 | QL (30 tabs / 30 days) |
| <i>emtricitabine-tenofovir disoproxil fumarate tab 200-300 mg</i> | 5 | QL (30 tabs / 30 days) |
| EVOTAZ TAB 300-150 | 5 | |
| GENVOYA TAB | 5 | |
| JULUCA TAB 50-25MG | 5 | |
| KALETRA TAB 100-25MG | 4 | |
| KALETRA TAB 200-50MG | 5 | |
| <i>lamivudine-zidovudine tab 150-300 mg</i> | 4 | |
| <i>lopinavir-ritonavir soln 400-100 mg/5ml (80-20 mg/ml)</i> | 4 | |
| <i>lopinavir-ritonavir tab 100-25 mg</i> | 4 | |
| <i>lopinavir-ritonavir tab 200-50 mg</i> | 5 | |
| ODEFSEY TAB | 5 | |
| PREZCOBIX TAB 800-150 | 5 | |
| STRIBILD TAB | 5 | |
| SYMTUZA TAB | 5 | |
| TEMIXYS TAB 300-300 | 5 | |
| TRIUMEQ TAB | 5 | |
| ANTITUBERCULAR AGENTS | | |
| <i>cycloserine CAPS 250mg</i> | 5 | |
| <i>ethambutol hcl TABS 100mg, 400mg</i> | 3 | |
| <i>isoniazid SYRP 50mg/5ml</i> | 4 | |
| <i>isoniazid TABS 100mg, 300mg</i> | 1 | GC |
| PASER PACK 4gm | 4 | |
| PRIFTIN TABS 150mg | 4 | |
| <i>pyrazinamide TABS 500mg</i> | 4 | |
| <i>rifabutin CAPS 150mg</i> | 4 | |
| <i>rifampin CAPS 150mg, 300mg</i> | 3 | |
| <i>rifampin SOLR 600mg</i> | 4 | |
| SIRTURO TABS 20mg, 100mg | 5 | LA, PA |
| TRECTOR TABS 250mg | 4 | |
| ANTIVIRALS | | |
| <i>acyclovir CAPS 200mg; TABS 400mg, 800mg</i> | 2 | GC |
| <i>acyclovir SUSP 200mg/5ml</i> | 4 | |

10/01/2021

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>acyclovir sodium</i> SOLN 50mg/ml | 4 | B/D |
| <i>adefovir dipivoxil</i> TABS 10mg | 5 | |
| BARACLUDE SOLN .05mg/ml | 5 | |
| <i>entecavir</i> TABS .5mg, 1mg | 4 | |
| EPCLUSA TAB 200-50MG | 5 | NM, PA |
| EPCLUSA TAB 400-100 | 5 | NM, PA |
| EPIVIR HBV SOLN 5mg/ml | 4 | |
| <i>famciclovir</i> TABS 125mg, 250mg, 500mg | 3 | |
| <i>ganciclovir sodium</i> SOLR 500mg | 4 | B/D |
| HARVONI PAK 33.75-150MG | 5 | NM, PA |
| HARVONI PAK 45-200MG | 5 | NM, PA |
| HARVONI TAB 45-200MG | 5 | NM, PA |
| HARVONI TAB 90-400MG | 5 | NM, PA |
| <i>lamivudine (hbv)</i> TABS 100mg | 4 | |
| MAVYRET TAB 100-40MG | 5 | NM, PA |
| <i>oseltamivir phosphate</i> CAPS 30mg | 3 | QL (168 caps / year) |
| <i>oseltamivir phosphate</i> CAPS 45mg, 75mg | 3 | QL (84 caps / year) |
| <i>oseltamivir phosphate</i> SUSR 6mg/ml | 3 | QL (1080 mL / year) |
| PEGASYS SOLN 180mcg/0.5ml, 180mcg/ml | 5 | NM, PA |
| PREVYMIS TABS 240mg, 480mg | 5 | QL (28 tabs / 28 days), PA |
| RELENZA DISKHALER AEPB 5mg/blister | 3 | QL (6 inhalers / year) |
| <i>ribavirin (hepatitis c)</i> CAPS 200mg | 3 | NM |
| <i>ribavirin (hepatitis c)</i> TABS 200mg | 4 | NM |
| <i>rimantadine hydrochloride</i> TABS 100mg | 4 | |
| <i>valacyclovir hcl</i> TABS 1gm, 500mg | 3 | |
| <i>valganciclovir hcl</i> SOLR 50mg/ml | 5 | |
| <i>valganciclovir hcl</i> TABS 450mg | 3 | |
| VEMLIDY TABS 25mg | 5 | PA |
| VOSEVI TAB | 5 | NM, PA |

CEPHALOSPORINS

| | | |
|--|---|----|
| <i>cefaclor</i> CAPS 250mg, 500mg | 3 | |
| <i>cefaclor</i> SUSR 125mg/5ml, 250mg/5ml, 375mg/5ml | 4 | |
| CEFACLOR ER TB12 500mg | 4 | |
| <i>cefadroxil</i> CAPS 500mg | 2 | GC |
| <i>cefadroxil</i> SUSR 250mg/5ml, 500mg/5ml | 3 | |
| CEFAZOLIN INJ 1GM/50ML | 4 | |
| <i>cefazolin sodium</i> SOLR 1gm, 10gm, 500mg | 3 | |
| CEFAZOLIN SOLN 2GM/100ML-4% | 4 | |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>cefdinir</i> CAPS 300mg | 2 | GC |
| <i>cefdinir</i> SUSR 125mg/5ml, 250mg/5ml | 3 | |
| <i>cefepime hcl</i> SOLR 1gm, 2gm | 4 | |
| <i>cefixime</i> SUSR 100mg/5ml, 200mg/5ml | 4 | |
| <i>cefoxitin sodium</i> SOLR 1gm, 2gm, 10gm | 4 | |
| <i>cefpodoxime proxetil</i> SUSR 50mg/5ml, 100mg/5ml | 4 | |
| <i>cefpodoxime proxetil</i> TABS 100mg, 200mg | 3 | |
| <i>cefprozil</i> SUSR 125mg/5ml, 250mg/5ml; TABS 250mg, 500mg | 3 | |
| <i>ceftazidime</i> SOLR 1gm, 2gm, 6gm | 4 | |
| CEFTAZIDIME/ SOL D5W 1GM | 4 | |
| CEFTAZIDIME/ SOL D5W 2GM | 4 | |
| <i>ceftriaxone sodium</i> SOLR 1gm, 2gm, 10gm, 250mg, 500mg | 4 | |
| <i>cefuroxime axetil</i> TABS 250mg, 500mg | 3 | |
| <i>cefuroxime sodium</i> SOLR 1.5gm, 7.5gm, 750mg | 3 | |
| <i>cephalexin</i> CAPS 250mg, 500mg | 1 | GC |
| <i>cephalexin</i> SUSR 125mg/5ml, 250mg/5ml | 3 | |
| <i>tazicef</i> SOLR 1gm, 2gm, 6gm | 4 | |
| TEFLARO SOLR 400mg, 600mg | 5 | |
| ERYTHROMYCINS/MACROLIDES | | |
| <i>azithromycin</i> PACK 1gm; SOLR 500mg; SUSR 100mg/5ml, 200mg/5ml | 3 | |
| <i>azithromycin</i> TABS 250mg, 500mg, 600mg | 1 | GC |
| <i>clarithromycin</i> SUSR 125mg/5ml, 250mg/5ml | 4 | |
| <i>clarithromycin</i> TABS 250mg, 500mg; TB24 500mg | 3 | |
| DIFICID SUSR 40mg/ml; TABS 200mg | 5 | |
| <i>ery-tab</i> TBEC 250mg, 333mg, 500mg | 4 | |
| ERYTHROCIN LACTOBIONATE SOLR 500mg | 5 | |
| <i>erythrocin stearate</i> TABS 250mg | 4 | |
| <i>erythromycin base</i> CPEP 250mg; TABS 250mg, 500mg; TBEC 250mg, 333mg, 500mg | 4 | |
| <i>erythromycin ethylsuccinate</i> TABS 400mg | 4 | |
| FLUOROQUINOLONES | | |
| CIPRO SUSR 500mg/5ml | 4 | |
| <i>ciprofloxacin 200 mg/100ml in d5w</i> | 3 | |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>ciprofloxacin 400 mg/200ml in d5w</i> | 3 | |
| <i>ciprofloxacin hcl TABS 100mg</i> | 4 | |
| <i>ciprofloxacin hcl TABS 250mg, 500mg, 750mg</i> | 1 | GC |
| <i>levofloxacin SOLN 25mg/ml</i> | 4 | |
| <i>levofloxacin TABS 250mg, 500mg, 750mg</i> | 1 | GC |
| <i>levofloxacin in d5w iv soln 250 mg/50ml</i> | 3 | |
| <i>levofloxacin in d5w iv soln 500 mg/100ml</i> | 3 | |
| <i>levofloxacin in d5w iv soln 750 mg/150ml</i> | 3 | |

PENICILLINS

| | | |
|--|---|----|
| <i>amoxicillin CAPS 250mg, 500mg; SUSR 125mg/5ml, 200mg/5ml, 250mg/5ml, 400mg/5ml; TABS 500mg, 875mg</i> | 1 | GC |
| <i>amoxicillin CHEW 125mg, 250mg</i> | 2 | GC |
| <i>amoxicillin & k clavulanate chew tab 200-28.5 mg</i> | 4 | |
| <i>amoxicillin & k clavulanate chew tab 400-57 mg</i> | 4 | |
| <i>amoxicillin & k clavulanate for susp 200-28.5 mg/5ml</i> | 3 | |
| <i>amoxicillin & k clavulanate for susp 250-62.5 mg/5ml</i> | 4 | |
| <i>amoxicillin & k clavulanate for susp 400-57 mg/5ml</i> | 3 | |
| <i>amoxicillin & k clavulanate for susp 600-42.9 mg/5ml</i> | 3 | |
| <i>amoxicillin & k clavulanate tab 250-125 mg</i> | 3 | |
| <i>amoxicillin & k clavulanate tab 500-125 mg</i> | 2 | GC |
| <i>amoxicillin & k clavulanate tab 875-125 mg</i> | 2 | GC |
| <i>amoxicillin & k clavulanate tab er 12hr 1000-62.5 mg</i> | 4 | |
| <i>ampicillin CAPS 500mg</i> | 2 | GC |
| <i>ampicillin & sulbactam sodium for inj 1.5 (1-0.5) gm</i> | 4 | |
| <i>ampicillin & sulbactam sodium for inj 3 (2-1) gm</i> | 4 | |
| <i>ampicillin & sulbactam sodium for iv soln 1.5 (1-0.5) gm</i> | 4 | |
| <i>ampicillin & sulbactam sodium for iv soln 3 (2-1) gm</i> | 4 | |
| <i>ampicillin & sulbactam sodium for iv soln 15 (10-5) gm</i> | 4 | |
| <i>ampicillin sodium SOLR 1gm, 2gm, 10gm, 125mg, 250mg, 500mg</i> | 4 | |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| BICILLIN L-A SUSP 600000unit/ml, 1200000unit/2ml, 2400000unit/4ml | 4 | |
| <i>dicloxacillin sodium</i> CAPS 250mg, 500mg | 3 | |
| <i>nafcillin sodium</i> SOLR 1gm, 2gm | 4 | |
| <i>nafcillin sodium</i> SOLR 10gm | 5 | |
| <i>oxacillin sodium</i> SOLR 1gm, 2gm, 10gm | 4 | |
| PEN GK/DEXTR INJ 40000/ML | 4 | |
| PEN GK/DEXTR INJ 60000/ML | 4 | |
| <i>penicillin g potassium</i> SOLR 5000000unit, 20000000unit | 4 | |
| PENICILLIN G PROCAINE SUSP 600000unit/ml | 4 | |
| <i>penicillin g sodium</i> SOLR 5000000unit | 4 | |
| <i>penicillin v potassium</i> SOLR 125mg/5ml, 250mg/5ml | 2 | GC |
| <i>penicillin v potassium</i> TABS 250mg, 500mg | 1 | GC |
| <i>pfizerpen</i> SOLR 5000000unit, 20000000unit | 4 | |
| <i>piperacillin sod-tazobactam na for inj 3.375 gm (3-0.375 gm)</i> | 4 | |
| <i>piperacillin sod-tazobactam sod for inj 2.25 gm (2-0.25 gm)</i> | 4 | |
| <i>piperacillin sod-tazobactam sod for inj 4.5 gm (4-0.5 gm)</i> | 4 | |
| <i>piperacillin sod-tazobactam sod for inj 13.5 gm (12-1.5 gm)</i> | 4 | |
| <i>piperacillin sod-tazobactam sod for inj 40.5 gm (36-4.5 gm)</i> | 4 | |
| TETRACYCLINES | | |
| <i>doxy 100</i> SOLR 100mg | 4 | |
| <i>doxycycline (monohydrate)</i> CAPS 50mg, 100mg | 2 | GC |
| <i>doxycycline (monohydrate)</i> TABS 50mg, 75mg, 100mg | 3 | |
| <i>doxycycline hyclate</i> CAPS 50mg, 100mg; TABS 20mg, 100mg | 3 | |
| <i>doxycycline hyclate</i> SOLR 100mg | 4 | |
| <i>minocycline hcl</i> CAPS 50mg, 75mg, 100mg | 3 | |
| <i>mondoxylene nl</i> CAPS 100mg | 2 | GC |
| <i>tetracycline hcl</i> CAPS 250mg, 500mg | 4 | PA |
| <i>tigecycline</i> SOLR 50mg | 4 | |
| TIGECYCLINE SOLR 50mg | 5 | |

| Drug Name | Drug Tier | Requirements/Limits |
|-----------|-----------|---------------------|
|-----------|-----------|---------------------|

ANTINEOPLASTIC AGENTS

ALKYLATING AGENTS

| | | |
|---|---|---------|
| BENDEKA SOLN 100mg/4ml | 5 | B/D, NM |
| <i>carboplatin</i> SOLN 50mg/5ml, 150mg/15ml, 450mg/45ml, 600mg/60ml | 3 | B/D |
| <i>cisplatin</i> SOLN 50mg/50ml, 100mg/100ml, 200mg/200ml | 3 | B/D |
| <i>cyclophosphamide</i> CAPS 25mg, 50mg | 3 | B/D |
| CYCLOPHOSPHAMIDE SOLN 1gm/5ml, 500mg/2.5ml | 5 | B/D |
| <i>cyclophosphamide</i> SOLR 1gm, 2gm, 500mg | 5 | B/D |
| CYCLOPHOSPHAMIDE TABS 25mg, 50mg | 4 | B/D |
| LEUKERAN TABS 2mg | 4 | |
| <i>oxaliplatin</i> SOLN 50mg/10ml, 100mg/20ml, 200mg/40ml | 4 | B/D |
| <i>oxaliplatin</i> SOLR 50mg, 100mg | 5 | B/D |
| <i>paraplatin</i> SOLN 1000mg/100ml | 3 | B/D |

ANTIBIOTICS

| | | |
|--|---|-----|
| <i>adriamycin</i> SOLN 2mg/ml | 4 | B/D |
| <i>doxorubicin hcl</i> SOLN 2mg/ml | 4 | B/D |
| <i>doxorubicin hcl liposomal</i> INJ 2mg/ml | 5 | B/D |
| <i>epirubicin hcl</i> SOLN 50mg/25ml, 200mg/100ml | 4 | B/D |

ANTIMETABOLITES

| | | |
|--|---|------------|
| ALIMTA SOLR 100mg, 500mg | 5 | B/D |
| <i>azacitidine</i> SUSR 100mg | 5 | B/D, NM |
| <i>cytarabine</i> SOLN 20mg/ml | 3 | B/D |
| <i>fluorouracil</i> SOLN 1gm/20ml, 2.5gm/50ml, 5gm/100ml, 500mg/10ml | 3 | B/D |
| <i>gemcitabine hcl</i> SOLN 1gm/26.3ml, 2gm/52.6ml, 200mg/5.26ml; SOLR 1gm, 2gm, 200mg | 4 | B/D |
| INQOVI TAB 35-100MG | 5 | NM, LA, PA |
| LONSURF TAB 15-6.14 | 5 | NM, PA |
| LONSURF TAB 20-8.19 | 5 | NM, PA |
| <i>mercaptopurine</i> TABS 50mg | 3 | |
| <i>methotrexate sodium</i> SOLN 1gm/40ml, 50mg/2ml, 250mg/10ml; SOLR 1gm | 3 | B/D |
| ONUREG TABS 200mg, 300mg | 5 | NM, LA, PA |
| PURIXAN SUSP 2000mg/100ml | 5 | NM |
| TABLOID TABS 40mg | 4 | |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|------------------------------------|
| HORMONAL ANTINEOPLASTIC AGENTS | | |
| <i>abiraterone acetate</i> TABS 250mg, 500mg | 5 | NM, PA |
| <i>anastrozole</i> TABS 1mg | 2 | GC |
| <i>bicalutamide</i> TABS 50mg | 2 | GC |
| EMCYT CAPS 140mg | 5 | |
| ERLEADA TABS 60mg | 5 | NM, LA, PA |
| <i>exemestane</i> TABS 25mg | 4 | |
| <i>flutamide</i> CAPS 125mg | 3 | |
| <i>fulvestrant</i> SOLN 250mg/5ml | 5 | B/D |
| <i>letrozole</i> TABS 2.5mg | 2 | GC |
| <i>leuprolide acetate</i> KIT 1mg/0.2ml | 4 | NM, PA |
| LUPRON DEPOT (1-MONTH) KIT 3.75mg | 5 | NM, PA |
| LUPRON DEPOT (3-MONTH) KIT 11.25mg | 5 | NM, PA |
| LYSODREN TABS 500mg | 5 | |
| <i>megestrol acetate</i> TABS 20mg, 40mg | 3 | |
| <i>nilutamide</i> TABS 150mg | 5 | |
| NUBEQA TABS 300mg | 5 | NM, LA, PA |
| ORGOVYX TABS 120mg | 5 | NM, LA, PA |
| SOLTAMOX SOLN 10mg/5ml | 5 | |
| <i>tamoxifen citrate</i> TABS 10mg, 20mg | 2 | GC |
| <i>toremifene citrate</i> TABS 60mg | 5 | |
| TRELSTAR MIXJECT SUSR 3.75mg, 11.25mg | 5 | NM, PA |
| XTANDI CAPS 40mg; TABS 40mg, 80mg | 5 | NM, LA, PA |
| IMMUNOMODULATORS | | |
| POMALYST CAPS 1mg, 2mg | 5 | QL (21 caps / 21 days), NM, LA, PA |
| POMALYST CAPS 3mg, 4mg | 5 | QL (21 caps / 28 days), NM, LA, PA |
| REVLIMID CAPS 2.5mg, 5mg, 10mg, 15mg | 5 | QL (28 caps / 28 days), NM, LA, PA |
| REVLIMID CAPS 20mg, 25mg | 5 | QL (21 caps / 28 days), NM, LA, PA |
| THALOMID CAPS 50mg, 100mg | 5 | QL (28 caps / 28 days), NM, PA |
| THALOMID CAPS 150mg, 200mg | 5 | QL (56 caps / 28 days), NM, PA |
| MISCELLANEOUS | | |
| <i>bexarotene</i> CAPS 75mg | 5 | NM, PA |
| <i>hydroxyurea</i> CAPS 500mg | 2 | GC |
| <i>irinotecan hcl</i> SOLN 40mg/2ml, 100mg/5ml, 300mg/15ml, 500mg/25ml | 4 | B/D |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------------|
| KISQALI 200 PAK FEMARA | 5 | QL (49 tabs / 28 days), NM, PA |
| KISQALI 400 PAK FEMARA | 5 | QL (70 tabs / 28 days), NM, PA |
| KISQALI 600 PAK FEMARA | 5 | QL (91 tabs / 28 days), NM, PA |
| MATULANE CAPS 50mg | 5 | NM, LA |
| SYNRIBO SOLR 3.5mg | 5 | NM, PA |
| <i>tretinoin (chemotherapy)</i> CAPS 10mg | 5 | |

MITOTIC INHIBITORS

| | | |
|---|---|---------|
| ABRAXANE INJ 100MG | 5 | B/D |
| <i>docetaxel</i> CONC 20mg/ml | 4 | B/D |
| <i>docetaxel</i> CONC 80mg/4ml, 160mg/8ml; SOLN 20mg/2ml, 80mg/8ml, 160mg/16ml | 5 | B/D |
| DOCETAXEL CONC 80mg/4ml, 160mg/8ml; SOLN 20mg/2ml, 80mg/8ml, 160mg/16ml | 5 | B/D |
| <i>etoposide</i> SOLN 100mg/5ml, 500mg/25ml | 3 | B/D |
| <i>paclitaxel</i> CONC 30mg/5ml, 100mg/16.7ml, 150mg/25ml, 300mg/50ml | 4 | B/D |
| <i>toposar</i> SOLN 1gm/50ml, 100mg/5ml | 3 | B/D |
| <i>vincristine sulfate</i> SOLN 1mg/ml | 2 | GC, B/D |
| <i>vinorelbine tartrate</i> SOLN 10mg/ml, 50mg/5ml | 4 | B/D |

MOLECULAR TARGET AGENTS

| | | |
|---|---|---------------------------------------|
| AFINITOR TABS 10mg | 5 | QL (30 tabs / 30 days), NM, PA |
| AFINITOR DISPERZ TBSO 2mg | 5 | QL (150 tabs / 30 days), NM, PA |
| AFINITOR DISPERZ TBSO 3mg | 5 | QL (90 tabs / 30 days), NM, PA |
| AFINITOR DISPERZ TBSO 5mg | 5 | QL (60 tabs / 30 days), NM, PA |
| ALECENSA CAPS 150mg | 5 | NM, LA, PA |
| ALUNBRIG TABS 30mg, 90mg, 180mg | 5 | NM, LA, PA |
| ALUNBRIG PAK | 5 | NM, LA, PA |
| AVASTIN SOLN 100mg/4ml, 400mg/16ml | 5 | NM, LA, PA |
| AYVAKIT TABS 25mg, 50mg, 100mg, 200mg, 300mg | 5 | QL (30 tabs / 30 days), NM, LA, PA |
| BALVERSA TABS 3mg, 4mg, 5mg | 5 | NM, LA, PA |
| BORTEZOMIB SOLR 3.5mg | 5 | NM, PA |
| BOSULIF TABS 100mg, 400mg, 500mg | 5 | NM, PA |
| BRAFTOVI CAPS 75mg | 5 | NM, LA, PA |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---------------------------------------|
| BRUKINSA CAPS 80mg | 5 | NM, LA, PA |
| CABOMETYX TABS 20mg, 40mg, 60mg | 5 | QL (30 tabs / 30 days), NM, LA, PA |
| CALQUENCE CAPS 100mg | 5 | QL (60 caps / 30 days), NM, LA, PA |
| CAPRELSA TABS 100mg, 300mg | 5 | NM, LA, PA |
| COMETRIQ (60MG DOSE) KIT 20mg | 5 | NM, LA, PA |
| COMETRIQ KIT 100MG | 5 | NM, LA, PA |
| COMETRIQ KIT 140MG | 5 | NM, LA, PA |
| COPIKTRA CAPS 15mg, 25mg | 5 | NM, LA, PA |
| COTELLIC TABS 20mg | 5 | NM, LA, PA |
| DAURISMO TABS 25mg, 100mg | 5 | NM, LA, PA |
| ERIVEDGE CAPS 150mg | 5 | NM, LA, PA |
| <i>erlotinib hcl</i> TABS 25mg | 5 | QL (90 tabs / 30 days), NM, PA |
| <i>erlotinib hcl</i> TABS 100mg, 150mg | 5 | QL (30 tabs / 30 days), NM, PA |
| <i>everolimus</i> TABS 2.5mg, 5mg, 7.5mg | 5 | QL (30 tabs / 30 days), NM, PA |
| FARYDAK CAPS 10mg, 15mg, 20mg | 5 | NM, LA, PA |
| FOTIVDA CAPS .89mg, 1.34mg | 5 | QL (21 caps / 28 days), NM, LA, PA |
| GAVRETO CAPS 100mg | 5 | NM, LA, PA |
| GILOTRIF TABS 20mg, 30mg, 40mg | 5 | NM, LA, PA |
| HERCEP HYLEC SOL 60-10000 | 5 | NM, PA |
| HERCEPTIN SOLR 150mg | 5 | NM, PA |
| HERZUMA SOLR 150mg, 420mg | 5 | NM, PA |
| IBRANCE CAPS 75mg, 100mg, 125mg | 5 | QL (21 caps / 28 days), NM, LA, PA |
| IBRANCE TABS 75mg, 100mg, 125mg | 5 | QL (21 tabs / 28 days), NM, LA, PA |
| ICLUSIG TABS 10mg | 5 | QL (60 tabs / 30 days), NM, LA, PA |
| ICLUSIG TABS 15mg, 30mg, 45mg | 5 | QL (30 tabs / 30 days), NM, LA, PA |
| IDHIFA TABS 50mg, 100mg | 5 | QL (30 tabs / 30 days), NM, LA, PA |
| <i>imatinib mesylate</i> TABS 100mg | 5 | QL (90 tabs / 30 days), NM, PA |
| <i>imatinib mesylate</i> TABS 400mg | 5 | QL (60 tabs / 30 days), NM, PA |
| IMBRUVICA CAPS 70mg | 5 | QL (30 caps / 30 days), NM, LA, PA |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-------------------------------------|
| IMBRUVICA CAPS 140mg | 5 | QL (120 caps / 30 days), NM, LA, PA |
| IMBRUVICA TABS 140mg, 280mg, 420mg, 560mg | 5 | QL (30 tabs / 30 days), NM, LA, PA |
| INLYTA TABS 1mg | 5 | QL (180 tabs / 30 days), NM, LA, PA |
| INLYTA TABS 5mg | 5 | QL (120 tabs / 30 days), NM, LA, PA |
| INREBIC CAPS 100mg | 5 | NM, LA, PA |
| IRESSA TABS 250mg | 5 | NM, LA, PA |
| JAKAFI TABS 5mg, 10mg, 15mg, 20mg, 25mg | 5 | QL (60 tabs / 30 days), NM, LA, PA |
| KADCYLA SOLR 100mg, 160mg | 5 | B/D, NM |
| KANJINTI SOLR 150mg, 420mg | 5 | NM, PA |
| KEYTRUDA SOLN 100mg/4ml | 5 | NM, PA |
| KISQALI 200 DOSE TBPK 200mg | 5 | QL (21 tabs / 28 days), NM, PA |
| KISQALI 400 DOSE TBPK 200mg | 5 | QL (42 tabs / 28 days), NM, PA |
| KISQALI 600 DOSE TBPK 200mg | 5 | QL (63 tabs / 28 days), NM, PA |
| <i>lapatinib ditosylate</i> TABS 250mg | 5 | NM, PA |
| LENVIMA 4 MG DAILY DOSE CPPK 4mg | 5 | QL (30 caps / 30 days), NM, LA, PA |
| LENVIMA 8 MG DAILY DOSE CPPK 4mg | 5 | QL (60 caps / 30 days), NM, LA, PA |
| LENVIMA 10 MG DAILY DOSE CPPK 10mg | 5 | QL (30 caps / 30 days), NM, LA, PA |
| LENVIMA 12MG DAILY DOSE CPPK 4mg | 5 | QL (90 caps / 30 days), NM, LA, PA |
| LENVIMA 20 MG DAILY DOSE CPPK 10mg | 5 | QL (60 caps / 30 days), NM, LA, PA |
| LENVIMA CAP 14 MG | 5 | QL (60 caps / 30 days), NM, LA, PA |
| LENVIMA CAP 18 MG | 5 | QL (90 caps / 30 days), NM, LA, PA |
| LENVIMA CAP 24 MG | 5 | QL (90 caps / 30 days), NM, LA, PA |
| LORBRENA TABS 25mg, 100mg | 5 | NM, LA, PA |
| LUMAKRAS TABS 120mg | 5 | NM, LA, PA |
| LYNPARZA TABS 100mg, 150mg | 5 | QL (120 tabs / 30 days), NM, LA, PA |
| MEKINIST TABS .5mg, 2mg | 5 | NM, LA, PA |
| MEKTOVI TABS 15mg | 5 | NM, LA, PA |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--|
| MONJUVI SOLR 200mg | 5 | NM, LA, PA |
| MVASI SOLN 100mg/4ml, 400mg/16ml | 5 | NM, LA, PA |
| NERLYNX TABS 40mg | 5 | NM, LA, PA |
| NEXAVAR TABS 200mg | 5 | QL (120 tabs / 30 days), NM, LA, PA |
| NINLARO CAPS 2.3mg, 3mg, 4mg | 5 | QL (3 caps / 28 days), NM, PA |
| ODOMZO CAPS 200mg | 5 | NM, LA, PA |
| OGIVRI SOLR 150mg | 5 | NM, PA |
| OGIVRI INJ 420MG | 5 | NM, PA |
| ONTRUZANT SOLR 150mg, 420mg | 5 | NM, PA |
| PEMAZYRE TABS 4.5mg, 9mg, 13.5mg | 5 | NM, LA, PA |
| PHESGO SOL | 5 | NM, LA, PA |
| PIQRAY 200MG DAILY DOSE TBPK 200mg | 5 | NM, PA |
| PIQRAY 250MG TAB DOSE | 5 | NM, PA |
| PIQRAY 300MG DAILY DOSE TBPK 150mg | 5 | NM, PA |
| QINLOCK TABS 50mg | 5 | NM, LA, PA |
| RETEVMO CAPS 40mg, 80mg | 5 | NM, LA, PA |
| RIABNI SOLN 100mg/10ml, 500mg/50ml | 5 | NM, LA, PA |
| RITUXAN SOLN 100mg/10ml, 500mg/50ml | 5 | NM, LA, PA |
| RITUXAN INJ HYCELA | 5 | NM, LA, PA |
| ROZLYTREK CAPS 100mg, 200mg | 5 | NM, LA, PA |
| RUBRACA TABS 200mg, 250mg, 300mg | 5 | QL (120 tabs / 30 days), NM, LA, PA |
| RUXIENCE SOLN 100mg/10ml, 500mg/50ml | 5 | NM, PA |
| RYDAPT CAPS 25mg | 5 | NM, PA |
| SPRYCEL TABS 20mg, 50mg, 70mg, 80mg, 100mg, 140mg | 5 | NM, PA |
| STIVARGA TABS 40mg | 5 | NM, LA, PA |
| SUTENT CAPS 12.5mg, 25mg, 37.5mg, 50mg | 5 | QL (30 caps / 30 days), NM, PA |
| TABRECTA TABS 150mg, 200mg | 5 | NM, PA |
| TAFINLAR CAPS 50mg, 75mg | 5 | NM, LA, PA |
| TAGRISSE TABS 40mg, 80mg | 5 | QL (30 tabs / 30 days), NM, LA, PA |
| TALZENNA CAPS 1mg | 5 | QL (30 caps / 30 days), NM, LA, PA |
| TALZENNA CAPS .25mg | 5 | QL (90 caps / 30 days), NM, LA, PA |
| TASIGNA CAPS 50mg, 150mg, 200mg | 5 | NM, PA |
| TAZVERIK TABS 200mg | 5 | NM, LA, PA |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-------------------------------------|
| TECENTRIQ SOLN 840mg/14ml, 1200mg/20ml | 5 | NM, LA, PA |
| TEPMETKO TABS 225mg | 5 | NM, LA, PA |
| TIBSOVO TABS 250mg | 5 | NM, LA, PA |
| TRAZIMERA SOLR 150mg, 420mg | 5 | NM, PA |
| TRUSELTIQ 50 MG DAILY DOSE CPPK 25mg | 5 | NM, LA, PA |
| TRUSELTIQ 75 MG DAILY DOSE CPPK 25mg | 5 | NM, LA, PA |
| TRUSELTIQ 100 MG DAILY DOSE CPPK 100mg | 5 | NM, LA, PA |
| TRUSELTIQ 125 MG DAILY DOSE | 5 | NM, LA, PA |
| TRUXIMA SOLN 100mg/10ml, 500mg/50ml | 5 | NM, PA |
| TUKYSA TABS 50mg, 150mg | 5 | NM, LA, PA |
| TURALIO CAPS 200mg | 5 | NM, LA, PA |
| UKONIQ TABS 200mg | 5 | NM, LA, PA |
| VELCADE SOLR 3.5mg | 5 | NM, PA |
| VENCLEXTA TABS 10mg | 4 | QL (112 tabs / 28 days), NM, LA, PA |
| VENCLEXTA TABS 50mg | 5 | QL (112 tabs / 28 days), NM, LA, PA |
| VENCLEXTA TABS 100mg | 5 | QL (180 tabs / 30 days), NM, LA, PA |
| VENCLEXTA TAB START PK | 5 | QL (42 tabs / 28 days), NM, LA, PA |
| VERZENIO TABS 50mg, 100mg, 150mg, 200mg | 5 | QL (56 tabs / 28 days), NM, LA, PA |
| VITRAKVI CAPS 25mg, 100mg; SOLN 20mg/ml | 5 | NM, LA, PA |
| VIZIMPRO TABS 15mg, 30mg, 45mg | 5 | NM, LA, PA |
| VOTRIENT TABS 200mg | 5 | NM, LA, PA |
| XALKORI CAPS 200mg, 250mg | 5 | NM, LA, PA |
| XOSPATA TABS 40mg | 5 | NM, LA, PA |
| XPOVIO 40 MG ONCE WEEKLY TBPK 20mg, 40mg | 5 | NM, LA, PA |
| XPOVIO 40 MG TWICE WEEKLY TBPK 20mg, 40mg | 5 | NM, LA, PA |
| XPOVIO 60 MG ONCE WEEKLY TBPK 20mg, 60mg | 5 | NM, LA, PA |
| XPOVIO 60 MG TWICE WEEKLY TBPK 20mg | 5 | NM, LA, PA |
| XPOVIO 80 MG ONCE WEEKLY TBPK 20mg, 40mg | 5 | NM, LA, PA |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---------------------------------------|
| XPOVIO 80 MG TWICE WEEKLY TBPk 20mg | 5 | NM, LA, PA |
| XPOVIO 100 MG ONCE WEEKLY TBPk 20mg, 50mg | 5 | NM, LA, PA |
| ZEJULA CAPS 100mg | 5 | QL (90 caps / 30 days), NM, LA, PA |
| ZELBORAF TABS 240mg | 5 | NM, LA, PA |
| ZIRABEV SOLN 100mg/4ml, 400mg/16ml | 5 | NM, PA |
| ZOLINZA CAPS 100mg | 5 | NM, PA |
| ZYDELIG TABS 100mg, 150mg | 5 | NM, LA, PA |
| ZYKADIA TABS 150mg | 5 | NM, LA, PA |

PROTECTIVE AGENTS

| | | |
|--|---|-----|
| <i>leucovorin calcium</i> SOLN 500mg/50ml; SOLR 50mg, 100mg, 200mg, 350mg, 500mg | 4 | B/D |
| <i>leucovorin calcium</i> TABS 5mg, 10mg | 3 | |
| <i>leucovorin calcium</i> TABS 15mg, 25mg | 4 | |
| MESNEX TABS 400mg | 5 | |

CARDIOVASCULAR

ACE INHIBITOR COMBINATIONS

| | | |
|--|---|-------------------------------|
| <i>amlodipine besylate-benazepril hcl cap 2.5- 10 mg</i> | 1 | GC, QL (30 caps / 30 days) |
| <i>amlodipine besylate-benazepril hcl cap 5- 10 mg</i> | 1 | GC, QL (30 caps / 30 days) |
| <i>amlodipine besylate-benazepril hcl cap 5- 20 mg</i> | 1 | GC, QL (30 caps / 30 days) |
| <i>amlodipine besylate-benazepril hcl cap 5- 40 mg</i> | 1 | GC, QL (30 caps / 30 days) |
| <i>amlodipine besylate-benazepril hcl cap 10- 20 mg</i> | 1 | GC, QL (30 caps / 30 days) |
| <i>amlodipine besylate-benazepril hcl cap 10- 40 mg</i> | 1 | GC, QL (30 caps / 30 days) |
| <i>benazepril & hydrochlorothiazide tab 5- 6.25 mg</i> | 1 | GC |
| <i>benazepril & hydrochlorothiazide tab 10- 12.5 mg</i> | 1 | GC |
| <i>benazepril & hydrochlorothiazide tab 20- 12.5 mg</i> | 1 | GC |
| <i>benazepril & hydrochlorothiazide tab 20-25 mg</i> | 1 | GC |
| <i>enalapril maleate & hydrochlorothiazide tab 5-12.5 mg</i> | 1 | GC |
| <i>enalapril maleate & hydrochlorothiazide tab 10-25 mg</i> | 1 | GC |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>fosinopril sodium & hydrochlorothiazide tab 10-12.5 mg</i> | 1 | GC |
| <i>fosinopril sodium & hydrochlorothiazide tab 20-12.5 mg</i> | 1 | GC |
| <i>lisinopril & hydrochlorothiazide tab 10-12.5 mg</i> | 1 | GC |
| <i>lisinopril & hydrochlorothiazide tab 20-12.5 mg</i> | 1 | GC |
| <i>lisinopril & hydrochlorothiazide tab 20-25 mg</i> | 1 | GC |
| <i>quinapril-hydrochlorothiazide tab 10-12.5 mg</i> | 1 | GC |
| <i>quinapril-hydrochlorothiazide tab 20-12.5 mg</i> | 1 | GC |
| <i>quinapril-hydrochlorothiazide tab 20-25 mg</i> | 1 | GC |
| ACE INHIBITORS | | |
| <i>benazepril hcl TABS 5mg, 10mg, 20mg, 40mg</i> | 1 | GC |
| <i>captopril TABS 12.5mg, 25mg, 50mg, 100mg</i> | 1 | GC |
| <i>enalapril maleate TABS 2.5mg, 5mg, 10mg, 20mg</i> | 1 | GC |
| <i>fosinopril sodium TABS 10mg, 20mg, 40mg</i> | 1 | GC |
| <i>lisinopril TABS 2.5mg, 5mg, 10mg, 20mg, 30mg, 40mg</i> | 1 | GC |
| <i>moexipril hcl TABS 7.5mg, 15mg</i> | 1 | GC |
| <i>perindopril erbumine TABS 2mg, 4mg, 8mg</i> | 1 | GC |
| <i>quinapril hcl TABS 5mg, 10mg, 20mg, 40mg</i> | 1 | GC |
| <i>ramipril CAPS 1.25mg, 2.5mg, 5mg, 10mg</i> | 1 | GC |
| <i>trandolapril TABS 1mg, 2mg, 4mg</i> | 1 | GC |
| ALDOSTERONE RECEPTOR ANTAGONISTS | | |
| <i>eplerenone TABS 25mg, 50mg</i> | 3 | |
| <i>spironolactone TABS 25mg, 50mg, 100mg</i> | 1 | GC |
| ALPHA BLOCKERS | | |
| <i>doxazosin mesylate TABS 1mg, 2mg, 4mg, 8mg</i> | 2 | GC |
| <i>prazosin hcl CAPS 1mg, 2mg, 5mg</i> | 3 | |
| <i>terazosin hcl CAPS 1mg, 2mg, 5mg, 10mg</i> | 2 | GC |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| ANGIOTENSIN II RECEPTOR ANTAGONIST COMBINATIONS | | |
| <i>amlodipine besylate-olmesartan medoxomil tab 5-20 mg</i> | 1 | GC, QL (30 tabs / 30 days) |
| <i>amlodipine besylate-olmesartan medoxomil tab 5-40 mg</i> | 1 | GC, QL (30 tabs / 30 days) |
| <i>amlodipine besylate-olmesartan medoxomil tab 10-20 mg</i> | 1 | GC, QL (30 tabs / 30 days) |
| <i>amlodipine besylate-olmesartan medoxomil tab 10-40 mg</i> | 1 | GC, QL (30 tabs / 30 days) |
| <i>amlodipine besylate-valsartan tab 5-160 mg</i> | 1 | GC, QL (30 tabs / 30 days) |
| <i>amlodipine besylate-valsartan tab 5-320 mg</i> | 1 | GC, QL (30 tabs / 30 days) |
| <i>amlodipine besylate-valsartan tab 10-160 mg</i> | 1 | GC, QL (30 tabs / 30 days) |
| <i>amlodipine besylate-valsartan tab 10-320 mg</i> | 1 | GC, QL (30 tabs / 30 days) |
| <i>amlodipine-valsartan-hydrochlorothiazide tab 5-160-12.5 mg</i> | 1 | GC, QL (30 tabs / 30 days) |
| <i>amlodipine-valsartan-hydrochlorothiazide tab 5-160-25 mg</i> | 1 | GC, QL (30 tabs / 30 days) |
| <i>amlodipine-valsartan-hydrochlorothiazide tab 10-160-12.5 mg</i> | 1 | GC, QL (30 tabs / 30 days) |
| <i>amlodipine-valsartan-hydrochlorothiazide tab 10-160-25 mg</i> | 1 | GC, QL (30 tabs / 30 days) |
| <i>amlodipine-valsartan-hydrochlorothiazide tab 10-320-25 mg</i> | 1 | GC, QL (30 tabs / 30 days) |
| ENTRESTO TAB 24-26MG | 3 | |
| ENTRESTO TAB 49-51MG | 3 | |
| ENTRESTO TAB 97-103MG | 3 | |
| <i>irbesartan-hydrochlorothiazide tab 150-12.5 mg</i> | 1 | GC, QL (30 tabs / 30 days) |
| <i>irbesartan-hydrochlorothiazide tab 300-12.5 mg</i> | 1 | GC, QL (30 tabs / 30 days) |
| <i>losartan potassium & hydrochlorothiazide tab 50-12.5 mg</i> | 1 | GC |
| <i>losartan potassium & hydrochlorothiazide tab 100-12.5 mg</i> | 1 | GC |
| <i>losartan potassium & hydrochlorothiazide tab 100-25 mg</i> | 1 | GC |
| <i>olmesartan medoxomil-hydrochlorothiazide tab 20-12.5 mg</i> | 1 | GC, QL (30 tabs / 30 days) |
| <i>olmesartan medoxomil-hydrochlorothiazide tab 40-12.5 mg</i> | 1 | GC, QL (30 tabs / 30 days) |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>olmesartan medoxomil-hydrochlorothiazide tab 40-25 mg</i> | 1 | GC, QL (30 tabs / 30 days) |
| <i>olmesartan-amlodipine-hydrochlorothiazide tab 20-5-12.5 mg</i> | 1 | GC, QL (30 tabs / 30 days) |
| <i>olmesartan-amlodipine-hydrochlorothiazide tab 40-5-12.5 mg</i> | 1 | GC, QL (30 tabs / 30 days) |
| <i>olmesartan-amlodipine-hydrochlorothiazide tab 40-5-25 mg</i> | 1 | GC, QL (30 tabs / 30 days) |
| <i>olmesartan-amlodipine-hydrochlorothiazide tab 40-10-12.5 mg</i> | 1 | GC, QL (30 tabs / 30 days) |
| <i>olmesartan-amlodipine-hydrochlorothiazide tab 40-10-25 mg</i> | 1 | GC, QL (30 tabs / 30 days) |
| <i>valsartan-hydrochlorothiazide tab 80-12.5 mg</i> | 1 | GC, QL (30 tabs / 30 days) |
| <i>valsartan-hydrochlorothiazide tab 160-12.5 mg</i> | 1 | GC, QL (30 tabs / 30 days) |
| <i>valsartan-hydrochlorothiazide tab 160-25 mg</i> | 1 | GC, QL (30 tabs / 30 days) |
| <i>valsartan-hydrochlorothiazide tab 320-12.5 mg</i> | 1 | GC, QL (30 tabs / 30 days) |
| <i>valsartan-hydrochlorothiazide tab 320-25 mg</i> | 1 | GC, QL (30 tabs / 30 days) |

ANGIOTENSIN II RECEPTOR ANTAGONISTS

| | | |
|--|---|----------------------------|
| <i>irbesartan TABS 75mg, 150mg, 300mg</i> | 1 | GC, QL (30 tabs / 30 days) |
| <i>losartan potassium TABS 25mg, 50mg, 100mg</i> | 1 | GC |
| <i>olmesartan medoxomil TABS 5mg</i> | 1 | GC, QL (60 tabs / 30 days) |
| <i>olmesartan medoxomil TABS 20mg, 40mg</i> | 1 | GC, QL (30 tabs / 30 days) |
| <i>telmisartan TABS 20mg, 40mg, 80mg</i> | 1 | GC, QL (30 tabs / 30 days) |
| <i>valsartan TABS 40mg, 80mg, 160mg</i> | 1 | GC, QL (60 tabs / 30 days) |
| <i>valsartan TABS 320mg</i> | 1 | GC, QL (30 tabs / 30 days) |

ANTIARRHYTHMICS

| | | |
|---|---|----|
| <i>amiodarone hcl SOLN 50mg/ml, 900mg/18ml; TABS 100mg, 400mg</i> | 4 | |
| <i>amiodarone hcl TABS 200mg</i> | 1 | GC |
| <i>disopyramide phosphate CAPS 100mg, 150mg</i> | 4 | |
| <i>dofetilide CAPS 125mcg, 250mcg, 500mcg</i> | 4 | |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>flecainide acetate</i> TABS 50mg, 100mg, 150mg | 3 | |
| MULTAQ TABS 400mg | 4 | |
| NORPACE CR CP12 100mg, 150mg | 4 | |
| <i>pacerone</i> TABS 100mg, 400mg | 4 | |
| <i>pacerone</i> TABS 200mg | 1 | GC |
| <i>propafenone hcl</i> CP12 225mg, 325mg, 425mg | 4 | |
| <i>propafenone hcl</i> TABS 150mg, 225mg, 300mg | 3 | |
| <i>quinidine sulfate</i> TABS 200mg, 300mg | 2 | GC |
| <i>sorine</i> TABS 80mg, 120mg, 160mg, 240mg | 2 | GC |
| <i>sotalol hcl</i> TABS 80mg, 120mg, 160mg, 240mg | 2 | GC |
| <i>sotalol hcl (afib/afl)</i> TABS 80mg, 120mg, 160mg | 3 | |
| ANTILIPEMICS, FIBRATES | | |
| <i>fenofibrate</i> TABS 48mg, 54mg, 145mg, 160mg | 3 | |
| <i>fenofibrate micronized</i> CAPS 67mg, 134mg, 200mg | 3 | |
| <i>gemfibrozil</i> TABS 600mg | 1 | GC |
| ANTILIPEMICS, HMG-CoA REDUCTASE INHIBITORS | | |
| <i>atorvastatin calcium</i> TABS 10mg, 20mg, 40mg, 80mg | 1 | GC, QL (30 tabs / 30 days) |
| <i>lovastatin</i> TABS 10mg, 20mg, 40mg | 1 | GC, QL (60 tabs / 30 days) |
| <i>pravastatin sodium</i> TABS 10mg, 20mg, 40mg, 80mg | 1 | GC, QL (30 tabs / 30 days) |
| <i>rosuvastatin calcium</i> TABS 5mg, 10mg, 20mg, 40mg | 1 | GC, QL (30 tabs / 30 days) |
| <i>simvastatin</i> TABS 5mg, 10mg, 20mg, 40mg, 80mg | 1 | GC, QL (30 tabs / 30 days) |
| ANTILIPEMICS, MISCELLANEOUS | | |
| <i>cholestyramine</i> PACK 4gm; POWD 4gm/dose | 3 | |
| <i>cholestyramine light</i> PACK 4gm; POWD 4gm/dose | 3 | |
| <i>colesevelam hcl</i> PACK 3.75gm; TABS 625mg | 4 | |
| <i>colestipol hcl</i> GRAN 5gm; PACK 5gm | 4 | |
| <i>colestipol hcl</i> TABS 1gm | 3 | |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>ezetimibe</i> TABS 10mg | 3 | |
| <i>niacin (antihyperlipidemic)</i> TBCR 500mg, 750mg, 1000mg | 3 | QL (60 tabs / 30 days) |
| PRALUENT SOAJ 75mg/ml, 150mg/ml | 3 | NM, PA |
| <i>prevalite</i> PACK 4gm; POWD 4gm/dose | 3 | |
| VASCEPA CAPS .5gm, 1gm | 4 | |

BETA-BLOCKER/DIURETIC COMBINATIONS

| | | |
|---|---|----|
| <i>atenolol & chlorthalidone tab 50-25 mg</i> | 2 | GC |
| <i>atenolol & chlorthalidone tab 100-25 mg</i> | 2 | GC |
| <i>bisoprolol & hydrochlorothiazide tab 2.5-6.25 mg</i> | 2 | GC |
| <i>bisoprolol & hydrochlorothiazide tab 5-6.25 mg</i> | 2 | GC |
| <i>bisoprolol & hydrochlorothiazide tab 10-6.25 mg</i> | 2 | GC |
| <i>metoprolol & hydrochlorothiazide tab 50-25 mg</i> | 3 | |
| <i>metoprolol & hydrochlorothiazide tab 100-25 mg</i> | 3 | |
| <i>metoprolol & hydrochlorothiazide tab 100-50 mg</i> | 3 | |

BETA-BLOCKERS

| | | |
|---|---|------------------------|
| <i>acebutolol hcl</i> CAPS 200mg, 400mg | 3 | |
| <i>atenolol</i> TABS 25mg, 50mg, 100mg | 1 | GC |
| <i>bisoprolol fumarate</i> TABS 5mg, 10mg | 2 | GC |
| BYSTOLIC TABS 2.5mg, 5mg, 10mg | 4 | QL (30 tabs / 30 days) |
| BYSTOLIC TABS 20mg | 4 | QL (60 tabs / 30 days) |
| <i>carvedilol</i> TABS 3.125mg, 6.25mg, 12.5mg, 25mg | 1 | GC |
| <i>labetalol hcl</i> TABS 100mg, 200mg, 300mg | 3 | |
| <i>metoprolol succinate</i> TB24 25mg, 50mg, 100mg, 200mg | 2 | GC |
| <i>metoprolol tartrate</i> SOLN 5mg/5ml | 4 | |
| <i>metoprolol tartrate</i> TABS 25mg, 50mg, 100mg | 1 | GC |
| <i>nadolol</i> TABS 20mg, 40mg, 80mg | 3 | |
| <i>pindolol</i> TABS 5mg, 10mg | 3 | |
| <i>propranolol hcl</i> CP24 60mg, 80mg, 120mg, 160mg; SOLN 20mg/5ml, 40mg/5ml | 3 | |
| <i>propranolol hcl</i> TABS 10mg, 20mg, 40mg, 60mg, 80mg | 2 | GC |
| <i>timolol maleate</i> TABS 5mg, 10mg, 20mg | 4 | |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| CALCIUM CHANNEL BLOCKERS | | |
| <i>amlodipine besylate</i> TABS 2.5mg, 5mg, 10mg | 1 | GC |
| <i>cartia xt</i> CP24 120mg, 180mg, 240mg, 300mg | 2 | GC |
| <i>dilt-xr</i> CP24 120mg, 180mg, 240mg | 3 | |
| <i>diltiazem hcl</i> CP12 60mg, 90mg, 120mg | 4 | |
| <i>diltiazem hcl</i> SOLN 25mg/5ml, 50mg/10ml, 125mg/25ml | 3 | |
| <i>diltiazem hcl</i> TABS 30mg, 60mg, 90mg, 120mg | 2 | GC |
| <i>diltiazem hcl coated beads</i> CP24 120mg, 180mg, 240mg, 300mg | 2 | GC |
| <i>diltiazem hcl coated beads</i> CP24 360mg | 4 | |
| <i>diltiazem hcl extended release beads</i> CP24 120mg, 180mg, 240mg, 300mg, 360mg, 420mg | 2 | GC |
| <i>felodipine</i> TB24 2.5mg, 5mg, 10mg | 2 | GC |
| <i>isradipine</i> CAPS 2.5mg, 5mg | 3 | |
| <i>nicardipine hcl</i> CAPS 20mg, 30mg | 4 | |
| <i>nifedipine</i> TB24 30mg, 60mg, 90mg | 3 | |
| <i>nimodipine</i> CAPS 30mg | 4 | |
| NYMALIZE SOLN 6mg/ml | 5 | |
| <i>taztia xt</i> CP24 120mg, 180mg, 240mg, 300mg, 360mg | 2 | GC |
| <i>tiadyt er</i> CP24 120mg, 180mg, 240mg, 300mg, 360mg, 420mg | 2 | GC |
| <i>verapamil hcl</i> CP24 100mg, 200mg, 300mg, 360mg; SOLN 2.5mg/ml | 4 | |
| <i>verapamil hcl</i> CP24 120mg, 180mg, 240mg | 3 | |
| <i>verapamil hcl</i> TABS 40mg, 80mg, 120mg | 1 | GC |
| <i>verapamil hcl</i> TBCR 120mg, 180mg, 240mg | 2 | GC |
| DIURETICS | | |
| <i>acetazolamide</i> CP12 500mg | 4 | |
| <i>acetazolamide</i> TABS 125mg, 250mg | 3 | |
| <i>amiloride & hydrochlorothiazide tab 5-50 mg</i> | 2 | GC |
| <i>amiloride hcl</i> TABS 5mg | 2 | GC |
| <i>bumetanide</i> SOLN .25mg/ml; TABS .5mg, 1mg, 2mg | 3 | |
| <i>chlorthalidone</i> TABS 25mg, 50mg | 2 | GC |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------------|
| <i>furosemide</i> SOLN 8mg/ml, 10mg/ml | 2 | GC |
| <i>furosemide</i> TABS 20mg, 40mg, 80mg | 1 | GC |
| <i>furosemide inj</i> SOLN 10mg/ml | 3 | |
| <i>hydrochlorothiazide</i> CAPS 12.5mg; TABS 12.5mg, 25mg, 50mg | 1 | GC |
| <i>indapamide</i> TABS 1.25mg, 2.5mg | 2 | GC |
| <i>methazolamide</i> TABS 25mg, 50mg | 4 | |
| <i>metolazone</i> TABS 2.5mg, 5mg, 10mg | 3 | |
| <i>spironolactone & hydrochlorothiazide tab</i> 25-25 mg | 3 | |
| <i>torseamide</i> TABS 5mg, 10mg, 20mg, 100mg | 2 | GC |
| <i>triamterene & hydrochlorothiazide cap</i> 37.5-25 mg | 1 | GC |
| <i>triamterene & hydrochlorothiazide tab</i> 37.5-25 mg | 1 | GC |
| <i>triamterene & hydrochlorothiazide tab</i> 75-50 mg | 1 | GC |
| MISCELLANEOUS | | |
| ADRENALIN SOLN 1mg/ml | 4 | |
| <i>aliskiren fumarate</i> TABS 150mg, 300mg | 4 | |
| <i>clonidine</i> PTWK .1mg/24hr, .2mg/24hr, .3mg/24hr | 4 | |
| <i>clonidine hcl</i> TABS .1mg, .2mg, .3mg | 1 | GC |
| CORLANOR SOLN 5mg/5ml; TABS 5mg, 7.5mg | 4 | |
| <i>digitek</i> TABS .125mg, .25mg | 2 | GC, QL (30 tabs / 30 days) |
| <i>digox</i> TABS 125mcg, 250mcg | 2 | GC, QL (30 tabs / 30 days) |
| <i>digoxin</i> SOLN .05mg/ml, .25mg/ml | 4 | |
| <i>digoxin</i> TABS 125mcg, 250mcg | 2 | GC, QL (30 tabs / 30 days) |
| <i>droxidopa</i> CAPS 100mg | 5 | QL (90 caps / 30 days), NM, PA |
| <i>droxidopa</i> CAPS 200mg, 300mg | 5 | QL (180 caps / 30 days), NM, PA |
| <i>guanfacine hcl</i> TABS 1mg, 2mg | 3 | PA; PA if 70 years and older |
| <i>hydralazine hcl</i> SOLN 20mg/ml | 4 | |
| <i>hydralazine hcl</i> TABS 10mg, 25mg, 50mg, 100mg | 2 | GC |
| <i>methyldopa</i> TABS 250mg, 500mg | 2 | GC, PA; PA if 70 years and older |

| Drug Name | Drug Tier | Requirements/Limits |
|--------------------------------------|------------------|----------------------------|
| <i>metyrosine</i> CAPS 250mg | 5 | PA |
| <i>midodrine hcl</i> TABS 2.5mg, 5mg | 3 | |
| <i>midodrine hcl</i> TABS 10mg | 4 | |
| <i>minoxidil</i> TABS 2.5mg, 10mg | 2 | GC |
| <i>ranolazine</i> TB12 500mg, 1000mg | 4 | |

NITRATES

| | | |
|---|---|----|
| <i>isosorbide dinitrate</i> TABS 5mg, 10mg, 20mg, 30mg | 3 | |
| <i>isosorbide mononitrate</i> TABS 10mg, 20mg | 2 | GC |
| <i>isosorbide mononitrate</i> TB24 30mg, 60mg, 120mg | 1 | GC |
| <i>minitran</i> PT24 .1mg/hr, .2mg/hr, .4mg/hr, .6mg/hr | 3 | |
| NITRO-BID OINT 2% | 3 | |
| <i>nitroglycerin</i> PT24 .1mg/hr, .2mg/hr, .4mg/hr, .6mg/hr; SUBL .3mg, .4mg, .6mg | 3 | |

PULMONARY ARTERIAL HYPERTENSION

| | | |
|---|---|-------------------------------------|
| ADEMPAS TABS .5mg, 1mg, 1.5mg, 2mg, 2.5mg | 5 | QL (90 tabs / 30 days), NM, LA, PA |
| <i>ambrisentan</i> TABS 5mg, 10mg | 5 | QL (30 tabs / 30 days), NM, LA, PA |
| <i>bosentan</i> TABS 62.5mg | 5 | QL (120 tabs / 30 days), NM, LA, PA |
| <i>bosentan</i> TABS 125mg | 5 | QL (60 tabs / 30 days), NM, LA, PA |
| OPSUMIT TABS 10mg | 5 | QL (30 tabs / 30 days), NM, LA, PA |
| <i>sildenafil citrate (pulmonary hypertension)</i> TABS 20mg | 3 | QL (90 tabs / 30 days), NM, PA |
| <i>treprostinil</i> SOLN 20mg/20ml, 50mg/20ml, 100mg/20ml, 200mg/20ml | 5 | NM, LA, PA |
| VENTAVIS SOLN 10mcg/ml, 20mcg/ml | 5 | NM, PA |

CENTRAL NERVOUS SYSTEM

ANTI-ANXIETY

| | | |
|---|---|-----------------------------|
| <i>alprazolam</i> TABS .25mg, .5mg, 1mg, 2mg | 2 | GC, QL (150 tabs / 30 days) |
| <i>buspirone hcl</i> TABS 5mg, 10mg, 15mg | 1 | GC |
| <i>buspirone hcl</i> TABS 7.5mg, 30mg | 3 | |
| <i>fluvoxamine maleate</i> TABS 25mg, 50mg, 100mg | 3 | |
| <i>lorazepam</i> CONC 2mg/ml | 3 | QL (150 mL / 30 days) |
| <i>lorazepam</i> SOLN 2mg/ml, 4mg/ml | 2 | GC |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---|
| <i>lorazepam</i> TABS .5mg, 1mg, 2mg | 2 | GC, QL (150 tabs / 30 days) |
| <i>lorazepam intensol</i> CONC 2mg/ml | 3 | QL (150 mL / 30 days) |
| ANTICONVULSANTS | | |
| APTIOM TABS 200mg, 400mg, 600mg, 800mg | 5 | QL (60 tabs / 30 days) |
| BRIVIACT SOLN 10mg/ml | 5 | QL (600 mL / 30 days), PA |
| BRIVIACT SOLN 50mg/5ml | 4 | PA |
| BRIVIACT TABS 10mg, 25mg, 50mg, 75mg, 100mg | 5 | QL (60 tabs / 30 days), PA |
| <i>carbamazepine</i> CHEW 100mg; TABS 200mg | 3 | |
| <i>carbamazepine</i> CP12 100mg, 200mg, 300mg; SUSP 100mg/5ml; TB12 100mg, 200mg, 400mg | 4 | |
| CELONTIN CAPS 300mg | 4 | |
| <i>clobazam</i> SUSP 2.5mg/ml | 4 | QL (480 mL / 30 days), PA |
| <i>clobazam</i> TABS 10mg, 20mg | 4 | QL (60 tabs / 30 days), PA |
| <i>clonazepam</i> TABS 2mg | 2 | GC, QL (300 tabs / 30 days) |
| <i>clonazepam</i> TABS .5mg, 1mg | 2 | GC, QL (90 tabs / 30 days) |
| <i>clonazepam</i> TBDP 2mg | 3 | QL (300 tabs / 30 days) |
| <i>clonazepam</i> TBDP .125mg, .25mg, .5mg, 1mg | 3 | QL (90 tabs / 30 days) |
| <i>clorazepate dipotassium</i> TABS 3.75mg, 7.5mg, 15mg | 4 | QL (180 tabs / 30 days), PA; PA if 65 years and older |
| DIACOMIT CAPS 250mg | 5 | QL (360 caps / 30 days), NM, LA, PA |
| DIACOMIT CAPS 500mg | 5 | QL (180 caps / 30 days), NM, LA, PA |
| DIACOMIT PACK 250mg | 5 | QL (360 packets / 30 days), NM, LA, PA |
| DIACOMIT PACK 500mg | 5 | QL (180 packets / 30 days), NM, LA, PA |
| <i>diazepam</i> CONC 5mg/ml | 3 | QL (240 mL / 30 days), PA; PA if 65 years and older |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---|
| <i>diazepam</i> SOLN 5mg/5ml | 3 | QL (1200 mL / 30 days), PA; PA if 65 years and older |
| <i>diazepam</i> TABS 2mg, 5mg, 10mg | 2 | GC, QL (120 tabs / 30 days), PA; PA if 65 years and older |
| <i>diazepam (anticonvulsant)</i> GEL 2.5mg, 10mg, 20mg | 4 | |
| <i>diazepam inj</i> SOLN 5mg/ml | 4 | |
| DILANTIN CAPS 30mg, 100mg | 4 | |
| DILANTIN INFATABS CHEW 50mg | 4 | |
| DILANTIN-125 SUSP 125mg/5ml | 4 | |
| <i>divalproex sodium</i> CSDR 125mg | 4 | |
| <i>divalproex sodium</i> TB24 250mg, 500mg; TBEC 125mg, 250mg, 500mg | 3 | |
| EPIDIOLEX SOLN 100mg/ml | 5 | QL (600 mL / 30 days), NM, LA, PA |
| <i>epitol</i> TABS 200mg | 3 | |
| <i>ethosuximide</i> CAPS 250mg | 4 | |
| <i>ethosuximide</i> SOLN 250mg/5ml | 3 | |
| <i>felbamate</i> SUSP 600mg/5ml | 5 | |
| <i>felbamate</i> TABS 400mg, 600mg | 4 | |
| FINTEPLA SOLN 2.2mg/ml | 5 | QL (360 mL / 30 days), NM, LA, PA |
| FYCOMPA SUSP .5mg/ml | 5 | QL (720 mL / 30 days), PA |
| FYCOMPA TABS 2mg | 4 | QL (60 tabs / 30 days), PA |
| FYCOMPA TABS 4mg, 6mg | 5 | QL (60 tabs / 30 days), PA |
| FYCOMPA TABS 8mg, 10mg, 12mg | 5 | QL (30 tabs / 30 days), PA |
| <i>gabapentin</i> CAPS 100mg | 2 | GC, QL (1080 caps / 30 days) |
| <i>gabapentin</i> CAPS 300mg | 2 | GC, QL (360 caps / 30 days) |
| <i>gabapentin</i> CAPS 400mg | 2 | GC, QL (270 caps / 30 days) |
| <i>gabapentin</i> SOLN 250mg/5ml | 3 | QL (2160 mL / 30 days) |
| <i>gabapentin</i> TABS 600mg | 3 | QL (180 tabs / 30 days) |
| <i>gabapentin</i> TABS 800mg | 3 | QL (120 tabs / 30 days) |
| <i>lamotrigine</i> CHEW 5mg, 25mg | 3 | |
| <i>lamotrigine</i> TABS 25mg, 100mg, 150mg, 200mg | 1 | GC |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|------------------------------|
| <i>lamotrigine</i> TB24 25mg, 50mg, 100mg, 200mg, 250mg, 300mg | 4 | |
| <i>levetiracetam</i> SOLN 100mg/ml; TABS 250mg, 500mg, 750mg, 1000mg; TB24 500mg, 750mg | 3 | |
| <i>levetiracetam</i> SOLN 500mg/5ml | 4 | |
| <i>levetiracetam in sodium chloride iv soln</i> 500 mg/100ml | 4 | |
| <i>levetiracetam in sodium chloride iv soln</i> 1000 mg/100ml | 4 | |
| <i>levetiracetam in sodium chloride iv soln</i> 1500 mg/100ml | 4 | |
| NAYZILAM SOLN 5mg/0.1ml | 4 | |
| <i>oxcarbazepine</i> SUSP 300mg/5ml | 4 | |
| <i>oxcarbazepine</i> TABS 150mg, 300mg, 600mg | 3 | |
| <i>phenobarbital</i> ELIX 20mg/5ml | 4 | PA; PA if 70 years and older |
| <i>phenobarbital</i> TABS 15mg, 16.2mg, 30mg, 32.4mg, 60mg, 64.8mg, 97.2mg, 100mg | 3 | PA; PA if 70 years and older |
| <i>phenobarbital sodium</i> SOLN 65mg/ml, 130mg/ml | 4 | PA; PA if 70 years and older |
| PHENYTEK CAPS 200mg, 300mg | 4 | |
| <i>phenytoin</i> CHEW 50mg; SUSP 125mg/5ml | 3 | |
| <i>phenytoin sodium</i> SOLN 50mg/ml | 3 | |
| <i>phenytoin sodium extended</i> CAPS 100mg, 200mg, 300mg | 3 | |
| <i>pregabalin</i> CAPS 25mg, 50mg, 75mg, 100mg, 150mg | 3 | QL (120 caps / 30 days), PA |
| <i>pregabalin</i> CAPS 200mg | 3 | QL (90 caps / 30 days), PA |
| <i>pregabalin</i> CAPS 225mg, 300mg | 3 | QL (60 caps / 30 days), PA |
| <i>pregabalin</i> SOLN 20mg/ml | 4 | QL (900 mL / 30 days), PA |
| <i>primidone</i> TABS 50mg, 250mg | 2 | GC |
| <i>roweepra</i> TABS 500mg | 3 | |
| <i>rufinamide</i> SUSP 40mg/ml | 5 | QL (2300 mL / 28 days), PA |
| <i>rufinamide</i> TABS 200mg | 5 | QL (480 tabs / 30 days), PA |
| <i>rufinamide</i> TABS 400mg | 5 | QL (240 tabs / 30 days), PA |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--|
| SPRITAM TB3D 250mg | 4 | QL (360 tabs / 30 days) |
| SPRITAM TB3D 500mg | 4 | QL (180 tabs / 30 days) |
| SPRITAM TB3D 750mg | 4 | QL (120 tabs / 30 days) |
| SPRITAM TB3D 1000mg | 4 | QL (90 tabs / 30 days) |
| <i>subvenite</i> TABS 25mg, 100mg, 150mg, 200mg | 1 | GC |
| SYMPAZAN FILM 5mg | 4 | QL (60 films / 30 days), PA |
| SYMPAZAN FILM 10mg, 20mg | 5 | QL (60 films / 30 days), PA |
| <i>tiagabine hcl</i> TABS 2mg, 4mg, 12mg, 16mg | 4 | |
| <i>topiramate</i> CPSP 15mg, 25mg | 3 | |
| <i>topiramate</i> TABS 25mg, 50mg, 100mg, 200mg | 2 | GC |
| <i>valproate sodium</i> SOLN 100mg/ml | 4 | |
| <i>valproate sodium</i> SOLN 250mg/5ml | 3 | |
| <i>valproic acid</i> CAPS 250mg | 3 | |
| VALTOCO LIQD 5mg/0.1ml, 10mg/0.1ml; LQPK 7.5mg/0.1ml, 10mg/0.1ml | 4 | |
| <i>vigabatrin</i> PACK 500mg | 5 | QL (180 packets / 30 days), NM, LA, PA |
| <i>vigabatrin</i> TABS 500mg | 5 | QL (180 tabs / 30 days), NM, LA, PA |
| <i>vigadrone</i> PACK 500mg | 5 | QL (180 packets / 30 days), NM, LA, PA |
| VIMPAT SOLN 10mg/ml | 5 | QL (1200 mL / 30 days) |
| VIMPAT SOLN 200mg/20ml | 5 | |
| VIMPAT TABS 50mg | 4 | QL (120 tabs / 30 days) |
| VIMPAT TABS 100mg, 150mg, 200mg | 5 | QL (60 tabs / 30 days) |
| XCOPRI TABS 50mg | 5 | QL (90 tabs / 30 days) |
| XCOPRI TABS 100mg, 150mg, 200mg | 5 | QL (60 tabs / 30 days) |
| XCOPRI PAK 12.5-25 | 4 | QL (28 tabs / 28 days) |
| XCOPRI PAK 50-100MG | 5 | QL (28 tabs / 28 days) |
| XCOPRI PAK 50-200MG | 5 | QL (56 tabs / 28 days) |
| XCOPRI PAK 100-150 | 5 | QL (56 tabs / 28 days) |
| XCOPRI PAK 150-200MG (MAINTENANCE) | 5 | QL (56 tabs / 28 days) |
| XCOPRI PAK 150-200MG (TITRATION) | 5 | QL (28 tabs / 28 days) |
| <i>zonisamide</i> CAPS 25mg, 50mg, 100mg | 2 | GC |
| ANTIDEMENTIA | | |
| <i>donepezil hydrochloride</i> TABS 5mg; TBDP 5mg | 2 | GC, QL (30 tabs / 30 days) |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|------------------------------|
| <i>donepezil hydrochloride</i> TABS 10mg; TBDP 10mg | 2 | GC |
| <i>galantamine hydrobromide</i> CP24 8mg, 16mg, 24mg | 3 | QL (30 caps / 30 days) |
| <i>galantamine hydrobromide</i> SOLN 4mg/ml | 4 | |
| <i>galantamine hydrobromide</i> TABS 4mg, 8mg, 12mg | 3 | QL (60 tabs / 30 days) |
| <i>memantine hcl</i> CP24 7mg, 14mg, 21mg, 28mg; SOLN 2mg/ml | 4 | PA; PA if < 30 yrs |
| <i>memantine hcl</i> TABS 5mg, 10mg | 3 | PA; PA if < 30 yrs |
| NAMZARIC CAP 7-10MG | 4 | |
| NAMZARIC CAP 14-10MG | 4 | |
| NAMZARIC CAP 21-10MG | 4 | |
| NAMZARIC CAP 28-10MG | 4 | |
| NAMZARIC CAP PACK | 4 | |
| <i>rivastigmine</i> PT24 4.6mg/24hr, 9.5mg/24hr, 13.3mg/24hr | 4 | QL (30 patches / 30 days) |
| <i>rivastigmine tartrate</i> CAPS 1.5mg, 3mg | 3 | QL (90 caps / 30 days) |
| <i>rivastigmine tartrate</i> CAPS 4.5mg, 6mg | 3 | QL (60 caps / 30 days) |

ANTIDEPRESSANTS

| | | |
|--|---|----------------------------------|
| <i>amitriptyline hcl</i> TABS 10mg, 25mg, 50mg, 75mg, 100mg, 150mg | 3 | |
| <i>amoxapine</i> TABS 25mg, 50mg, 100mg, 150mg | 3 | |
| <i>bupropion hcl</i> TABS 75mg, 100mg; TB12 100mg, 150mg, 200mg; TB24 150mg, 300mg | 3 | |
| <i>citalopram hydrobromide</i> SOLN 10mg/5ml | 3 | |
| <i>citalopram hydrobromide</i> TABS 10mg, 20mg, 40mg | 1 | GC |
| <i>clomipramine hcl</i> CAPS 25mg, 50mg, 75mg | 4 | PA |
| <i>desipramine hcl</i> TABS 10mg, 25mg, 50mg, 75mg, 100mg, 150mg | 4 | |
| <i>desvenlafaxine succinate</i> TB24 25mg, 50mg, 100mg | 4 | QL (30 tabs / 30 days), PA |
| <i>doxepin hcl</i> CAPS 10mg, 25mg, 50mg, 75mg, 100mg; CONC 10mg/ml | 3 | |
| <i>doxepin hcl</i> CAPS 150mg | 4 | |
| DRIZALMA SPRINKLE CSDR 20mg, 30mg, 40mg, 60mg | 4 | QL (60 caps / 30 days), PA |
| <i>duloxetine hcl</i> CPEP 20mg, 30mg, 60mg | 3 | QL (60 caps / 30 days) |
| EMSAM PT24 6mg/24hr, 9mg/24hr, 12mg/24hr | 5 | QL (30 patches / 30 days), PA |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>escitalopram oxalate</i> SOLN 5mg/5ml | 4 | |
| <i>escitalopram oxalate</i> TABS 5mg, 10mg, 20mg | 1 | GC |
| FETZIMA CP24 20mg, 40mg | 4 | QL (60 caps / 30 days), PA |
| FETZIMA CP24 80mg, 120mg | 4 | QL (30 caps / 30 days), PA |
| FETZIMA CAP TITRATIO | 4 | PA |
| <i>fluoxetine hcl</i> CAPS 10mg, 20mg | 1 | GC |
| <i>fluoxetine hcl</i> CAPS 40mg | 2 | GC |
| <i>fluoxetine hcl</i> SOLN 20mg/5ml | 3 | |
| <i>imipramine hcl</i> TABS 10mg, 25mg, 50mg | 2 | GC |
| MARPLAN TABS 10mg | 4 | QL (180 tabs / 30 days) |
| <i>mirtazapine</i> TABS 7.5mg; TBDP 15mg, 30mg, 45mg | 3 | |
| <i>mirtazapine</i> TABS 15mg, 30mg, 45mg | 2 | GC |
| <i>nefazodone hcl</i> TABS 50mg, 100mg, 150mg, 200mg, 250mg | 4 | |
| <i>nortriptyline hcl</i> CAPS 10mg, 25mg, 50mg, 75mg | 2 | GC |
| <i>nortriptyline hcl</i> SOLN 10mg/5ml | 4 | |
| <i>paroxetine hcl</i> TABS 10mg, 20mg, 30mg, 40mg | 2 | GC |
| PAXIL SUSP 10mg/5ml | 4 | QL (900 mL / 30 days), PA |
| <i>phenelzine sulfate</i> TABS 15mg | 3 | |
| <i>protriptyline hcl</i> TABS 5mg, 10mg | 4 | |
| <i>sertraline hcl</i> CONC 20mg/ml | 3 | |
| <i>sertraline hcl</i> TABS 25mg, 50mg, 100mg | 1 | GC |
| <i>tranylcypromine sulfate</i> TABS 10mg | 4 | |
| <i>trazodone hcl</i> TABS 50mg, 100mg, 150mg | 1 | GC |
| <i>trimipramine maleate</i> CAPS 25mg | 4 | QL (240 caps / 30 days) |
| <i>trimipramine maleate</i> CAPS 50mg | 4 | QL (120 caps / 30 days) |
| <i>trimipramine maleate</i> CAPS 100mg | 4 | QL (60 caps / 30 days) |
| TRINTELLIX TABS 5mg | 4 | QL (120 tabs / 30 days) |
| TRINTELLIX TABS 10mg | 4 | QL (60 tabs / 30 days) |
| TRINTELLIX TABS 20mg | 4 | QL (30 tabs / 30 days) |
| <i>venlafaxine hcl</i> CP24 37.5mg, 75mg, 150mg | 2 | GC |
| <i>venlafaxine hcl</i> TABS 25mg, 37.5mg, 50mg, 75mg, 100mg | 3 | |
| VIIBRYD TABS 10mg, 20mg, 40mg | 4 | QL (30 tabs / 30 days) |
| VIIBRYD KIT STARTER | 4 | |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------------|
| ANTIPARKINSONIAN AGENTS | | |
| <i>amantadine hcl</i> CAPS 100mg | 3 | QL (120 caps / 30 days) |
| <i>amantadine hcl</i> SYRP 50mg/5ml | 3 | |
| <i>amantadine hcl</i> TABS 100mg | 4 | |
| <i>benztropine mesylate</i> SOLN 1mg/ml | 4 | |
| <i>benztropine mesylate</i> TABS .5mg, 1mg, 2mg | 3 | PA; PA if 70 years and older |
| <i>bromocriptine mesylate</i> CAPS 5mg; TABS 2.5mg | 4 | |
| <i>carbidopa & levodopa orally disintegrating tab 10-100 mg</i> | 4 | |
| <i>carbidopa & levodopa orally disintegrating tab 25-100 mg</i> | 4 | |
| <i>carbidopa & levodopa orally disintegrating tab 25-250 mg</i> | 4 | |
| <i>carbidopa & levodopa tab 10-100 mg</i> | 2 | GC |
| <i>carbidopa & levodopa tab 25-100 mg</i> | 2 | GC |
| <i>carbidopa & levodopa tab 25-250 mg</i> | 2 | GC |
| <i>carbidopa & levodopa tab er 25-100 mg</i> | 3 | |
| <i>carbidopa & levodopa tab er 50-200 mg</i> | 3 | |
| <i>carbidopa-levodopa-entacapone tabs 12.5-50-200 mg</i> | 4 | |
| <i>carbidopa-levodopa-entacapone tabs 18.75-75-200 mg</i> | 4 | |
| <i>carbidopa-levodopa-entacapone tabs 25-100-200 mg</i> | 4 | |
| <i>carbidopa-levodopa-entacapone tabs 31.25-125-200 mg</i> | 4 | |
| <i>carbidopa-levodopa-entacapone tabs 37.5-150-200 mg</i> | 4 | |
| <i>carbidopa-levodopa-entacapone tabs 50-200-200 mg</i> | 4 | |
| <i>entacapone</i> TABS 200mg | 4 | |
| KYNMOBI FILM 10mg, 15mg, 20mg, 25mg, 30mg | 5 | QL (150 films / 30 days), NM, PA |
| NEUPRO PT24 1mg/24hr, 2mg/24hr, 3mg/24hr, 4mg/24hr, 6mg/24hr, 8mg/24hr | 4 | |
| <i>pramipexole dihydrochloride</i> TABS .125mg, .25mg, .5mg, .75mg, 1mg, 1.5mg | 1 | GC |
| <i>rasagiline mesylate</i> TABS 1mg | 4 | QL (30 tabs / 30 days) |
| <i>rasagiline mesylate</i> TABS .5mg | 4 | QL (60 tabs / 30 days) |
| <i>ropinirole hydrochloride</i> TABS .25mg, .5mg, 1mg, 2mg, 3mg, 4mg, 5mg | 2 | GC |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|------------------------------|
| <i>selegiline hcl</i> CAPS 5mg; TABS 5mg | 3 | |
| <i>trihexyphenidyl hcl</i> SOLN .4mg/ml; TABS 2mg, 5mg | 3 | PA; PA if 70 years and older |

ANTIPSYCHOTICS

| | | |
|--|---|-----------------------------|
| ABILIFY MAINTENA PRSY 300mg, 400mg | 5 | QL (1 syringe / 28 days) |
| ABILIFY MAINTENA SRER 300mg, 400mg | 5 | QL (1 injection / 28 days) |
| <i>aripiprazole</i> SOLN 1mg/ml | 4 | QL (900 mL / 30 days) |
| <i>aripiprazole</i> TABS 2mg, 5mg, 10mg, 15mg, 20mg, 30mg | 4 | QL (30 tabs / 30 days) |
| <i>aripiprazole</i> TBDP 10mg, 15mg | 4 | QL (60 tabs / 30 days) |
| ARISTADA PRSY 441mg/1.6ml, 662mg/2.4ml, 882mg/3.2ml | 5 | QL (1 syringe / 28 days) |
| ARISTADA PRSY 1064mg/3.9ml | 5 | QL (1 syringe / 56 days) |
| ARISTADA INITIO PRSY 675mg/2.4ml | 5 | |
| <i>asenapine maleate</i> SUBL 2.5mg, 5mg, 10mg | 4 | QL (60 tabs / 30 days) |
| CAPLYTA CAPS 42mg | 4 | QL (30 caps / 30 days), PA |
| <i>chlorpromazine hcl</i> SOLN 25mg/ml, 50mg/2ml; TABS 10mg, 25mg, 50mg, 100mg, 200mg | 4 | |
| <i>clozapine</i> TABS 25mg, 50mg | 3 | |
| <i>clozapine</i> TABS 100mg | 4 | QL (270 tabs / 30 days) |
| <i>clozapine</i> TABS 200mg | 4 | QL (135 tabs / 30 days) |
| <i>clozapine</i> TBDP 12.5mg, 25mg | 4 | PA |
| <i>clozapine</i> TBDP 100mg | 4 | QL (270 tabs / 30 days), PA |
| <i>clozapine</i> TBDP 150mg | 4 | QL (180 tabs / 30 days), PA |
| <i>clozapine</i> TBDP 200mg | 5 | QL (135 tabs / 30 days), PA |
| FANAPT TABS 1mg, 2mg, 4mg, 6mg, 8mg, 10mg, 12mg | 5 | QL (60 tabs / 30 days), PA |
| FANAPT PAK | 4 | PA |
| <i>fluphenazine decanoate</i> SOLN 25mg/ml | 4 | |
| <i>fluphenazine hcl</i> CONC 5mg/ml; ELIX 2.5mg/5ml; SOLN 2.5mg/ml; TABS 1mg, 2.5mg, 5mg, 10mg | 4 | |
| <i>haloperidol</i> TABS .5mg, 1mg, 2mg, 5mg, 10mg, 20mg | 3 | |
| <i>haloperidol decanoate</i> SOLN 50mg/ml, 100mg/ml | 3 | |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|------------------------------------|
| <i>haloperidol lactate</i> CONC 2mg/ml; SOLN 5mg/ml | 3 | |
| INVEGA SUSTENNA SUSY 39mg/0.25ml | 4 | QL (1 syringe / 28 days) |
| INVEGA SUSTENNA SUSY 78mg/0.5ml, 117mg/0.75ml, 156mg/ml, 234mg/1.5ml | 5 | QL (1 syringe / 28 days) |
| INVEGA TRINZA SUSY 273mg/0.875ml, 410mg/1.315ml, 546mg/1.75ml, 819mg/2.625ml | 5 | QL (1 syringe / 90 days) |
| LATUDA TABS 20mg, 40mg, 60mg, 120mg | 4 | QL (30 tabs / 30 days) |
| LATUDA TABS 80mg | 4 | QL (60 tabs / 30 days) |
| <i>loxapine succinate</i> CAPS 5mg, 10mg, 25mg, 50mg | 3 | |
| <i>molindone hcl</i> TABS 5mg, 10mg, 25mg | 4 | |
| NUPLAZID CAPS 34mg | 5 | QL (30 caps / 30 days), NM, LA, PA |
| NUPLAZID TABS 10mg | 5 | QL (30 tabs / 30 days), NM, LA, PA |
| <i>olanzapine</i> SOLR 10mg | 4 | QL (3 vials / 1 day) |
| <i>olanzapine</i> TABS 2.5mg, 5mg, 10mg | 2 | GC, QL (60 tabs / 30 days) |
| <i>olanzapine</i> TABS 7.5mg, 15mg, 20mg | 2 | GC, QL (30 tabs / 30 days) |
| <i>olanzapine</i> TBDP 5mg, 15mg, 20mg | 4 | QL (30 tabs / 30 days) |
| <i>olanzapine</i> TBDP 10mg | 4 | QL (60 tabs / 30 days) |
| <i>paliperidone</i> TB24 1.5mg, 3mg, 9mg | 4 | QL (30 tabs / 30 days) |
| <i>paliperidone</i> TB24 6mg | 4 | QL (60 tabs / 30 days) |
| <i>perphenazine</i> TABS 2mg, 4mg, 8mg, 16mg | 3 | |
| PERSERIS PRSY 90mg, 120mg | 5 | QL (1 syringe / 30 days) |
| <i>pimozide</i> TABS 1mg, 2mg | 4 | |
| <i>quetiapine fumarate</i> TABS 25mg, 50mg, 100mg, 200mg, 300mg, 400mg | 3 | |
| <i>quetiapine fumarate</i> TB24 50mg, 300mg, 400mg | 4 | QL (60 tabs / 30 days), PA |
| <i>quetiapine fumarate</i> TB24 150mg, 200mg | 4 | QL (30 tabs / 30 days), PA |
| REXULTI TABS 3mg, 4mg | 4 | QL (30 tabs / 30 days) |
| REXULTI TABS .25mg, .5mg, 1mg, 2mg | 4 | QL (60 tabs / 30 days) |
| RISPERDAL CONSTA SRER 12.5mg, 25mg | 4 | QL (2 injections / 28 days) |
| RISPERDAL CONSTA SRER 37.5mg, 50mg | 5 | QL (2 injections / 28 days) |
| <i>risperidone</i> SOLN 1mg/ml | 3 | QL (240 mL / 30 days) |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>risperidone</i> TABS .25mg, .5mg, 1mg, 2mg, 3mg, 4mg | 2 | GC |
| <i>risperidone</i> TBDP 1mg, 2mg, 3mg, 4mg | 4 | QL (60 tabs / 30 days) |
| <i>risperidone</i> TBDP .25mg, .5mg | 4 | QL (90 tabs / 30 days) |
| SECUADO PT24 3.8mg/24hr, 5.7mg/24hr, 7.6mg/24hr | 4 | QL (30 patches / 30 days) |
| <i>thioridazine hcl</i> TABS 10mg, 25mg, 50mg, 100mg | 3 | |
| <i>thiothixene</i> CAPS 1mg, 2mg, 5mg, 10mg | 4 | |
| <i>trifluoperazine hcl</i> TABS 1mg, 2mg, 5mg, 10mg | 3 | |
| VERSACLOZ SUSP 50mg/ml | 5 | QL (600 mL / 30 days), PA |
| VRAYLAR CAPS 1.5mg | 5 | QL (60 caps / 30 days), PA |
| VRAYLAR CAPS 3mg, 4.5mg, 6mg | 5 | QL (30 caps / 30 days), PA |
| VRAYLAR CAP 1.5-3MG | 4 | PA |
| <i>ziprasidone hcl</i> CAPS 20mg, 40mg, 60mg, 80mg | 4 | QL (60 caps / 30 days) |
| <i>ziprasidone mesylate</i> SOLR 20mg | 4 | QL (6 injections / 3 days) |
| ZYPREXA RELPREVV SUSR 210mg | 4 | QL (2 vials / 28 days), PA |
| ZYPREXA RELPREVV SUSR 300mg | 5 | QL (2 vials / 28 days), PA |
| ZYPREXA RELPREVV SUSR 405mg | 5 | QL (1 vial / 28 days), PA |

ATTENTION DEFICIT HYPERACTIVITY DISORDER

| | | |
|--|---|----------------------------|
| <i>amphetamine-dextroamphetamine cap er 24hr 5 mg</i> | 4 | QL (30 caps / 30 days), PA |
| <i>amphetamine-dextroamphetamine cap er 24hr 10 mg</i> | 4 | QL (30 caps / 30 days), PA |
| <i>amphetamine-dextroamphetamine cap er 24hr 15 mg</i> | 4 | QL (30 caps / 30 days), PA |
| <i>amphetamine-dextroamphetamine cap er 24hr 20 mg</i> | 4 | QL (30 caps / 30 days), PA |
| <i>amphetamine-dextroamphetamine cap er 24hr 25 mg</i> | 4 | QL (30 caps / 30 days), PA |
| <i>amphetamine-dextroamphetamine cap er 24hr 30 mg</i> | 4 | QL (30 caps / 30 days), PA |
| <i>amphetamine-dextroamphetamine tab 5 mg</i> | 3 | QL (60 tabs / 30 days), PA |
| <i>amphetamine-dextroamphetamine tab 7.5 mg</i> | 3 | QL (60 tabs / 30 days), PA |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--|
| <i>amphetamine-dextroamphetamine tab 10 mg</i> | 3 | QL (60 tabs / 30 days), PA |
| <i>amphetamine-dextroamphetamine tab 12.5 mg</i> | 3 | QL (60 tabs / 30 days), PA |
| <i>amphetamine-dextroamphetamine tab 15 mg</i> | 3 | QL (60 tabs / 30 days), PA |
| <i>amphetamine-dextroamphetamine tab 20 mg</i> | 3 | QL (90 tabs / 30 days), PA |
| <i>amphetamine-dextroamphetamine tab 30 mg</i> | 3 | QL (60 tabs / 30 days), PA |
| <i>atomoxetine hcl CAPS 10mg, 18mg, 25mg</i> | 4 | QL (120 caps / 30 days) |
| <i>atomoxetine hcl CAPS 40mg</i> | 4 | QL (60 caps / 30 days) |
| <i>atomoxetine hcl CAPS 60mg, 80mg, 100mg</i> | 4 | QL (30 caps / 30 days) |
| <i>dexmethylphenidate hcl TABS 2.5mg, 5mg</i> | 3 | QL (120 tabs / 30 days), PA |
| <i>dexmethylphenidate hcl TABS 10mg</i> | 3 | QL (60 tabs / 30 days), PA |
| <i>guanfacine hcl (adhd) TB24 1mg, 2mg, 3mg, 4mg</i> | 3 | QL (30 tabs / 30 days), PA; PA if 70 years and older |
| <i>metadate er TBCR 20mg</i> | 4 | QL (90 tabs / 30 days), PA |
| <i>methylphenidate hcl SOLN 5mg/5ml</i> | 4 | QL (1800 mL / 30 days), PA |
| <i>methylphenidate hcl SOLN 10mg/5ml</i> | 4 | QL (900 mL / 30 days), PA |
| <i>methylphenidate hcl TABS 5mg, 10mg</i> | 3 | QL (180 tabs / 30 days), PA |
| <i>methylphenidate hcl TABS 20mg</i> | 3 | QL (90 tabs / 30 days), PA |
| <i>methylphenidate hcl TBCR 10mg, 20mg</i> | 4 | QL (90 tabs / 30 days), PA |

HYPNOTICS

| | | |
|--|---|---|
| <i>BELSOMRA TABS 5mg, 10mg, 15mg, 20mg</i> | 4 | QL (30 tabs / 30 days) |
| <i>doxepin hcl (sleep) TABS 3mg, 6mg</i> | 3 | QL (30 tabs / 30 days) |
| <i>HETLIOZ CAPS 20mg</i> | 5 | QL (30 caps / 30 days), NM, LA, PA |
| <i>temazepam CAPS 7.5mg</i> | 4 | QL (30 caps / 30 days), PA; PA applies if 65 years and older after a 90 day supply in a calendar year |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---|
| <i>temazepam</i> CAPS 15mg | 4 | QL (60 caps / 30 days), PA; PA applies if 65 years and older after a 90 day supply in a calendar year |
| <i>temazepam</i> CAPS 30mg | 4 | QL (30 caps / 30 days), PA; PA if 65 years and older |
| <i>zolpidem tartrate</i> TABS 5mg, 10mg | 2 | GC, QL (30 tabs / 30 days), PA; PA applies if 70 years and older after a 90 day supply in a calendar year |

MIGRAINE

| | | |
|---|---|------------------------------|
| AIMOVIQ SOAJ 70mg/ml, 140mg/ml | 3 | QL (1 pen / 30 days), NM, PA |
| <i>dihydroergotamine mesylate</i> SOLN 1mg/ml | 5 | |
| <i>dihydroergotamine mesylate</i> SOLN 4mg/ml | 5 | QL (8 mL / 30 days), PA |
| <i>ergotamine w/ caffeine tab 1-100 mg</i> | 3 | QL (40 tabs / 28 days), PA |
| <i>naratriptan hcl</i> TABS 1mg, 2.5mg | 3 | QL (12 tabs / 30 days) |
| <i>rizatriptan benzoate</i> TABS 5mg, 10mg; TBDP 5mg, 10mg | 3 | QL (18 tabs / 30 days) |
| <i>sumatriptan</i> SOLN 5mg/act | 4 | QL (24 units / 30 days) |
| <i>sumatriptan</i> SOLN 20mg/act | 4 | QL (12 units / 30 days) |
| <i>sumatriptan succinate</i> SOAJ 4mg/0.5ml; SOCT 4mg/0.5ml | 4 | QL (18 injections / 30 days) |
| <i>sumatriptan succinate</i> SOAJ 6mg/0.5ml; SOCT 6mg/0.5ml; SOLN 6mg/0.5ml | 4 | QL (12 injections / 30 days) |
| <i>sumatriptan succinate</i> TABS 25mg, 50mg, 100mg | 2 | GC, QL (12 tabs / 30 days) |
| UBRELVY TABS 50mg, 100mg | 5 | QL (16 tabs / 30 days), PA |
| <i>zolmitriptan</i> TABS 2.5mg, 5mg; TBDP 2.5mg, 5mg | 4 | QL (12 tabs / 30 days) |

MISCELLANEOUS

| | | |
|--------------------------------|---|------------------------------------|
| AUSTEDO TABS 6mg | 5 | QL (60 tabs / 30 days), NM, PA |
| AUSTEDO TABS 9mg, 12mg | 5 | QL (120 tabs / 30 days), NM, PA |
| INGREZZA CAPS 40mg, 60mg, 80mg | 5 | QL (30 caps / 30 days), NM, LA, PA |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---------------------------------------|
| INGREZZA CAP 40-80MG | 5 | QL (28 caps / 28 days), NM, LA, PA |
| LITHIUM SOLN 8meq/5ml | 4 | |
| <i>lithium carbonate</i> CAPS 150mg, 300mg, 600mg | 1 | GC |
| <i>lithium carbonate</i> TABS 300mg; TBCR 300mg, 450mg | 2 | GC |
| NUEDEXTA CAP 20-10MG | 4 | QL (60 caps / 30 days), PA |
| <i>pregabalin (once-daily)</i> TB24 82.5mg, 165mg, 330mg | 4 | QL (60 tabs / 30 days), PA |
| <i>pyridostigmine bromide</i> TABS 60mg | 3 | |
| <i>riluzole</i> TABS 50mg | 4 | |
| <i>tetrabenazine</i> TABS 12.5mg | 5 | QL (90 tabs / 30 days), NM, PA |
| <i>tetrabenazine</i> TABS 25mg | 5 | QL (120 tabs / 30 days), NM, PA |
| MULTIPLE SCLEROSIS AGENTS | | |
| BETASERON KIT .3mg | 5 | QL (14 syringes / 28 days), NM, PA |
| <i>dalfampridine</i> TB12 10mg | 3 | NM, PA |
| GILENYA CAPS .5mg | 5 | QL (28 caps / 28 days), NM, PA |
| <i>glatiramer acetate</i> SOSY 20mg/ml | 5 | QL (30 syringes / 30 days), NM, PA |
| <i>glatiramer acetate</i> SOSY 40mg/ml | 5 | QL (12 syringes / 28 days), NM, PA |
| <i>glatopa</i> SOSY 20mg/ml | 5 | QL (30 syringes / 30 days), NM, PA |
| <i>glatopa</i> SOSY 40mg/ml | 5 | QL (12 syringes / 28 days), NM, PA |
| MUSCULOSKELETAL THERAPY AGENTS | | |
| <i>baclofen</i> TABS 10mg, 20mg | 3 | |
| <i>cyclobenzaprine hcl</i> TABS 5mg, 10mg | 3 | PA; PA if 70 years and older |
| <i>dantrolene sodium</i> CAPS 25mg, 50mg, 100mg | 4 | |
| <i>tizanidine hcl</i> TABS 2mg, 4mg | 2 | GC |
| NARCOLEPSY/CATAPLEXY | | |
| <i>armodafinil</i> TABS 50mg | 3 | QL (90 tabs / 30 days), PA |
| <i>armodafinil</i> TABS 150mg, 200mg, 250mg | 3 | QL (30 tabs / 30 days), PA |

| Drug Name | Drug Tier | Requirements/Limits |
|---------------------|------------------|--------------------------------------|
| XYREM SOLN 500mg/ml | 5 | QL (540 mL / 30 days), NM, LA, PA |

PSYCHOTHERAPEUTIC-MISC

| | | |
|--|---|-------------------------------|
| <i>acamprosate calcium</i> TBEC 333mg | 4 | |
| <i>buprenorphine hcl</i> SUBL 2mg, 8mg | 3 | QL (90 tabs / 30 days), PA |
| <i>buprenorphine hcl-naloxone hcl sl film 2-0.5 mg (base equiv)</i> | 4 | QL (90 films / 30 days) |
| <i>buprenorphine hcl-naloxone hcl sl film 4-1 mg (base equiv)</i> | 4 | QL (90 films / 30 days) |
| <i>buprenorphine hcl-naloxone hcl sl film 8-2 mg (base equiv)</i> | 4 | QL (90 films / 30 days) |
| <i>buprenorphine hcl-naloxone hcl sl film 12-3 mg (base equiv)</i> | 4 | QL (60 films / 30 days) |
| <i>buprenorphine hcl-naloxone hcl sl tab 2-0.5 mg (base equiv)</i> | 2 | GC, QL (90 tabs / 30 days) |
| <i>buprenorphine hcl-naloxone hcl sl tab 8-2 mg (base equiv)</i> | 2 | GC, QL (90 tabs / 30 days) |
| <i>bupropion hcl (smoking deterrent)</i> TB12 150mg | 3 | |
| CHANTIX TABS .5mg, 1mg | 4 | QL (56 tabs / 28 days), PA |
| CHANTIX CONTINUING MONTH TABS 1mg | 4 | QL (56 tabs / 28 days), PA |
| CHANTIX PAK 0.5& 1MG | 4 | QL (106 tabs / year), PA |
| <i>disulfiram</i> TABS 250mg, 500mg | 3 | |
| <i>naloxone hcl</i> SOCT .4mg/ml; SOLN .4mg/ml, 4mg/10ml; SOSY 2mg/2ml | 2 | GC |
| <i>naltrexone hcl</i> TABS 50mg | 3 | |
| NARCAN LIQD 4mg/0.1ml | 3 | |
| NICOTROL INHALER INHA 10mg | 4 | |
| NICOTROL NS SOLN 10mg/ml | 4 | |
| VIVITROL SUSR 380mg | 5 | NM |

ENDOCRINE AND METABOLIC

ANDROGENS

| | | |
|--|---|--------------------------------|
| ANDRODERM PT24 2mg/24hr, 4mg/24hr | 4 | QL (30 patches / 30 days), PA |
| <i>oxandrolone</i> TABS 2.5mg | 3 | QL (120 tabs / 30 days), PA |
| <i>oxandrolone</i> TABS 10mg | 4 | QL (60 tabs / 30 days), PA |
| <i>testosterone</i> GEL 1%, 25mg/2.5gm, 50mg/5gm | 4 | QL (300 gm / 30 days), PA |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>testosterone cypionate</i> SOLN 100mg/ml, 200mg/ml | 3 | PA |
| <i>testosterone enanthate</i> SOLN 200mg/ml | 3 | PA |

ANTIDIABETICS

| | | |
|---|---|-----------------------------|
| <i>acarbose</i> TABS 25mg, 50mg, 100mg | 3 | GC |
| BYDUREON BCISE AUIJ 2mg/0.85ml | 3 | QL (4 pens / 28 days) |
| BYETTA SOPN 5mcg/0.02ml, 10mcg/0.04ml | 4 | QL (1 pen / 30 days) |
| FARXIGA TABS 5mg, 10mg | 3 | GC, QL (30 tabs / 30 days) |
| <i>glimepiride</i> TABS 1mg, 2mg | 1 | GC, QL (90 tabs / 30 days) |
| <i>glimepiride</i> TABS 4mg | 1 | GC, QL (60 tabs / 30 days) |
| <i>glipizide</i> TABS 5mg | 1 | GC, QL (240 tabs / 30 days) |
| <i>glipizide</i> TABS 10mg | 1 | GC, QL (120 tabs / 30 days) |
| <i>glipizide</i> TB24 2.5mg, 5mg | 1 | GC, QL (90 tabs / 30 days) |
| <i>glipizide</i> TB24 10mg | 1 | GC, QL (60 tabs / 30 days) |
| <i>glipizide xl</i> TB24 2.5mg, 5mg | 1 | GC, QL (90 tabs / 30 days) |
| <i>glipizide xl</i> TB24 10mg | 1 | GC, QL (60 tabs / 30 days) |
| <i>glipizide-metformin hcl tab 2.5-250 mg</i> | 1 | GC, QL (240 tabs / 30 days) |
| <i>glipizide-metformin hcl tab 2.5-500 mg</i> | 1 | GC, QL (120 tabs / 30 days) |
| <i>glipizide-metformin hcl tab 5-500 mg</i> | 1 | GC, QL (120 tabs / 30 days) |
| GLYXAMBI TAB 10-5 MG | 3 | GC, QL (30 tabs / 30 days) |
| GLYXAMBI TAB 25-5 MG | 3 | GC, QL (30 tabs / 30 days) |
| JANUMET TAB 50-500MG | 3 | GC, QL (60 tabs / 30 days) |
| JANUMET TAB 50-1000 | 3 | GC, QL (60 tabs / 30 days) |
| JANUMET XR TAB 50-500MG | 3 | GC, QL (60 tabs / 30 days) |
| JANUMET XR TAB 50-1000 | 3 | GC, QL (60 tabs / 30 days) |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---|
| JANUMET XR TAB 100-1000 | 3 | GC, QL (30 tabs / 30 days) |
| JANUVIA TABS 25mg, 50mg, 100mg | 3 | GC, QL (30 tabs / 30 days) |
| JARDIANCE TABS 10mg | 3 | GC, QL (60 tabs / 30 days) |
| JARDIANCE TABS 25mg | 3 | GC, QL (30 tabs / 30 days) |
| JENTADUETO TAB 2.5-500 | 3 | GC, QL (60 tabs / 30 days) |
| JENTADUETO TAB 2.5-850 | 3 | GC, QL (60 tabs / 30 days) |
| JENTADUETO TAB 2.5-1000 | 3 | GC, QL (60 tabs / 30 days) |
| JENTADUETO TAB XR 2.5-1000MG | 3 | GC, QL (60 tabs / 30 days) |
| JENTADUETO TAB XR 5-1000MG | 3 | GC, QL (30 tabs / 30 days) |
| <i>metformin hcl</i> TABS 500mg | 1 | GC, QL (150 tabs / 30 days) |
| <i>metformin hcl</i> TABS 850mg | 1 | GC, QL (90 tabs / 30 days) |
| <i>metformin hcl</i> TABS 1000mg | 1 | GC, QL (75 tabs / 30 days) |
| <i>metformin hcl</i> TB24 500mg | 1 | GC, QL (120 tabs / 30 days); (generic of GLUCOPHAGE XR) |
| <i>metformin hcl</i> TB24 750mg | 1 | GC, QL (60 tabs / 30 days); (generic of GLUCOPHAGE XR) |
| <i>nateglinide</i> TABS 60mg, 120mg | 1 | GC, QL (90 tabs / 30 days) |
| OZEMPIC (0.25 OR 0.5MG/DOSE) SOPN 2mg/1.5ml | 3 | QL (1 pen / 28 days) |
| OZEMPIC (1MG/DOSE) SOPN 2mg/1.5ml | 3 | QL (2 pens / 28 days) |
| OZEMPIC (1MG/DOSE) SOPN 4mg/3ml | 3 | QL (1 pen / 28 days) |
| <i>pioglitazone hcl</i> TABS 15mg, 30mg, 45mg | 1 | GC, QL (30 tabs / 30 days) |
| <i>repaglinide</i> TABS 2mg | 1 | GC, QL (240 tabs / 30 days) |
| <i>repaglinide</i> TABS .5mg, 1mg | 1 | GC, QL (120 tabs / 30 days) |
| RYBELSUS TABS 3mg, 7mg, 14mg | 3 | GC, QL (30 tabs / 30 days) |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------|
| SYNJARDY TAB 5-500MG | 3 | GC, QL (120 tabs / 30 days) |
| SYNJARDY TAB 5-1000MG | 3 | GC, QL (60 tabs / 30 days) |
| SYNJARDY TAB 12.5-500 | 3 | GC, QL (60 tabs / 30 days) |
| SYNJARDY TAB 12.5-1000MG | 3 | GC, QL (60 tabs / 30 days) |
| SYNJARDY XR TAB 5-1000MG | 3 | GC, QL (60 tabs / 30 days) |
| SYNJARDY XR TAB 10-1000 | 3 | GC, QL (60 tabs / 30 days) |
| SYNJARDY XR TAB 12.5-1000MG | 3 | GC, QL (60 tabs / 30 days) |
| SYNJARDY XR TAB 25-1000 | 3 | GC, QL (30 tabs / 30 days) |
| TRADJENTA TABS 5mg | 3 | GC, QL (30 tabs / 30 days) |
| TRIJARDY XR TAB ER 24HR 5-2.5-1000MG | 3 | GC, QL (60 tabs / 30 days) |
| TRIJARDY XR TAB ER 24HR 10-5-1000MG | 3 | GC, QL (30 tabs / 30 days) |
| TRIJARDY XR TAB ER 24HR 12.5-2.5-1000MG | 3 | GC, QL (60 tabs / 30 days) |
| TRIJARDY XR TAB ER 24HR 25-5-1000MG | 3 | GC, QL (30 tabs / 30 days) |
| TRULICITY SOPN .75mg/0.5ml, 1.5mg/0.5ml, 3mg/0.5ml, 4.5mg/0.5ml | 3 | QL (4 pens / 28 days) |
| VICTOZA SOPN 18mg/3ml | 3 | QL (3 pens / 30 days) |
| XIGDUO XR TAB 2.5-1000 | 3 | GC, QL (60 tabs / 30 days) |
| XIGDUO XR TAB 5-500MG | 3 | GC, QL (60 tabs / 30 days) |
| XIGDUO XR TAB 5-1000MG | 3 | GC, QL (60 tabs / 30 days) |
| XIGDUO XR TAB 10-500MG | 3 | GC, QL (30 tabs / 30 days) |
| XIGDUO XR TAB 10-1000 | 3 | GC, QL (30 tabs / 30 days) |
| ANTIDIABETICS, INSULINS | | |
| BASAGLAR KWIKPEN SOPN 100unit/ml | 3 | GC |
| BD ALCOHOL SWABS | 3 | |
| FIASP FLEX INJ TOUCH | 3 | GC |
| FIASP INJ 100/ML | 3 | GC |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--------------------------------|
| FIASP PENFIL INJ U-100 | 3 | GC |
| GAUZE PADS 2" X 2" | 3 | |
| HUMULIN R U-500 (CONCENTR SOLN 500unit/ml | 5 | B/D |
| HUMULIN R U-500 KWIKPEN SOPN 500unit/ml | 5 | |
| INSULIN SAFETY NEEDLES | 3 | GC |
| INSULIN SYRINGES: BD/ULTIMED/ALLISON/TRIVIDIA/MHC | 3 | GC |
| LEVEMIR SOLN 100unit/ml | 3 | GC |
| LEVEMIR FLEXTOUCH SOPN 100unit/ml | 3 | GC |
| NOVOLIN INJ 70/30 | 3 | GC; (brand RELION not covered) |
| NOVOLIN INJ 70/30 FP | 3 | GC; (brand RELION not covered) |
| NOVOLIN N SUSP 100unit/ml | 3 | GC; (brand RELION not covered) |
| NOVOLIN N FLEXPEN SUPN 100unit/ml | 3 | GC; (brand RELION not covered) |
| NOVOLIN R SOLN 100unit/ml | 3 | GC; (brand RELION not covered) |
| NOVOLIN R FLEXPEN SOPN 100unit/ml | 3 | GC; (brand RELION not covered) |
| NOVOLOG SOLN 100unit/ml | 3 | GC; (brand RELION not covered) |
| NOVOLOG FLEXPEN SOPN 100unit/ml | 3 | GC; (brand RELION not covered) |
| NOVOLOG MIX INJ 70/30 | 3 | GC; (brand RELION not covered) |
| NOVOLOG MIX INJ FLEXPEN | 3 | GC; (brand RELION not covered) |
| NOVOLOG PENFILL SOCT 100unit/ml | 3 | GC; (brand RELION not covered) |
| OMNIPOD KIT STARTER | 4 | QL (1 kit / year), PA |
| OMNIPOD MIS 5 PACK | 4 | QL (10 pods / 30 days), PA |
| PEN NEEDLES: NOVO/BD/ULTIMED/OWEN/TRIVIDIA | 3 | GC |
| SOLIQUA INJ 100/33 | 3 | QL (10 pens / 30 days) |
| TRESIBA SOLN 100unit/ml | 3 | GC |
| TRESIBA FLEXTOUCH SOPN 100unit/ml, 200unit/ml | 3 | GC |
| V-GO 20 KIT | 4 | QL (1 kit / 30 days), PA |
| V-GO 30 KIT | 4 | QL (1 kit / 30 days), PA |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-------------------------------|
| V-GO 40 KIT | 4 | QL (1 kit / 30 days), PA |
| XULTOPHY INJ 100/3.6 | 3 | QL (5 pens / 30 days) |
| CALCIUM REGULATORS | | |
| <i>alendronate sodium</i> TABS 10mg, 35mg, 70mg | 1 | GC |
| <i>calcitonin (salmon) spray</i> SOLN 200unit/act | 3 | B/D |
| FORTEO SOPN 620mcg/2.48ml | 5 | NM, PA |
| <i>ibandronate sodium</i> TABS 150mg | 3 | B/D |
| NATPARA CART 25mcg, 50mcg, 75mcg, 100mcg | 5 | NM, PA |
| PAMIDRONATE DISODIUM SOLN 6mg/ml | 3 | B/D |
| <i>pamidronate disodium</i> SOLN 30mg/10ml, 90mg/10ml; SOLR 30mg, 90mg | 3 | B/D |
| PROLIA SOSY 60mg/ml | 4 | QL (1 syringe / 180 days), NM |
| XGEVA SOLN 120mg/1.7ml | 5 | NM, PA |
| <i>zoledronic acid</i> CONC 4mg/5ml; SOLN 4mg/100ml, 5mg/100ml | 4 | B/D, NM |
| CHELATING AGENTS | | |
| CHEMET CAPS 100mg | 4 | |
| <i>deferasirox</i> PACK 90mg, 180mg, 360mg; TABS 90mg, 180mg, 360mg | 5 | NM, PA |
| LOKELMA PACK 5gm, 10gm | 3 | |
| <i>penicillamine</i> TABS 250mg | 5 | NM |
| <i>sodium polystyrene sulfonate powder</i> | 3 | |
| <i>sps</i> SUSP 15gm/60ml | 3 | |
| <i>trientine hcl</i> CAPS 250mg | 5 | NM, PA |
| VELTASSA PACK 8.4gm, 16.8gm, 25.2gm | 4 | PA |
| CONTRACEPTIVES | | |
| <i>afirmelle</i> | 2 | GC |
| <i>altavera</i> | 2 | GC |
| <i>alyacen 1/35</i> | 2 | GC |
| <i>alyacen 7/7/7</i> | 2 | GC |
| <i>apri</i> | 2 | GC |
| <i>aranelle</i> | 3 | |
| <i>aubra eq</i> | 2 | GC |
| <i>aurovela 1/20</i> | 2 | GC |
| <i>aurovela fe 1.5/30</i> | 2 | GC |
| <i>aurovela fe 1/20</i> | 2 | GC |
| <i>aviane</i> | 2 | GC |
| <i>ayuna</i> | 2 | GC |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>azurette</i> | 3 | |
| <i>balziva</i> | 3 | |
| <i>bekyree</i> | 3 | |
| <i>blisovi fe 1.5/30</i> | 2 | GC |
| <i>briellyn</i> | 3 | |
| <i>camila</i> TABS .35mg | 2 | GC |
| <i>caziant</i> | 2 | GC |
| <i>chateal</i> | 2 | GC |
| <i>cryselle-28</i> | 2 | GC |
| <i>cyclafem 1/35</i> | 2 | GC |
| <i>cyclafem 7/7/7</i> | 2 | GC |
| <i>cyred eq</i> | 2 | GC |
| <i>dasetta 1/35</i> | 2 | GC |
| <i>dasetta 7/7/7</i> | 2 | GC |
| <i>deblitane</i> TABS .35mg | 2 | GC |
| <i>desogest-eth estrad & eth estrad tab 0.15-0.02/0.01 mg(21/5)</i> | 3 | |
| <i>desogestrel & ethinyl estradiol tab 0.15 mg-30 mcg</i> | 2 | GC |
| <i>drospirenone-ethinyl estradiol tab 3-0.02 mg</i> | 3 | |
| <i>drospirenone-ethinyl estradiol tab 3-0.03 mg</i> | 3 | |
| <i>elinest</i> | 2 | GC |
| ELLA TABS 30mg | 3 | |
| <i>eluryng</i> | 4 | |
| <i>emoquette</i> | 2 | GC |
| <i>enpresse-28</i> | 2 | GC |
| <i>enskyce</i> | 2 | GC |
| <i>errin</i> TABS .35mg | 2 | GC |
| <i>estarylla</i> | 2 | GC |
| <i>ethynodiol diacetate & ethinyl estradiol tab 1 mg-35 mcg</i> | 2 | GC |
| <i>ethynodiol diacetate & ethinyl estradiol tab 1 mg-50 mcg</i> | 3 | |
| <i>etonogestrel-ethinyl estradiol va ring 0.120-0.015 mg/24hr</i> | 4 | |
| <i>falmina</i> | 2 | GC |
| <i>femynor</i> | 2 | GC |
| <i>hailey 1.5/30</i> | 2 | GC |
| <i>heather</i> TABS .35mg | 2 | GC |
| <i>iclevia</i> | 3 | |
| <i>incassia</i> TABS .35mg | 2 | GC |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>introvale</i> | 3 | |
| <i>isibloom</i> | 2 | GC |
| <i>jasmiel</i> | 3 | |
| <i>jolessa</i> | 3 | |
| <i>juleber</i> | 2 | GC |
| <i>junel 1.5/30</i> | 2 | GC |
| <i>junel 1/20</i> | 2 | GC |
| <i>junel fe 1.5/30</i> | 2 | GC |
| <i>junel fe 1/20</i> | 2 | GC |
| <i>kariva</i> | 3 | |
| <i>kelnor 1/35</i> | 2 | GC |
| <i>kelnor 1/50</i> | 3 | |
| <i>kurvelo</i> | 2 | GC |
| <i>larin 1.5/30</i> | 2 | GC |
| <i>larin 1/20</i> | 2 | GC |
| <i>larin fe 1.5/30</i> | 2 | GC |
| <i>larin fe 1/20</i> | 2 | GC |
| <i>larissia</i> | 2 | GC |
| <i>leena</i> | 3 | |
| <i>lessina</i> | 2 | GC |
| <i>levonest</i> | 2 | GC |
| <i>levonorgestrel & ethinyl estradiol (91-day) tab 0.15-0.03 mg</i> | 3 | |
| <i>levonorgestrel & ethinyl estradiol tab 0.1 mg-20 mcg</i> | 2 | GC |
| <i>levonorgestrel & ethinyl estradiol tab 0.15 mg-30 mcg</i> | 2 | GC |
| <i>levonorgestrel-eth estra tab 0.05- 30/0.075-40/0.125-30mg-mcg</i> | 2 | GC |
| <i>levora 0.15/30-28</i> | 2 | GC |
| <i>lillow</i> | 2 | GC |
| <i>loestrin 1.5/30-21</i> | 2 | GC |
| <i>loestrin 1/20-21</i> | 2 | GC |
| <i>loestrin fe 1.5/30</i> | 2 | GC |
| <i>loestrin fe 1/20</i> | 2 | GC |
| <i>loryna</i> | 3 | |
| <i>low-ogestrel</i> | 2 | GC |
| <i>lutra</i> | 2 | GC |
| <i>lyleq TABS .35mg</i> | 2 | GC |
| <i>lyza TABS .35mg</i> | 2 | GC |
| <i>marlissa</i> | 2 | GC |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>medroxyprogesterone acetate (contraceptive) SUSP 150mg/ml; SUSY 150mg/ml</i> | 3 | |
| <i>microgestin 1.5/30</i> | 2 | GC |
| <i>microgestin 1/20</i> | 2 | GC |
| <i>microgestin fe 1.5/30</i> | 2 | GC |
| <i>microgestin fe 1/20</i> | 2 | GC |
| <i>mili</i> | 2 | GC |
| <i>mono-lynyah</i> | 2 | GC |
| <i>necon 0.5/35-28</i> | 2 | GC |
| <i>nikki</i> | 3 | |
| <i>nora-be TABS .35mg</i> | 2 | GC |
| <i>norethindrone (contraceptive) TABS .35mg</i> | 2 | GC |
| <i>norethindrone ace & ethinyl estradiol tab 1 mg-20 mcg</i> | 2 | GC |
| <i>norethindrone ace & ethinyl estradiol tab 1.5 mg-30 mcg</i> | 2 | GC |
| <i>norethindrone ace & ethinyl estradiol-fe tab 1 mg-20 mcg</i> | 2 | GC |
| <i>norgestimate & ethinyl estradiol tab 0.25 mg-35 mcg</i> | 2 | GC |
| <i>norgestimate-eth estrad tab 0.18-25/0.215-25/0.25-25 mg-mcg</i> | 3 | |
| <i>norgestimate-eth estrad tab 0.18-35/0.215-35/0.25-35 mg-mcg</i> | 2 | GC |
| <i>norlyroc TABS .35mg</i> | 2 | GC |
| <i>nortrel 0.5/35 (28)</i> | 2 | GC |
| <i>nortrel 1/35 (21)</i> | 2 | GC |
| <i>nortrel 1/35 (28)</i> | 2 | GC |
| <i>nortrel 7/7/7</i> | 2 | GC |
| <i>nylia 7/7/7</i> | 2 | GC |
| <i>nymyo</i> | 2 | GC |
| <i>ocella</i> | 3 | |
| <i>orsythia</i> | 2 | GC |
| <i>philith</i> | 3 | |
| <i>pimtrea</i> | 3 | |
| <i>pirmella 1/35</i> | 2 | GC |
| <i>portia-28</i> | 2 | GC |
| <i>previfem</i> | 2 | GC |
| <i>reclipsen</i> | 2 | GC |
| <i>setlakin</i> | 3 | |
| <i>sharobel TABS .35mg</i> | 2 | GC |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>simliya</i> | 3 | |
| <i>sprintec 28</i> | 2 | GC |
| <i>sronyx</i> | 2 | GC |
| <i>syeda</i> | 3 | |
| <i>tarina fe 1/20 eq</i> | 2 | GC |
| <i>tilia fe</i> | 4 | |
| <i>tri-estarylla</i> | 2 | GC |
| <i>tri-legest fe</i> | 4 | |
| <i>tri-linyah</i> | 2 | GC |
| <i>tri-lo-estarylla</i> | 3 | |
| <i>tri-lo-marzia</i> | 3 | |
| <i>tri-lo-mili</i> | 3 | |
| <i>tri-lo-sprintec</i> | 3 | |
| <i>tri-mili</i> | 2 | GC |
| <i>tri-nymyo</i> | 2 | GC |
| <i>tri-previfem</i> | 2 | GC |
| <i>tri-sprintec</i> | 2 | GC |
| <i>tri-vylibra</i> | 2 | GC |
| <i>tri-vylibra lo</i> | 3 | |
| <i>trivora-28</i> | 2 | GC |
| <i>velivet</i> | 2 | GC |
| <i>vestura</i> | 3 | |
| <i>vienva</i> | 2 | GC |
| <i>viorele</i> | 3 | |
| <i>vyfemla</i> | 3 | |
| <i>vylibra</i> | 2 | GC |
| <i>wera</i> | 2 | GC |
| <i>xulane</i> | 4 | |
| <i>zafemy</i> | 4 | |
| <i>zarah</i> | 3 | |
| <i>zovia 1/35</i> | 2 | GC |
| <i>zumandimine</i> | 3 | |
| ENDOMETRIOSIS | | |
| <i>danazol CAPS 50mg, 100mg, 200mg</i> | 4 | |
| <i>SYNAREL SOLN 2mg/ml</i> | 5 | |
| ESTROGENS | | |
| <i>amabelz</i> | 3 | |
| <i>DELESTROGEN OIL 10mg/ml</i> | 4 | |
| <i>dotti PTTW .025mg/24hr, .037mg/24hr, .05mg/24hr, .075mg/24hr, .1mg/24hr</i> | 3 | |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>estradiol</i> PTTW .025mg/24hr, .037mg/24hr, .05mg/24hr, .075mg/24hr, .1mg/24hr; PTWK .025mg/24hr, .05mg/24hr, .06mg/24hr, .075mg/24hr, .1mg/24hr, 37.5mcg/24hr | 3 | |
| <i>estradiol</i> TABS .5mg, 1mg, 2mg | 2 | GC |
| <i>estradiol & norethindrone acetate tab 0.5-0.1 mg</i> | 3 | |
| <i>estradiol & norethindrone acetate tab 1-0.5 mg</i> | 3 | |
| <i>estradiol vaginal</i> CREA .1mg/gm | 3 | |
| <i>estradiol vaginal</i> TABS 10mcg | 4 | |
| <i>estradiol valerate</i> OIL 20mg/ml, 40mg/ml | 4 | |
| <i>fyavolv tab 0.5mg-2.5mcg</i> | 3 | |
| <i>fyavolv tab 1mg-5mcg</i> | 3 | |
| <i>jinteli</i> | 3 | |
| <i>lyllana</i> PTTW .025mg/24hr, .037mg/24hr, .05mg/24hr, .075mg/24hr, .1mg/24hr | 3 | |
| <i>mimvey</i> | 3 | |
| <i>norethindrone acetate-ethinyl estradiol tab 0.5 mg-2.5 mcg</i> | 3 | |
| <i>norethindrone acetate-ethinyl estradiol tab 1 mg-5 mcg</i> | 3 | |
| <i>yuvafem</i> TABS 10mcg | 4 | |
| GLUCOCORTICOIDS | | |
| <i>dexamethasone</i> ELIX .5mg/5ml; SOLN .5mg/5ml; TABS .5mg, .75mg, 1mg, 1.5mg, 2mg, 4mg, 6mg | 3 | |
| DEXAMETHASONE INTENSOL CONC 1mg/ml | 4 | |
| <i>dexamethasone sodium phosphate</i> SOLN 4mg/ml, 10mg/ml, 20mg/5ml, 100mg/10ml, 120mg/30ml | 3 | |
| <i>fludrocortisone acetate</i> TABS .1mg | 2 | GC |
| <i>hydrocortisone</i> TABS 5mg, 10mg, 20mg | 3 | |
| <i>methylprednisolone</i> TABS 4mg, 8mg, 16mg, 32mg | 3 | B/D |
| <i>methylprednisolone</i> TBPk 4mg | 2 | GC |
| <i>methylprednisolone acetate</i> SUSP 40mg/ml, 80mg/ml | 3 | B/D |
| <i>methylprednisolone sod succ</i> SOLR 40mg, 125mg, 1000mg | 3 | B/D |
| <i>prednisolone</i> SOLN 15mg/5ml | 2 | GC, B/D |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------------|
| <i>prednisolone sodium phosphate</i> SOLN 5mg/5ml, 25mg/5ml | 3 | B/D |
| <i>prednisolone sodium phosphate</i> SOLN 15mg/5ml | 2 | GC, B/D |
| <i>prednisone</i> SOLN 5mg/5ml | 4 | B/D |
| <i>prednisone</i> TABS 1mg, 2.5mg, 5mg, 10mg, 20mg, 50mg | 2 | GC, B/D |
| <i>prednisone</i> TBPK 5mg, 10mg | 3 | |
| PREDNISON INTENSOL CONC 5mg/ml | 4 | B/D |
| SOLU-CORTEF SOLR 100mg, 250mg, 500mg, 1000mg | 4 | |
| GLUCOSE ELEVATING AGENTS | | |
| <i>diazoxide</i> SUSP 50mg/ml | 5 | |
| GVOKE HYPOPEN 2-PACK SOAJ .5mg/0.1ml, 1mg/0.2ml | 3 | |
| GVOKE PFS SOSY .5mg/0.1ml, 1mg/0.2ml | 3 | |
| MISCELLANEOUS | | |
| ALDURAZYME SOLN 2.9mg/5ml | 5 | NM, LA, PA |
| <i>cabergoline</i> TABS .5mg | 3 | |
| CARBAGLU TABS 200mg | 5 | NM, LA, PA |
| CERDELGA CAPS 84mg | 5 | NM, PA |
| CEREZYME SOLR 400unit | 5 | NM, LA, PA |
| <i>cinacalcet hcl</i> TABS 30mg | 4 | B/D, QL (120 tabs / 30 days), NM |
| <i>cinacalcet hcl</i> TABS 60mg | 5 | B/D, QL (60 tabs / 30 days), NM |
| <i>cinacalcet hcl</i> TABS 90mg | 5 | B/D, QL (120 tabs / 30 days), NM |
| CYSTADANE POW | 5 | NM, LA |
| CYSTAGON CAPS 50mg, 150mg | 4 | NM, LA, PA |
| <i>desmopressin acetate</i> SOLN 4mcg/ml | 5 | |
| <i>desmopressin acetate</i> TABS .1mg, .2mg | 3 | |
| <i>desmopressin acetate spray</i> SOLN .01% | 4 | |
| <i>desmopressin acetate spray refrigerated</i> SOLN .01% | 4 | |
| FABRAZYME SOLR 5mg, 35mg | 5 | NM, LA, PA |
| GENOTROPIN SOLR 5mg, 12mg | 5 | NM, PA |
| GENOTROPIN MINIQUICK SOLR .2mg, .4mg, .6mg, .8mg, 1mg, 1.2mg, 1.4mg, 1.6mg, 1.8mg, 2mg | 5 | NM, PA |
| INCRELEX SOLN 40mg/4ml | 5 | NM, LA, PA |
| KORLYM TABS 300mg | 5 | NM, LA, PA |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------------|
| <i>levocarnitine (metabolic modifiers)</i> SOLN 1gm/10ml | 4 | B/D |
| <i>levocarnitine (metabolic modifiers)</i> TABS 330mg | 3 | B/D |
| LUMIZYME SOLR 50mg | 5 | NM, LA, PA |
| LUPRON DEPOT-PED (1-MONTH KIT 7.5mg, 11.25mg, 15mg | 5 | NM, PA |
| LUPRON DEPOT-PED (3-MONTH KIT 11.25mg, 30mg | 5 | NM, PA |
| <i>miglustat</i> CAPS 100mg | 5 | QL (90 caps / 30 days), NM, PA |
| NAGLAZYME SOLN 1mg/ml | 5 | NM, LA, PA |
| <i>nitisinone</i> CAPS 2mg, 5mg, 10mg | 5 | NM, PA |
| <i>octreotide acetate</i> SOLN 50mcg/ml, 100mcg/ml, 200mcg/ml | 4 | NM, PA |
| <i>octreotide acetate</i> SOLN 500mcg/ml, 1000mcg/ml | 5 | NM, PA |
| <i>raloxifene hcl</i> TABS 60mg | 3 | |
| <i>sapropterin dihydrochloride</i> PACK 100mg, 500mg; TABS 100mg | 5 | NM, PA |
| SIGNIFOR SOLN .3mg/ml, .6mg/ml, .9mg/ml | 5 | NM, LA, PA |
| <i>sodium phenylbutyrate</i> POWD 3gm/tsp; TABS 500mg | 5 | NM, PA |
| SOMATULINE DEPOT SOLN 60mg/0.2ml, 90mg/0.3ml, 120mg/0.5ml | 5 | NM, PA |
| SOMAVERT SOLR 10mg, 15mg, 20mg, 25mg, 30mg | 5 | NM, LA, PA |
| PHOSPHATE BINDER AGENTS | | |
| <i>calcium acetate (phosphate binder)</i> CAPS 667mg | 3 | QL (360 caps / 30 days) |
| <i>calcium acetate (phosphate binder)</i> TABS 667mg | 3 | QL (360 tabs / 30 days) |
| <i>sevelamer carbonate</i> PACK 2.4gm | 4 | QL (180 packets / 30 days) |
| <i>sevelamer carbonate</i> PACK .8gm | 5 | QL (540 packets / 30 days) |
| <i>sevelamer carbonate</i> TABS 800mg | 4 | QL (540 tabs / 30 days) |
| PROGESTINS | | |
| <i>medroxyprogesterone acetate</i> TABS 2.5mg, 5mg, 10mg | 1 | GC |
| <i>megestrol acetate</i> SUSP 40mg/ml | 3 | |
| <i>megestrol acetate (appetite)</i> SUSP 625mg/5ml | 4 | PA |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------|
| <i>norethindrone acetate</i> TABS 5mg | 3 | |
| THYROID AGENTS | | |
| <i>euthyrox</i> TABS 25mcg, 50mcg, 75mcg, 88mcg, 100mcg, 112mcg, 125mcg, 137mcg, 150mcg, 175mcg, 200mcg | 2 | GC |
| <i>levo-t</i> TABS 25mcg, 50mcg, 75mcg, 88mcg, 100mcg, 112mcg, 125mcg, 137mcg, 150mcg, 175mcg, 200mcg, 300mcg | 2 | GC |
| <i>levothyroxine sodium</i> TABS 25mcg, 50mcg, 75mcg, 88mcg, 100mcg, 112mcg, 125mcg, 137mcg, 150mcg, 175mcg, 200mcg, 300mcg | 2 | GC |
| <i>levoxyl</i> TABS 25mcg, 50mcg, 75mcg, 88mcg, 100mcg, 112mcg, 125mcg, 137mcg, 150mcg, 175mcg, 200mcg | 2 | GC |
| <i>liothyronine sodium</i> TABS 5mcg, 25mcg, 50mcg | 3 | |
| <i>methimazole</i> TABS 5mg, 10mg | 1 | GC |
| <i>propylthiouracil</i> TABS 50mg | 3 | |
| SYNTHROID TABS 25mcg, 50mcg, 75mcg, 88mcg, 100mcg, 112mcg, 125mcg, 137mcg, 150mcg, 175mcg, 200mcg, 300mcg | 4 | |
| <i>unithroid</i> TABS 25mcg, 50mcg, 75mcg, 88mcg, 100mcg, 112mcg, 125mcg, 137mcg, 150mcg, 175mcg, 200mcg, 300mcg | 2 | GC |
| VITAMIN D ANALOGS | | |
| <i>calcitriol</i> CAPS .25mcg, .5mcg | 2 | GC, B/D |
| <i>calcitriol</i> SOLN 1mcg/ml | 4 | B/D |
| <i>paricalcitol</i> CAPS 1mcg, 2mcg, 4mcg | 4 | B/D |
| RAYALDEE CPCR 30mcg | 5 | |
| GASTROINTESTINAL | | |
| ANTIEMETICS | | |
| <i>aprepitant</i> CAPS 40mg, 80mg, 125mg | 4 | B/D |
| <i>aprepitant capsule therapy pack 80 & 125 mg</i> | 4 | B/D |
| <i>compro</i> SUPP 25mg | 4 | |
| <i>dronabinol</i> CAPS 2.5mg, 5mg, 10mg | 4 | B/D, QL (60 caps / 30 days) |
| <i>granisetron hcl</i> SOLN 1mg/ml | 3 | |
| <i>granisetron hcl</i> SOLN 4mg/4ml | 4 | |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---|
| <i>granisetron hcl</i> TABS 1mg | 4 | B/D |
| <i>meclizine hcl</i> TABS 12.5mg, 25mg | 2 | GC |
| <i>metoclopramide hcl</i> SOLN 5mg/5ml, 5mg/ml | 3 | |
| <i>metoclopramide hcl</i> TABS 5mg, 10mg | 1 | GC |
| <i>ondansetron</i> TBDP 4mg, 8mg | 3 | B/D |
| <i>ondansetron hcl</i> SOLN 4mg/2ml, 40mg/20ml | 3 | |
| <i>ondansetron hcl</i> SOLN 4mg/5ml | 4 | B/D |
| <i>ondansetron hcl</i> TABS 4mg, 8mg, 24mg | 3 | B/D |
| <i>prochlorperazine</i> SUPP 25mg | 4 | |
| <i>prochlorperazine edisylate</i> SOLN 10mg/2ml | 4 | |
| <i>prochlorperazine maleate</i> TABS 5mg, 10mg | 2 | GC |
| <i>promethazine hcl</i> SOLN 25mg/ml, 50mg/ml; SYRP 6.25mg/5ml; TABS 12.5mg, 25mg, 50mg | 3 | PA; PA if 70 years and older |
| <i>scopolamine</i> PT72 1mg/3days | 4 | QL (10 patches / 30 days), PA; PA if 70 years and older |

ANTISPASMODICS

| | | |
|---|---|--|
| <i>dicyclomine hcl</i> CAPS 10mg; TABS 20mg | 3 | |
| <i>dicyclomine hcl</i> SOLN 10mg/5ml | 4 | |
| <i>glycopyrrolate</i> TABS 1mg, 2mg | 3 | |

H2-RECEPTOR ANTAGONISTS

| | | |
|---|---|-----------------------------|
| <i>famotidine</i> SOLN 20mg/2ml, 40mg/4ml, 200mg/20ml | 3 | |
| <i>famotidine</i> SUSR 40mg/5ml | 4 | QL (300 mL / 30 days) |
| <i>famotidine</i> TABS 20mg | 1 | GC, QL (120 tabs / 30 days) |
| <i>famotidine</i> TABS 40mg | 1 | GC, QL (60 tabs / 30 days) |
| <i>famotidine in nacl 0.9% iv soln 20 mg/50ml</i> | 3 | |
| <i>nizatidine</i> CAPS 150mg, 300mg | 4 | |

INFLAMMATORY BOWEL DISEASE

| | | |
|---|---|-------------------------|
| <i>balsalazide disodium</i> CAPS 750mg | 3 | |
| <i>budesonide</i> CPEP 3mg | 4 | PA |
| <i>budesonide</i> TB24 9mg | 5 | PA |
| <i>hydrocortisone (intrarectal)</i> ENEM 100mg/60ml | 4 | |
| <i>mesalamine</i> CP24 .375gm | 4 | QL (120 caps / 30 days) |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>mesalamine</i> CPDR 400mg | 4 | QL (180 caps / 30 days) |
| <i>mesalamine</i> ENEM 4gm; SUPP 1000mg | 4 | |
| <i>mesalamine</i> TBEC 1.2gm | 4 | QL (120 tabs / 30 days) |
| <i>mesalamine w/ cleanser</i> KIT 4gm | 4 | |
| <i>sulfasalazine</i> TABS 500mg | 2 | GC |
| <i>sulfasalazine</i> TBEC 500mg | 3 | |

LAXATIVES

| | | |
|---|---|----|
| <i>constulose</i> SOLN 10gm/15ml | 3 | |
| <i>enulose</i> SOLN 10gm/15ml | 3 | |
| <i>gavilyte-c</i> | 2 | GC |
| <i>gavilyte-g</i> | 2 | GC |
| <i>gavilyte-n/flavor pack</i> | 2 | GC |
| <i>generlac</i> SOLN 10gm/15ml | 3 | |
| GOLYTELY SOL | 3 | |
| <i>lactulose</i> SOLN 10gm/15ml | 3 | |
| <i>lactulose (encephalopathy)</i> SOLN 10gm/15ml | 3 | |
| NULYTELY SOL LMN/LIME | 3 | |
| <i>peg 3350-kcl-na bicarb-nacl-na sulfate for soln 236 gm</i> | 2 | GC |
| <i>peg 3350-kcl-sod bicarb-nacl for soln 420 gm</i> | 2 | GC |
| PLENVU SOL | 4 | |
| SUPREP BOWEL SOL PREP KIT | 4 | |
| <i>trilyte</i> | 2 | GC |

MISCELLANEOUS

| | | |
|---|---|----------------------------|
| <i>alosetron hcl</i> TABS 1mg | 5 | QL (60 tabs / 30 days), PA |
| <i>alosetron hcl</i> TABS .5mg | 4 | QL (60 tabs / 30 days), PA |
| <i>cromolyn sodium (mastocytosis)</i> CONC 100mg/5ml | 4 | |
| <i>diphenoxylate w/ atropine liq 2.5-0.025 mg/5ml</i> | 4 | |
| <i>diphenoxylate w/ atropine tab 2.5-0.025 mg</i> | 3 | |
| GATTEX KIT 5mg | 5 | NM, LA, PA |
| LINZESS CAPS 72mcg, 145mcg, 290mcg | 4 | QL (30 caps / 30 days) |
| <i>loperamide hcl</i> CAPS 2mg | 3 | |
| <i>misoprostol</i> TABS 100mcg, 200mcg | 3 | |
| MOVANTIK TABS 12.5mg | 3 | QL (60 tabs / 30 days) |
| MOVANTIK TABS 25mg | 3 | QL (30 tabs / 30 days) |
| RELISTOR SOLN 8mg/0.4ml, 12mg/0.6ml | 5 | PA |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---------------------------------------|
| <i>sucralfate</i> TABS 1gm | 3 | |
| <i>ursodiol</i> CAPS 300mg | 3 | |
| <i>ursodiol</i> TABS 250mg, 500mg | 4 | |
| XERMELO TABS 250mg | 5 | QL (90 tabs / 30 days), NM, LA, PA |
| XIFAXAN TABS 550mg | 5 | PA |
| PANCREATIC ENZYMES | | |
| CREON CAP 3000UNIT | 3 | |
| CREON CAP 6000UNIT | 3 | |
| CREON CAP 12000UNT | 3 | |
| CREON CAP 24000UNT | 3 | |
| CREON CAP 36000UNT | 3 | |
| ZENPEP CAP 3000UNIT | 4 | |
| ZENPEP CAP 5000UNIT | 4 | |
| ZENPEP CAP 10000UNT | 4 | |
| ZENPEP CAP 15000UNT | 4 | |
| ZENPEP CAP 20000UNT | 4 | |
| ZENPEP CAP 25000 | 4 | |
| ZENPEP CAP 40000 | 4 | |
| PROTON PUMP INHIBITORS | | |
| DEXILANT CPDR 30mg, 60mg | 4 | QL (30 caps / 30 days) |
| <i>esomeprazole magnesium</i> CPDR 20mg, 40mg | 4 | QL (30 caps / 30 days), ST |
| <i>lansoprazole</i> CPDR 15mg, 30mg | 3 | QL (60 caps / 30 days) |
| <i>omeprazole</i> CPDR 10mg, 20mg, 40mg | 1 | GC |
| <i>pantoprazole sodium</i> SOLR 40mg | 3 | |
| <i>pantoprazole sodium</i> TBEC 20mg, 40mg | 1 | GC |
| GENITOURINARY | | |
| BENIGN PROSTATIC HYPERPLASIA | | |
| <i>alfuzosin hcl</i> TB24 10mg | 2 | GC, QL (30 tabs / 30 days) |
| <i>dutasteride</i> CAPS .5mg | 3 | QL (30 caps / 30 days) |
| <i>dutasteride-tamsulosin hcl cap 0.5-0.4 mg</i> | 4 | QL (30 caps / 30 days) |
| <i>finasteride</i> TABS 5mg | 1 | GC |
| <i>tamsulosin hcl</i> CAPS .4mg | 2 | GC |
| MISCELLANEOUS | | |
| <i>acetic acid</i> SOLN .25% | 2 | GC |
| <i>bethanechol chloride</i> TABS 5mg, 10mg, 25mg, 50mg | 3 | |
| <i>potassium citrate (alkalinizer)</i> TBCR 15meq, 540mg, 1080mg | 4 | |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| URINARY ANTISPASMODICS | | |
| MYRBETRIQ TB24 25mg, 50mg | 4 | QL (30 tabs / 30 days) |
| oxybutynin chloride SYRP 5mg/5ml; TABS 5mg | 3 | |
| oxybutynin chloride TB24 5mg | 3 | QL (30 tabs / 30 days) |
| oxybutynin chloride TB24 10mg, 15mg | 3 | QL (60 tabs / 30 days) |
| solifenacin succinate TABS 5mg, 10mg | 3 | QL (30 tabs / 30 days) |
| tolterodine tartrate CP24 2mg, 4mg | 4 | QL (30 caps / 30 days), ST |
| tolterodine tartrate TABS 1mg, 2mg | 4 | QL (60 tabs / 30 days), ST |
| TOVIAZ TB24 4mg, 8mg | 3 | QL (30 tabs / 30 days) |
| tropium chloride TABS 20mg | 3 | QL (60 tabs / 30 days) |

VAGINAL ANTI-INFECTIVES

| | | |
|--|---|--|
| clindamycin phosphate vaginal CREA 2% | 3 | |
| metronidazole vaginal GEL .75% | 3 | |
| terconazole vaginal CREA .4%, .8%; SUPP 80mg | 3 | |
| vandazole GEL .75% | 3 | |

HEMATOLOGIC

ANTICOAGULANTS

| | | |
|---|---|------------------------|
| ELIQUIS TABS 2.5mg | 3 | QL (60 tabs / 30 days) |
| ELIQUIS TABS 5mg | 3 | QL (74 tabs / 30 days) |
| ELIQUIS STARTER PACK TBPK 5mg | 3 | QL (74 tabs / 30 days) |
| enoxaparin sodium SOLN 30mg/0.3ml, 40mg/0.4ml, 60mg/0.6ml, 80mg/0.8ml, 100mg/ml, 120mg/0.8ml, 150mg/ml, 300mg/3ml | 4 | |
| fondaparinux sodium SOLN 2.5mg/0.5ml | 4 | |
| fondaparinux sodium SOLN 5mg/0.4ml, 7.5mg/0.6ml, 10mg/0.8ml | 5 | |
| HEP SOD/NAACL INJ 25000UNT | 3 | |
| heparin sodium (porcine) SOLN 1000unit/ml, 5000unit/ml, 10000unit/ml, 20000unit/ml | 3 | B/D |
| heparin sodium (porcine) 100 unit/ml in d5w | 3 | |
| heparin sodium (porcine)-dextrose iv sol 20000 unit/500ml-5% | 3 | |
| heparin sodium (porcine)-dextrose iv sol 25000 unit/500ml-5% | 3 | |
| HEPARIN/NAACL INJ 25000UNT | 3 | |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--|
| <i>jantoven</i> TABS 1mg, 2mg, 2.5mg, 3mg, 4mg, 5mg, 6mg, 7.5mg, 10mg | 1 | GC |
| PRADAXA CAPS 75mg, 150mg | 4 | QL (60 caps / 30 days) |
| PRADAXA CAPS 110mg | 4 | QL (120 caps / 30 days) |
| <i>warfarin sodium</i> TABS 1mg, 2mg, 2.5mg, 3mg, 4mg, 5mg, 6mg, 7.5mg, 10mg | 1 | GC |
| XARELTO TABS 2.5mg | 3 | QL (60 tabs / 30 days) |
| XARELTO TABS 10mg, 15mg, 20mg | 3 | QL (30 tabs / 30 days) |
| XARELTO STAR TAB 15/20MG | 3 | QL (51 tabs / 30 days) |
| HEMATOPOIETIC GROWTH FACTORS | | |
| PROCRIT SOLN 2000unit/ml, 3000unit/ml, 4000unit/ml, 10000unit/ml | 3 | NM, PA |
| PROCRIT SOLN 20000unit/ml, 40000unit/ml | 5 | NM, PA |
| ZARXIO SOSY 300mcg/0.5ml, 480mcg/0.8ml | 5 | NM, PA |
| MISCELLANEOUS | | |
| <i>anagrelide hcl</i> CAPS .5mg, 1mg | 4 | |
| BERINERT KIT 500unit | 5 | QL (24 boxes / 30 days), NM, LA, PA |
| <i>cilostazol</i> TABS 50mg, 100mg | 2 | GC |
| DOPTELET TABS 20mg | 5 | NM, LA, PA |
| DROXIA CAPS 200mg, 300mg, 400mg | 3 | |
| ENDARI PACK 5gm | 5 | NM, LA, PA |
| HAEGARDA SOLR 2000unit | 5 | QL (30 vials / 30 days), NM, LA, PA |
| HAEGARDA SOLR 3000unit | 5 | QL (20 vials / 30 days), NM, LA, PA |
| <i>icatibant acetate</i> SOLN 30mg/3ml | 5 | QL (9 syringes / 30 days), NM, PA |
| <i>pentoxifylline</i> TBCR 400mg | 2 | GC |
| PROMACTA PACK 12.5mg | 5 | QL (360 packets / 30 days), NM, LA, PA |
| PROMACTA PACK 25mg | 5 | QL (180 packets / 30 days), NM, LA, PA |
| PROMACTA TABS 12.5mg, 25mg | 5 | QL (30 tabs / 30 days), NM, LA, PA |
| PROMACTA TABS 50mg, 75mg | 5 | QL (60 tabs / 30 days), NM, LA, PA |
| <i>tranexamic acid</i> SOLN 1000mg/10ml | 4 | |
| <i>tranexamic acid</i> TABS 650mg | 3 | |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-------------------------------------|
| PLATELET AGGREGATION INHIBITORS | | |
| <i>aspirin-dipyridamole cap er 12hr 25-200 mg</i> | 4 | |
| BRILINTA TABS 60mg, 90mg | 4 | |
| <i>clopidogrel bisulfate</i> TABS 75mg | 1 | GC |
| <i>dipyridamole</i> TABS 25mg, 50mg, 75mg | 3 | PA; PA if 70 years and older |
| <i>prasugrel hcl</i> TABS 5mg, 10mg | 3 | |
| IMMUNOLOGIC AGENTS | | |
| AUTOIMMUNE AGENTS | | |
| ENBREL SOLN 25mg/0.5ml; SOLR 25mg | 5 | QL (16 vials / 28 days), NM, PA |
| ENBREL SOSY 25mg/0.5ml | 5 | QL (16 syringes / 28 days), NM, PA |
| ENBREL SOSY 50mg/ml | 5 | QL (8 syringes / 28 days), NM, PA |
| ENBREL MINI SOCT 50mg/ml | 5 | QL (8 cartridges / 28 days), NM, PA |
| ENBREL SURECLICK SOAJ 50mg/ml | 5 | QL (8 pens / 28 days), NM, PA |
| HUMIRA PSKT 10mg/0.1ml, 20mg/0.2ml | 5 | QL (2 syringes / 28 days), NM, PA |
| HUMIRA PSKT 40mg/0.4ml, 40mg/0.8ml | 5 | QL (6 syringes / 28 days), NM, PA |
| HUMIRA PEDIA INJ CROHNS | 5 | NM, PA |
| HUMIRA PEDIATRIC CROHNS D PSKT 80mg/0.8ml | 5 | NM, PA |
| HUMIRA PEN PNKT 40mg/0.4ml, 40mg/0.8ml | 5 | QL (6 pens / 28 days), NM, PA |
| HUMIRA PEN PNKT 80mg/0.8ml | 5 | QL (4 pens / 28 days), NM, PA |
| HUMIRA PEN KIT PS/UV | 5 | NM, PA |
| HUMIRA PEN-CD/UC/HS START PNKT 40mg/0.8ml, 80mg/0.8ml | 5 | NM, PA |
| HUMIRA PEN-PEDIATRIC UC S PNKT 80mg/0.8ml | 5 | NM, PA |
| HUMIRA PEN-PS/UV STARTER PNKT 40mg/0.8ml | 5 | NM, PA |
| REMICADE SOLR 100mg | 5 | NM, PA |
| RENFLIXIS SOLR 100mg | 5 | NM, LA, PA |
| RINVOQ TB24 15mg | 5 | QL (30 tabs / 30 days), NM, PA |
| SKYRIZI PSKT 75mg/0.83ml | 5 | QL (7 kits / 365 days), NM, PA |

| Drug Name | Drug Tier | Requirements/Limits |
|----------------------------------|------------------|---------------------------------------|
| SKYRIZI SOSY 150mg/ml | 5 | QL (7 syringes / year), NM, PA |
| SKYRIZI PEN SOAJ 150mg/ml | 5 | QL (7 pens / year), NM, PA |
| STELARA SOLN 45mg/0.5ml | 5 | QL (2 vials / 28 days), NM, LA, PA |
| STELARA SOSY 45mg/0.5ml, 90mg/ml | 5 | QL (1 syringe / 28 days), NM, PA |
| TALTZ SOAJ 80mg/ml; SOSY 80mg/ml | 5 | QL (3 syringes / 28 days), NM, LA, PA |
| XELJANZ SOLN 1mg/ml | 5 | QL (240 mL / 24 days), NM, PA |
| XELJANZ TABS 5mg, 10mg | 5 | QL (60 tabs / 30 days), NM, PA |
| XELJANZ XR TB24 11mg, 22mg | 5 | QL (30 tabs / 30 days), NM, PA |

DISEASE-MODIFYING ANTI-RHEUMATIC DRUGS (DMARDS)

| | | |
|--|---|------------------------|
| <i>hydroxychloroquine sulfate</i> TABS 200mg | 3 | |
| <i>leflunomide</i> TABS 10mg, 20mg | 3 | QL (30 tabs / 30 days) |
| <i>methotrexate sodium</i> TABS 2.5mg | 3 | |
| XATMEP SOLN 2.5mg/ml | 4 | B/D |

IMMUNOGLOBULINS

| | | |
|--|---|---------|
| BIVIGAM SOLN 5gm/50ml | 5 | NM, PA |
| FLEBOGAMMA DIF SOLN 2.5gm/50ml, 5gm/100ml, 5gm/50ml, 10gm/100ml, 10gm/200ml, 20gm/200ml, 20gm/400ml | 5 | NM, PA |
| GAMASTAN INJ | 4 | B/D, NM |
| GAMMAGARD LIQUID SOLN 1gm/10ml, 2.5gm/25ml, 5gm/50ml, 10gm/100ml, 20gm/200ml, 30gm/300ml | 5 | NM, PA |
| GAMMAGARD S/D IGA LESS TH SOLR 5gm, 10gm | 5 | NM, PA |
| GAMMAKED SOLN 1gm/10ml, 5gm/50ml, 10gm/100ml, 20gm/200ml | 5 | NM, PA |
| GAMMAPLEX SOLN 5gm/100ml, 5gm/50ml, 10gm/100ml, 10gm/200ml, 20gm/200ml, 20gm/400ml | 5 | NM, PA |
| GAMUNEX-C SOLN 1gm/10ml, 2.5gm/25ml, 5gm/50ml, 10gm/100ml, 20gm/200ml, 40gm/400ml | 5 | NM, PA |
| OCTAGAM SOLN 1gm/20ml, 2gm/20ml, 2.5gm/50ml, 5gm/100ml, 5gm/50ml, 10gm/100ml, 10gm/200ml, 20gm/200ml, 25gm/500ml, 30gm/300ml | 5 | NM, PA |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------------|
| PANZYGA SOLN 1gm/10ml, 2.5gm/25ml, 5gm/50ml, 10gm/100ml, 20gm/200ml, 30gm/300ml | 5 | NM, PA |
| PRIVIGEN SOLN 5gm/50ml, 10gm/100ml, 20gm/200ml, 40gm/400ml | 5 | NM, PA |
| IMMUNOMODULATORS | | |
| ACTIMMUNE SOLN 2000000unit/0.5ml | 5 | NM, LA, PA |
| ARCALYST SOLR 220mg | 5 | NM, PA |
| INTRON A SOLN 10mu/ml, 6000000unit/ml; SOLR 50mu | 5 | B/D, NM |
| INTRON A SOLR 10mu | 3 | B/D, NM |
| INTRON A SOLR 18mu | 4 | B/D, NM |
| IMMUNOSUPPRESSANTS | | |
| <i>azathioprine</i> TABS 50mg | 3 | B/D |
| BENLYSTA SOAJ 200mg/ml; SOSY 200mg/ml | 5 | QL (8 syringes / 28 days), NM, PA |
| BENLYSTA SOLR 120mg, 400mg | 5 | NM, PA |
| <i>cyclosporine</i> CAPS 25mg, 100mg; SOLN 50mg/ml | 4 | B/D |
| <i>cyclosporine modified (for microemulsion)</i> CAPS 25mg, 50mg, 100mg; SOLN 100mg/ml | 4 | B/D |
| <i>everolimus (immunosuppressant)</i> TABS .25mg, .5mg, .75mg | 5 | B/D |
| <i>gengraf</i> CAPS 25mg, 100mg; SOLN 100mg/ml | 4 | B/D |
| <i>mycophenolate mofetil</i> CAPS 250mg; TABS 500mg | 3 | B/D |
| <i>mycophenolate mofetil</i> SUSR 200mg/ml | 5 | B/D |
| <i>mycophenolate sodium</i> TBEC 180mg, 360mg | 4 | B/D |
| NULOJIX SOLR 250mg | 5 | B/D |
| PROGRAF PACK .2mg, 1mg | 4 | B/D |
| SANDIMMUNE SOLN 100mg/ml | 3 | B/D |
| <i>sirolimus</i> SOLN 1mg/ml | 5 | B/D |
| <i>sirolimus</i> TABS .5mg, 1mg, 2mg | 4 | B/D |
| <i>tacrolimus</i> CAPS .5mg, 1mg, 5mg | 4 | B/D |
| ZORTRESS TABS 1mg | 5 | B/D |
| VACCINES | | |
| ACTHIB INJ | 3 | |
| ADACEL INJ | 3 | |
| BCG VACCINE INJ | 3 | |
| BEXSERO INJ | 3 | |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| BOOSTRIX INJ | 3 | |
| DAPTACEL INJ | 3 | |
| DIP/TET PED INJ 25-5LFU | 3 | B/D |
| ENGERIX-B SUSP 10mcg/0.5ml, 20mcg/ml | 3 | B/D |
| GARDASIL 9 INJ | 3 | |
| HAVRIX SUSP 720elu/0.5ml, 1440elu/ml | 3 | |
| HIBERIX SOLR 10mcg | 3 | |
| IMOVAX RABIES (H.D.C.V.) INJ 2.5unit/ml | 3 | B/D |
| INFANRIX INJ | 3 | |
| IPOL INJ INACTIVE | 3 | |
| IXIARO INJ | 3 | |
| KINRIX INJ | 3 | |
| M-M-R II INJ | 3 | |
| MENACTRA INJ | 3 | |
| MENQUADFI INJ | 3 | |
| MENVEO INJ | 3 | |
| PEDIARIX INJ 0.5ML | 3 | |
| PEDVAX HIB SUSP 7.5mcg/0.5ml | 3 | |
| PENTACEL INJ | 3 | |
| PROQUAD INJ | 3 | |
| QUADRACEL INJ | 3 | |
| RABAVERT INJ | 3 | B/D |
| RECOMBIVAX HB SUSP 5mcg/0.5ml, 10mcg/ml, 40mcg/ml | 3 | B/D |
| ROTARIX SUS | 3 | |
| ROTATEQ SOL | 3 | |
| SHINGRIX SUSR 50mcg/0.5ml | 3 | QL (2 vials per lifetime) |
| TDVAX INJ 2-2 LF | 3 | B/D |
| TENIVAC INJ 5-2LF | 3 | B/D |
| TRUMENBA INJ | 3 | |
| TWINRIX INJ | 3 | |
| TYPHIM VI SOLN 25mcg/0.5ml | 3 | |
| VAQTA SUSP 25unit/0.5ml, 50unit/ml | 3 | |
| VARIVAX INJ 1350pfu/0.5ml | 3 | |
| YF-VAX INJ | 3 | |

NUTRITIONAL/SUPPLEMENTS

ELECTROLYTES/MINERALS, INJECTABLE

| | | |
|---|---|--|
| D2.5W/NAACL INJ 0.45% | 3 | |
| D5W/LYTES INJ #48 | 4 | |
| D10W/NAACL INJ 0.2% | 3 | |
| <i>dextrose 2.5% w/ sodium chloride 0.45%</i> | 3 | |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>dextrose 5% in lactated ringers</i> | 3 | |
| <i>dextrose 5% w/ sodium chloride 0.2%</i> | 3 | |
| <i>dextrose 5% w/ sodium chloride 0.9%</i> | 3 | |
| <i>dextrose 5% w/ sodium chloride 0.45%</i> | 3 | |
| <i>dextrose 10% w/ sodium chloride 0.45%</i> | 3 | |
| ISOLYTE-P INJ /D5W | 4 | |
| ISOLYTE-S INJ | 4 | |
| ISOLYTE-S INJ PH 7.4 | 4 | |
| <i>kcl 10 meq/l (0.075%) in dextrose 5% & nacl 0.45% inj</i> | 3 | |
| <i>kcl 20 meq/l (0.15%) in dextrose 5% & nacl 0.2% inj</i> | 3 | |
| <i>kcl 20 meq/l (0.15%) in dextrose 5% & nacl 0.9% inj</i> | 3 | |
| <i>kcl 20 meq/l (0.15%) in dextrose 5% & nacl 0.45% inj</i> | 3 | |
| <i>kcl 20 meq/l (0.15%) in nacl 0.9% inj</i> | 3 | |
| <i>kcl 20 meq/l (0.15%) in nacl 0.45% inj</i> | 3 | |
| KCL 20 MEQ/L (0.15%) IN NAACL 0.45% INJ | 4 | |
| <i>kcl 30 meq/l (0.224%) in dextrose 5% & nacl 0.45% inj</i> | 3 | |
| <i>kcl 40 meq/l (0.3%) in dextrose 5% & nacl 0.45% inj</i> | 3 | |
| KCL 40 MEQ/L (0.3%) IN NAACL 0.9% INJ | 4 | |
| KCL/D5W/NAACL INJ 0.3/0.9% | 4 | |
| <i>lactated ringer's solution</i> | 3 | |
| MAGNESIUM SULFATE SOLN 2gm/50ml, 4gm/100ml, 4gm/50ml, 20gm/500ml, 40gm/1000ml | 3 | |
| <i>magnesium sulfate SOLN 2gm/50ml, 4gm/100ml, 4gm/50ml, 20gm/500ml, 40gm/1000ml, 50%</i> | 3 | |
| <i>magnesium sulfate in dextrose 5% iv soln 1 gm/100ml</i> | 3 | |
| MG SO4/D5W INJ 10MG/ML | 3 | |
| PLASMA-LYTE INJ -148 | 4 | |
| PLASMA-LYTE INJ -A | 4 | |
| <i>potassium chloride SOLN 2meq/ml</i> | 3 | |
| POTASSIUM CHLORIDE SOLN 10meq/50ml, 20meq/50ml | 4 | |
| <i>potassium chloride SOLN 10meq/100ml, 20meq/100ml, 40meq/100ml</i> | 4 | |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>potassium chloride 20 meq/l (0.15%) in dextrose 5% inj</i> | 3 | |
| <i>sodium chloride SOLN .45%, .9%, 2.5meq/ml, 3%, 5%</i> | 3 | |
| TPN ELECTROL INJ | 4 | B/D |
| <i>ELECTROLYTES/MINERALS/VITAMINS, ORAL</i> | | |
| <i>klor-con PACK 20meq</i> | 4 | |
| <i>klor-con 8 TBCR 8meq</i> | 2 | GC |
| <i>klor-con 10 TBCR 10meq</i> | 2 | GC |
| <i>klor-con m10 TBCR 10meq</i> | 2 | GC |
| <i>klor-con m15 TBCR 15meq</i> | 3 | |
| <i>klor-con m20 TBCR 20meq</i> | 2 | GC |
| M-NATAL PLUS TAB | 3 | |
| <i>potassium chloride CPCR 8meq, 10meq</i> | 3 | |
| <i>potassium chloride PACK 20meq; SOLN 10%, 20%</i> | 4 | |
| <i>potassium chloride TBCR 8meq, 10meq, 20meq</i> | 2 | GC |
| <i>potassium chloride microencapsulated crystals er TBCR 10meq, 20meq</i> | 2 | GC |
| PRENATAL TAB 27-1MG | 3 | |
| PRENATAL TAB PLUS | 3 | |
| PRENATAL VIT TAB LOW IRON | 3 | |
| <i>sodium fluoride chew; tab; 1.1 (0.5 f) mg/ml soln</i> | 2 | GC |
| TRICARE TAB PRENATAL | 3 | |
| <i>IV NUTRITION</i> | | |
| AMINOSYN-PF INJ 7% | 4 | B/D |
| CLINIMIX INJ 4.25/D5W | 4 | B/D |
| CLINIMIX INJ 4.25/D10 | 4 | B/D |
| CLINIMIX INJ 5%/D15W | 4 | B/D |
| CLINIMIX INJ 5%/D20W | 4 | B/D |
| CLINIMIX INJ 6/5 | 4 | B/D |
| CLINIMIX INJ 8/10 | 4 | B/D |
| CLINIMIX INJ 8/14 | 4 | B/D |
| <i>clinisol sf 15%</i> | 4 | B/D |
| CLINOLIPID EMU 20% | 4 | B/D |
| <i>dextrose SOLN 5%, 10%</i> | 3 | |
| <i>dextrose SOLN 50%, 70%</i> | 3 | B/D |
| FREAMINE HBC INJ 6.9% | 4 | B/D |
| FREAMINE III INJ 10% | 4 | B/D |
| <i>hepatamine</i> | 4 | B/D |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| INTRALIPID EMUL 20gm/100ml, 30gm/100ml | 4 | B/D |
| NUTRILIPID EMUL 20gm/100ml | 4 | B/D |
| <i>plenamine</i> | 4 | B/D |
| PREMASOL SOL 10% | 4 | B/D |
| PROCALAMINE INJ 3% | 4 | B/D |
| PROSOL INJ 20% | 4 | B/D |
| TRAVASOL INJ 10% | 4 | B/D |
| TROPHAMINE INJ 10% | 4 | B/D |

OPHTHALMIC

ANTI-INFECTIVE/ANTI-INFLAMMATORY

| | | |
|--|---|----|
| <i>bacitracin-polymyxin-neomycin-hc ophth oint 1%</i> | 3 | |
| BLEPHAMIDE OIN S.O.P. | 4 | |
| <i>neomycin-polymyxin-dexamethasone ophth oint 0.1%</i> | 2 | GC |
| <i>neomycin-polymyxin-dexamethasone ophth susp 0.1%</i> | 2 | GC |
| <i>neomycin-polymyxin-hc ophth susp</i> | 4 | |
| <i>sulfacetamide sodium-prednisolone ophth soln 10-0.23(0.25)%</i> | 2 | GC |
| TOBRADEX OIN 0.3-0.1% | 3 | |
| <i>tobramycin-dexamethasone ophth susp 0.3-0.1%</i> | 4 | |
| ZYLET SUS 0.5-0.3% | 3 | |

ANTI-INFECTIVES

| | | |
|---|---|----|
| <i>bacitracin (ophthalmic) OINT 500unit/gm</i> | 3 | |
| <i>bacitracin-polymyxin b ophth oint</i> | 2 | GC |
| BESIVANCE SUSP .6% | 3 | |
| CILOXAN OINT .3% | 3 | |
| <i>ciprofloxacin hcl (ophth) SOLN .3%</i> | 2 | GC |
| <i>erythromycin (ophth) OINT 5mg/gm</i> | 2 | GC |
| <i>gatifloxacin (ophth) SOLN .5%</i> | 3 | |
| <i>gentak OINT .3%</i> | 3 | |
| <i>gentamicin sulfate (ophth) SOLN .3%</i> | 2 | GC |
| <i>moxifloxacin hcl (ophth) SOLN .5%</i> | 3 | |
| NATACYN SUSP 5% | 4 | |
| <i>neomycin-bacitrac zn-polymyx 5(3.5)mg-400unt-10000unt op oin</i> | 3 | |
| <i>neomycin-polymy-gramicid op sol 1.75-10000-0.025mg-unt-mg/ml</i> | 3 | |
| <i>ofloxacin (ophth) SOLN .3%</i> | 2 | GC |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>polymyxin b-trimethoprim ophth soln</i> 10000 unit/ml-0.1% | 1 | GC |
| <i>sulfacetamide sodium (ophth)</i> OINT 10%; SOLN 10% | 3 | |
| <i>tobramycin (ophth)</i> SOLN .3% | 1 | GC |
| <i>trifluridine</i> SOLN 1% | 4 | |
| ZIRGAN GEL .15% | 4 | |
| ANTI-INFLAMMATORIES | | |
| ALREX SUSP .2% | 3 | |
| <i>bromfenac sodium (ophth)</i> SOLN .09% | 4 | |
| BROMSITE SOLN .075% | 4 | |
| <i>dexamethasone sodium phosphate (ophth)</i> SOLN .1% | 3 | |
| <i>diclofenac sodium (ophth)</i> SOLN .1% | 2 | GC |
| DUREZOL EMUL .05% | 3 | |
| FLAREX SUSP .1% | 4 | |
| <i>fluorometholone (ophth)</i> SUSP .1% | 3 | |
| <i>flurbiprofen sodium</i> SOLN .03% | 3 | |
| ILEVRO SUSP .3% | 3 | |
| <i>ketorolac tromethamine (ophth)</i> SOLN .4% | 3 | |
| <i>ketorolac tromethamine (ophth)</i> SOLN .5% | 2 | GC |
| LOTEMAX OINT .5% | 3 | |
| <i>prednisolone acetate (ophth)</i> SUSP 1% | 3 | |
| PREDNISOLONE SODIUM PHOSP SOLN 1% | 3 | |
| PROLENSA SOLN .07% | 3 | |
| ANTIALLERGICS | | |
| <i>azelastine hcl (ophth)</i> SOLN .05% | 3 | |
| <i>bepotastine besilate</i> SOLN 1.5% | 3 | |
| BEPREVE SOLN 1.5% | 3 | |
| <i>cromolyn sodium (ophth)</i> SOLN 4% | 1 | GC |
| LASTACAFT SOLN .25% | 4 | |
| <i>olopatadine hcl</i> SOLN .1% | 3 | |
| ZERVIAE SOLN .24% | 4 | |
| ANTIGLAUCOMA | | |
| ALPHAGAN P SOLN .1% | 3 | |
| <i>betaxolol hcl (ophth)</i> SOLN .5% | 3 | |
| BETOPTIC-S SUSP .25% | 3 | |
| <i>brimonidine tartrate</i> SOLN .2% | 1 | GC |
| <i>brimonidine tartrate</i> SOLN .15% | 4 | |
| <i>brinzolamide</i> SUSP 1% | 4 | |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>carteolol hcl (ophth)</i> SOLN 1% | 2 | GC |
| COMBIGAN SOL 0.2/0.5% | 3 | |
| <i>dorzolamide hcl</i> SOLN 2% | 2 | GC |
| <i>dorzolamide hcl-timolol maleate ophth soln</i> 22.3-6.8 mg/ml | 2 | GC |
| <i>latanoprost</i> SOLN .005% | 2 | GC |
| <i>levobunolol hcl</i> SOLN .5% | 2 | GC |
| LUMIGAN SOLN .01% | 3 | |
| <i>pilocarpine hcl</i> SOLN 1%, 2%, 4% | 3 | |
| RHOPRESSA SOLN .02% | 3 | |
| SIMBRINZA SUS 1-0.2% | 3 | |
| <i>timolol maleate (ophth)</i> SOLG .25%, .5% | 4 | |
| <i>timolol maleate (ophth)</i> SOLN .25%, .5% | 1 | GC |
| <i>timolol maleate (ophth) once-daily</i> SOLN .5% | 4 | |
| VYZULTA SOLN .024% | 4 | |

MISCELLANEOUS

| | | |
|----------------------------------|---|------------|
| ATROPINE SULFATE SOLN 1% | 3 | |
| CYSTADROPS SOLN .37% | 5 | NM, LA, PA |
| CYSTARAN SOLN .44% | 5 | NM, LA, PA |
| ISOPTO ATROPINE SOLN 1% | 3 | |
| <i>proparacaine hcl</i> SOLN .5% | 3 | |
| RESTASIS EMUL .05% | 3 | |
| RESTASIS MULTIDOSE EMUL .05% | 3 | |

OTIC

OTIC AGENTS

| | | |
|--|---|--|
| <i>acetic acid (otic)</i> SOLN 2% | 3 | |
| <i>ciprofloxacin-dexamethasone otic susp</i> 0.3- 0.1% | 4 | |
| <i>flac</i> OIL .01% | 3 | |
| <i>fluocinolone acetonide (otic)</i> OIL .01% | 3 | |
| <i>neomycin-polymyxin-hc otic soln</i> 1% | 3 | |
| <i>neomycin-polymyxin-hc otic susp</i> 3.5 mg/ml-10000 unit/ml-1% | 3 | |
| <i>ofloxacin (otic)</i> SOLN .3% | 4 | |

RESPIRATORY

ANTICHOLINERGIC/BETA AGONIST COMBINATIONS

| | | |
|--------------------------|---|-------------------------------|
| ANORO ELLIPT AER 62.5-25 | 3 | QL (60 blisters / 30 days) |
| BEVESPI AER 9-4.8MCG | 3 | QL (1 inhaler / 30 days) |
| BREZTRI AERO AER SPHERE | 3 | QL (1 inhaler / 30 days) |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| BREZTRI AERO AER SPHERE (INSTITUTIONAL PACK) | 3 | QL (4 inhalers / 28 days) |
| COMBIVENT AER 20-100 | 4 | QL (2 inhalers / 30 days) |
| <i>ipratropium-albuterol nebu soln 0.5-2.5(3) mg/3ml</i> | 3 | B/D |
| TRELEGY AER ELLIPTA 100-62.5-25 MCG | 3 | QL (60 blisters / 30 days) |
| TRELEGY AER ELLIPTA 200-62.5-25 MCG | 3 | QL (60 blisters / 30 days) |

ANTICHOLINERGICS

| | | |
|--|---|----------------------------|
| ATROVENT HFA AERS 17mcg/act | 4 | QL (2 inhalers / 30 days) |
| INCRUSE ELLIPTA AEPB 62.5mcg/inh | 3 | QL (30 blisters / 30 days) |
| <i>ipratropium bromide SOLN .02%</i> | 2 | GC, B/D |
| <i>ipratropium bromide (nasal) SOLN .03%, .06%</i> | 3 | |

ANTI-HISTAMINES

| | | |
|--|---|----------------------------------|
| <i>azelastine hcl SOLN .1%, .15%</i> | 3 | |
| <i>cetirizine hcl SOLN 1mg/ml</i> | 2 | GC |
| <i>cyproheptadine hcl SYRP 2mg/5ml; TABS 4mg</i> | 3 | PA; PA if 70 years and older |
| <i>diphenhydramine hcl SOLN 50mg/ml</i> | 3 | |
| <i>hydroxyzine hcl SOLN 25mg/ml, 50mg/ml</i> | 4 | PA; PA if 70 years and older |
| <i>hydroxyzine hcl SYRP 10mg/5ml</i> | 3 | PA; PA if 70 years and older |
| <i>hydroxyzine hcl TABS 10mg, 25mg, 50mg</i> | 2 | GC, PA; PA if 70 years and older |
| <i>hydroxyzine pamoate CAPS 25mg, 50mg</i> | 2 | GC, PA; PA if 70 years and older |
| <i>levocetirizine dihydrochloride SOLN 2.5mg/5ml</i> | 4 | |
| <i>levocetirizine dihydrochloride TABS 5mg</i> | 3 | |

BETA AGONISTS

| | | |
|--|---|---|
| <i>albuterol sulfate AERS 108mcg/act</i> | 3 | QL (2 inhalers / 30 days); (generic of Proair HFA) |
| <i>albuterol sulfate AERS 108mcg/act</i> | 3 | QL (2 inhalers / 30 days); (generic of Proventil HFA) |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--|
| <i>albuterol sulfate</i> AERS 108mcg/act | 3 | QL (2 inhalers / 30 days); (generic of Ventolin HFA) |
| <i>albuterol sulfate</i> NEBU .63mg/3ml, 1.25mg/3ml, 2.5mg/0.5ml | 3 | B/D |
| <i>albuterol sulfate</i> NEBU .083% | 2 | GC, B/D |
| <i>albuterol sulfate</i> SYRP 2mg/5ml | 2 | GC |
| <i>albuterol sulfate</i> TABS 2mg, 4mg | 4 | |
| <i>levalbuterol hcl</i> NEBU 1.25mg/0.5ml, 1.25mg/3ml | 4 | B/D |
| <i>levalbuterol tartrate</i> AERO 45mcg/act | 3 | QL (2 inhalers / 30 days) |
| SEREVENT DISKUS AEPB 50mcg/dose | 3 | QL (60 inhalations / 30 days) |
| <i>terbutaline sulfate</i> TABS 2.5mg, 5mg | 4 | |
| VENTOLIN HFA AERS 108mcg/act | 3 | QL (2 inhalers / 30 days) |
| VENTOLIN HFA (INSTITUTIONAL PACK) AERS 108mcg/act | 3 | QL (6 inhalers / 30 days) |
| LEUKOTRIENE MODULATORS | | |
| <i>montelukast sodium</i> CHEW 4mg, 5mg | 3 | |
| <i>montelukast sodium</i> PACK 4mg | 4 | |
| <i>montelukast sodium</i> TABS 10mg | 1 | GC |
| <i>zafirlukast</i> TABS 10mg, 20mg | 3 | |
| MISCELLANEOUS | | |
| <i>acetylcysteine</i> SOLN 10%, 20% | 3 | B/D |
| ARALAST NP SOLR 500mg, 1000mg | 5 | NM, LA, PA |
| <i>cromolyn sodium</i> NEBU 20mg/2ml | 3 | B/D |
| DALIRESP TABS 250mcg, 500mcg | 4 | |
| <i>epinephrine (anaphylaxis)</i> SOAJ .15mg/0.3ml, .3mg/0.3ml | 3 | (generic of EpiPen) |
| <i>epinephrine (anaphylaxis)</i> SOAJ .15mg/0.15ml, .3mg/0.3ml | 3 | (generic of Adrenaclick) |
| ESBRIET CAPS 267mg | 5 | QL (270 caps / 30 days), NM, PA |
| ESBRIET TABS 267mg | 5 | QL (270 tabs / 30 days), NM, PA |
| ESBRIET TABS 801mg | 5 | QL (90 tabs / 30 days), NM, PA |
| FASENRA SOSY 30mg/ml | 5 | NM, LA, PA |
| FASENRA PEN SOAJ 30mg/ml | 5 | NM, LA, PA |
| KALYDECO PACK 25mg, 50mg, 75mg | 5 | QL (56 packs / 28 days), NM, PA |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---------------------------------------|
| KALYDECO TABS 150mg | 5 | QL (60 tabs / 30 days), NM, PA |
| OFEV CAPS 100mg, 150mg | 5 | QL (60 caps / 30 days), NM, PA |
| ORKAMBI GRA 100-125 | 5 | QL (56 packs / 28 days), NM, PA |
| ORKAMBI GRA 150-188 | 5 | QL (56 packs / 28 days), NM, PA |
| ORKAMBI TAB 100-125 | 5 | QL (112 tabs / 28 days), NM, PA |
| ORKAMBI TAB 200-125 | 5 | QL (112 tabs / 28 days), NM, PA |
| PROLASTIN-C SOLN 1000mg/20ml; SOLR 1000mg | 5 | NM, LA, PA |
| PULMOZYME SOLN 1mg/ml | 5 | NM, PA |
| SYMDEKO TAB 50-75MG | 5 | QL (56 tabs / 28 days), NM, LA, PA |
| SYMDEKO TAB 100-150 | 5 | QL (56 tabs / 28 days), NM, LA, PA |
| SYMJEPI SOSY .15mg/0.3ml, .3mg/0.3ml | 4 | |
| THEO-24 CP24 100mg, 200mg, 300mg, 400mg | 4 | |
| <i>theophylline</i> SOLN 80mg/15ml; TB12 300mg, 450mg | 4 | |
| <i>theophylline</i> TB24 400mg, 600mg | 3 | |
| TRIKAFTA TAB 50-25-37.5MG & 75MG | 5 | QL (84 tabs / 28 days), NM, LA, PA |
| TRIKAFTA TAB 100-50-75MG & 150MG | 5 | QL (84 tabs / 28 days), NM, LA, PA |
| XOLAIR SOLR 150mg; SOSY 75mg/0.5ml, 150mg/ml | 5 | NM, LA, PA |
| ZEMAIRA SOLR 1000mg | 5 | NM, LA, PA |
| NASAL STEROIDS | | |
| <i>flunisolide (nasal)</i> SOLN .025% | 3 | QL (3 bottles / 30 days) |
| <i>fluticasone propionate (nasal)</i> SUSP 50mcg/act | 2 | GC, QL (1 bottle / 30 days) |
| STEROID INHALANTS | | |
| ARNUITY ELLIPTA AEPB 50mcg/act, 100mcg/act, 200mcg/act | 3 | QL (30 inhalations / 30 days) |
| <i>budesonide (inhalation)</i> SUSP .25mg/2ml, .5mg/2ml | 4 | B/D |
| FLOVENT DISKUS AEPB 50mcg/blist | 3 | QL (180 inhalations / 30 days) |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------------|
| FLOVENT DISKUS AEPB 100mcg/blist, 250mcg/blist | 3 | QL (240 inhalations / 30 days) |
| FLOVENT HFA AERO 44mcg/act, 110mcg/act, 220mcg/act | 3 | QL (2 inhalers / 30 days) |
| PULMICORT FLEXHALER AEPB 90mcg/act | 4 | QL (3 inhalers / 30 days) |
| PULMICORT FLEXHALER AEPB 180mcg/act | 4 | QL (2 inhalers / 30 days) |

STEROID/BETA-AGONIST COMBINATIONS

| | | |
|-------------------------|---|----------------------------------|
| ADVAIR DISKU AER 100/50 | 3 | QL (60 inhalations / 30 days) |
| ADVAIR DISKU AER 250/50 | 3 | QL (60 inhalations / 30 days) |
| ADVAIR DISKU AER 500/50 | 3 | QL (60 inhalations / 30 days) |
| ADVAIR HFA AER 45/21 | 3 | QL (1 inhaler / 30 days) |
| ADVAIR HFA AER 115/21 | 3 | QL (1 inhaler / 30 days) |
| ADVAIR HFA AER 230/21 | 3 | QL (1 inhaler / 30 days) |
| BREO ELLIPTA INH 100-25 | 3 | QL (60 blisters / 30 days) |
| BREO ELLIPTA INH 200-25 | 3 | QL (60 blisters / 30 days) |
| SYMBICORT AER 80-4.5 | 3 | QL (1 inhaler / 30 days) |
| SYMBICORT AER 160-4.5 | 3 | QL (1 inhaler / 30 days) |

TOPICAL

DERMATOLOGY, ACNE

| | | |
|--|---|-------------------------------|
| <i>accutane</i> CAPS 20mg, 30mg, 40mg | 4 | PA |
| <i>amnestem</i> CAPS 10mg, 20mg, 40mg | 4 | PA |
| <i>avita</i> CREA .025%; GEL .025% | 4 | QL (45 gm / 30 days), PA |
| <i>benzoyl peroxide-erythromycin gel</i> 5-3% | 4 | QL (46.6 gm / 30 days) |
| <i>claravis</i> CAPS 10mg, 20mg, 30mg, 40mg | 4 | PA |
| <i>clindamycin phosphate (topical)</i> GEL 1% | 4 | QL (75 gm / 30 days) |
| <i>clindamycin phosphate (topical)</i> LOTN 1%; SOLN 1% | 3 | QL (60 mL / 30 days) |
| <i>ery</i> PADS 2% | 3 | QL (60 pledgets / 30 days) |
| <i>erythromycin (acne aid)</i> SOLN 2% | 3 | QL (60 mL / 30 days) |
| <i>isotretinoin</i> CAPS 10mg, 20mg, 30mg, 40mg | 4 | PA |
| <i>myorisan</i> CAPS 10mg, 20mg, 30mg, 40mg | 4 | PA |
| <i>sulfacetamide sodium (acne)</i> LOTN 10% | 4 | QL (118 mL / 30 days) |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|------------------------------|
| <i>tretinoin</i> CREA .025%, .05%, .1%; GEL .01%, .025% | 4 | QL (45 gm / 30 days), PA |
| <i>zenatane</i> CAPS 10mg, 20mg, 30mg, 40mg | 4 | PA |
| DERMATOLOGY, ANTIBIOTICS | | |
| <i>gentamicin sulfate (topical)</i> CREA .1% | 4 | QL (30 gm / 30 days) |
| <i>gentamicin sulfate (topical)</i> OINT .1% | 3 | QL (30 gm / 30 days) |
| <i>mupirocin</i> OINT 2% | 2 | GC, QL (220 gm / 30 days) |
| <i>silver sulfadiazine</i> CREA 1% | 2 | GC |
| <i>ssd</i> CREA 1% | 2 | GC |
| SULFAMYLON CREA 85mg/gm | 4 | QL (453.6 gm / 30 days) |
| DERMATOLOGY, ANTIFUNGALS | | |
| <i>ciclopirox olamine</i> CREA .77% | 3 | QL (90 gm / 30 days) |
| <i>ciclopirox olamine</i> SUSP .77% | 3 | QL (60 mL / 30 days) |
| <i>clotrimazole (topical)</i> CREA 1% | 3 | QL (45 gm / 30 days) |
| <i>clotrimazole (topical)</i> SOLN 1% | 3 | QL (30 mL / 30 days) |
| <i>clotrimazole w/ betamethasone cream 1- 0.05%</i> | 3 | QL (45 gm / 30 days) |
| <i>ketoconazole (topical)</i> CREA 2% | 3 | QL (60 gm / 30 days) |
| <i>nyamyc</i> POWD 100000unit/gm | 3 | QL (60 gm / 30 days) |
| <i>nystatin (topical)</i> CREA 100000unit/gm; OINT 100000unit/gm | 3 | QL (30 gm / 30 days) |
| <i>nystatin (topical)</i> POWD 100000unit/gm | 3 | QL (60 gm / 30 days) |
| <i>nystop</i> POWD 100000unit/gm | 3 | QL (60 gm / 30 days) |
| DERMATOLOGY, ANTIPSORIATICS | | |
| <i>acitretin</i> CAPS 10mg, 17.5mg, 25mg | 4 | PA |
| <i>calcipotriene</i> OINT .005% | 4 | QL (120 gm / 30 days), PA |
| <i>calcipotriene</i> SOLN .005% | 4 | QL (120 mL / 30 days), PA |
| <i>calcitrene</i> OINT .005% | 4 | QL (120 gm / 30 days), PA |
| <i>tazarotene</i> CREA .1% | 3 | QL (60 gm / 30 days), PA |
| TAZORAC CREA .05% | 4 | QL (60 gm / 30 days), PA |
| DERMATOLOGY, ANTISEBORRHEICS | | |
| <i>ketoconazole (topical)</i> SHAM 2% | 2 | GC, QL (120 mL / 30 days) |
| <i>selenium sulfide</i> LOTN 2.5% | 2 | GC |
| DERMATOLOGY, CORTICOSTEROIDS | | |
| <i>ala-cort</i> CREA 1% | 1 | GC |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|------------------------------|
| <i>ala-cort</i> CREA 2.5% | 2 | GC |
| <i>alclometasone dipropionate</i> CREA .05%; OINT .05% | 3 | QL (60 gm / 30 days) |
| <i>betamethasone dipropionate (topical)</i> CREA .05% | 3 | QL (120 gm / 30 days) |
| <i>betamethasone dipropionate (topical)</i> LOTN .05% | 3 | QL (120 mL / 30 days) |
| <i>betamethasone dipropionate (topical)</i> OINT .05% | 4 | QL (120 gm / 30 days) |
| <i>betamethasone dipropionate augmented</i> CREA .05% | 2 | GC, QL (120 gm / 30 days) |
| <i>betamethasone dipropionate augmented</i> GEL .05%; OINT .05% | 4 | QL (120 gm / 30 days) |
| <i>betamethasone dipropionate augmented</i> LOTN .05% | 4 | QL (120 mL / 30 days) |
| <i>betamethasone valerate</i> CREA .1%; OINT .1% | 3 | QL (120 gm / 30 days) |
| <i>betamethasone valerate</i> LOTN .1% | 3 | QL (120 mL / 30 days) |
| <i>clobetasol propionate</i> CREA .05%; OINT .05% | 3 | QL (60 gm / 30 days) |
| <i>clobetasol propionate</i> GEL .05% | 4 | QL (60 gm / 30 days) |
| <i>clobetasol propionate</i> SOLN .05% | 3 | QL (50 mL / 30 days) |
| <i>clobetasol propionate e</i> CREA .05% | 3 | QL (60 gm / 30 days) |
| ENSTILAR AER | 4 | QL (120 gm / 30 days), PA |
| <i>fluocinolone acetonide</i> CREA .01% | 4 | QL (60 gm / 30 days) |
| <i>fluocinolone acetonide</i> CREA .025% | 4 | QL (120 gm / 30 days) |
| <i>fluocinolone acetonide</i> OIL .01% | 3 | QL (118.28 mL / 30 days) |
| <i>fluocinolone acetonide</i> OINT .025% | 3 | QL (120 gm / 30 days) |
| <i>fluocinolone acetonide</i> SOLN .01% | 4 | QL (90 mL / 30 days) |
| <i>fluocinonide</i> CREA .05% | 3 | QL (120 gm / 30 days) |
| <i>fluocinonide</i> GEL .05%; OINT .05% | 4 | QL (60 gm / 30 days) |
| <i>fluocinonide</i> SOLN .05% | 3 | QL (60 mL / 30 days) |
| <i>fluocinonide emulsified base</i> CREA .05% | 3 | QL (120 gm / 30 days) |
| <i>fluticasone propionate</i> CREA .05%; OINT .005% | 3 | |
| <i>halobetasol propionate</i> CREA .05%; OINT .05% | 4 | QL (50 gm / 30 days) |
| <i>hydrocortisone (topical)</i> CREA 1% | 1 | GC |
| <i>hydrocortisone (topical)</i> CREA 2.5%; LOTN 2.5%; OINT 2.5% | 2 | GC |
| <i>mometasone furoate</i> CREA .1%; OINT .1%; SOLN .1% | 3 | |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>triamcinolone acetonide (topical)</i> CREA .1% | 2 | GC, QL (454 gm / 30 days) |
| <i>triamcinolone acetonide (topical)</i> CREA .025%, .5%; OINT .025%, .1%, .5% | 2 | GC |
| <i>triamcinolone acetonide (topical)</i> LOTN .025%, .1% | 3 | |
| <i>triderm</i> CREA .5% | 2 | GC |

DERMATOLOGY, LOCAL ANESTHETICS

| | | |
|--|---|----------------------------|
| <i>glydo</i> PRSY 2% | 4 | QL (60 mL / 30 days), PA |
| <i>lidocaine</i> OINT 5% | 4 | QL (50 gm / 30 days), PA |
| <i>lidocaine</i> PTCH 5% | 4 | QL (3 patches / 1 day), PA |
| <i>lidocaine hcl</i> GEL 2% | 4 | QL (30 mL / 30 days), PA |
| <i>lidocaine hcl</i> SOLN 4% | 3 | QL (50 mL / 30 days), PA |
| <i>lidocaine-prilocaine cream</i> 2.5-2.5% | 3 | QL (30 gm / 30 days), PA |

DERMATOLOGY, MISCELLANEOUS SKIN AND MUCOUS MEMBRANE

| | | |
|--|---|------------------------------|
| <i>diclofenac sodium (topical)</i> GEL 1% | 3 | QL (1000 gm / 30 days), PA |
| <i>fluorouracil (topical)</i> CREA 5% | 4 | QL (40 gm / 30 days) |
| <i>fluorouracil (topical)</i> SOLN 2%, 5% | 3 | QL (10 mL / 30 days) |
| <i>hydrocortisone (rectal)</i> CREA 2.5% | 2 | GC |
| <i>imiquimod</i> CREA 5% | 3 | QL (24 packets / 30 days) |
| <i>lactic acid (ammonium lactate)</i> CREA 12% | 2 | GC |
| <i>lactic acid (ammonium lactate)</i> LOTN 12% | 3 | |
| <i>metronidazole (topical)</i> CREA .75% | 4 | QL (45 gm / 30 days) |
| <i>metronidazole (topical)</i> GEL .75% | 3 | QL (45 gm / 30 days) |
| <i>metronidazole (topical)</i> LOTN .75% | 4 | QL (59 mL / 30 days) |
| <i>podofilox</i> SOLN .5% | 3 | QL (7 mL / 28 days) |
| <i>procto-med hc</i> CREA 2.5% | 3 | |
| <i>procto-pak</i> CREA 1% | 3 | |
| <i>proctozone-hc</i> CREA 2.5% | 3 | |
| RECTIV OINT .4% | 4 | QL (30 gm / 30 days) |
| <i>rosadan</i> CREA .75% | 4 | QL (45 gm / 30 days) |
| <i>tacrolimus (topical)</i> OINT .03%, .1% | 4 | QL (100 gm / 30 days) |
| TARGRETIN GEL 1% | 5 | QL (60 gm / 30 days), NM, PA |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-------------------------------------|
| VALCHLOR GEL .016% | 5 | QL (60 gm / 30 days), NM, LA, PA |
| DERMATOLOGY, SCABICIDES AND PEDICULIDES | | |
| <i>malathion</i> LOTN .5% | 4 | QL (59 mL / 30 days) |
| <i>permethrin</i> CREA 5% | 3 | QL (60 gm / 30 days) |
| DERMATOLOGY, WOUND CARE AGENTS | | |
| REGRANEX GEL .01% | 5 | QL (30 gm / 30 days), PA |
| SANTYL OINT 250unit/gm | 4 | QL (180 gm / 30 days) |
| <i>sodium chloride (gu irrigant)</i> SOLN .9% | 3 | |
| <i>water for irrigation, sterile irrigation soln</i> | 2 | GC |
| MOUTH/THROAT/DENTAL AGENTS | | |
| <i>cevimeline hcl</i> CAPS 30mg | 4 | |
| <i>chlorhexidine gluconate (mouth-throat)</i> SOLN .12% | 1 | GC |
| <i>clotrimazole</i> TROC 10mg | 4 | QL (150 lozenges / 30 days) |
| <i>lidocaine hcl (mouth-throat)</i> SOLN 2% | 2 | GC |
| <i>nystatin (mouth-throat)</i> SUSP 100000unit/ml | 3 | |
| <i>periogard</i> SOLN .12% | 1 | GC |
| <i>pilocarpine hcl (oral)</i> TABS 5mg, 7.5mg | 3 | |
| <i>triamcinolone acetonide (mouth)</i> PSTE .1% | 3 | |

Index of Drugs

| | | | |
|--|----|--|--------|
| <i>abacavir sulfate</i> | 13 | AFINITOR..... | 22 |
| <i>abacavir sulfate-lamivudine tab 600-300 mg</i> | 14 | AFINITOR DISPERZ | 22 |
| <i>abacavir sulfate-lamivudine-zidovudine tab 300-150-300 mg</i> | 14 | <i>afirmelle</i> | 54 |
| ABELCET | 12 | AIMOVIG..... | 47 |
| ABILIFY MAINTENA..... | 43 | <i>ala-cort</i> | 81, 82 |
| <i>abiraterone acetate</i> | 21 | <i>albendazole</i> | 10 |
| ABRAXANE INJ 100MG | 22 | <i>albuterol sulfate</i> | 77, 78 |
| <i>acamprosate calcium</i> | 49 | <i>alclometasone dipropionate</i> | 82 |
| <i>acarbose</i> | 50 | ALDURAZYME | 60 |
| <i>accutane</i> | 80 | ALECENSA..... | 22 |
| <i>acebutolol hcl</i> | 32 | <i>alendronate sodium</i> | 54 |
| <i>acetaminophen w/ codeine soln 120-12 mg/5ml</i> | 9 | <i>alfuzosin hcl</i> | 65 |
| <i>acetaminophen w/ codeine tab 300-15 mg</i> | 9 | ALIMTA | 20 |
| <i>acetaminophen w/ codeine tab 300-30 mg</i> | 9 | <i>aliskiren fumarate</i> | 34 |
| <i>acetaminophen w/ codeine tab 300-60 mg</i> | 9 | <i>allopurinol</i> | 8 |
| <i>acetazolamide</i> | 33 | <i>alosetron hcl</i> | 64 |
| <i>acetic acid</i> | 65 | ALPHAGAN P..... | 75 |
| <i>acetic acid (otic)</i> | 76 | <i>alprazolam</i> | 35 |
| <i>acetylcysteine</i> | 78 | ALREX | 75 |
| <i>acitretin</i> | 81 | <i>altavera</i> | 54 |
| ACTHIB INJ | 70 | ALUNBRIG..... | 22 |
| ACTIMMUNE | 70 | ALUNBRIG PAK | 22 |
| <i>acyclovir</i> | 15 | <i>alyacen 1/35</i> | 54 |
| <i>acyclovir sodium</i> | 16 | <i>alyacen 7/7/7</i> | 54 |
| ADACEL INJ..... | 70 | <i>amabelz</i> | 58 |
| <i>adefovir dipivoxil</i> | 16 | <i>amantadine hcl</i> | 42 |
| ADEMPAS | 35 | AMBISOME | 12 |
| ADRENALIN | 34 | <i>ambrisentan</i> | 35 |
| <i>adriamycin</i> | 20 | <i>amikacin sulfate</i> | 10 |
| ADVAIR DISKU AER 100/50..... | 80 | <i>amiloride & hydrochlorothiazide tab 5-50 mg</i> | 33 |
| ADVAIR DISKU AER 250/50..... | 80 | <i>amiloride hcl</i> | 33 |
| ADVAIR DISKU AER 500/50..... | 80 | AMINOSYN-PF INJ 7% | 73 |
| ADVAIR HFA AER 115/21 | 80 | <i>amiodarone hcl</i> | 30 |
| ADVAIR HFA AER 230/21 | 80 | <i>amitriptyline hcl</i> | 40 |
| ADVAIR HFA AER 45/21 | 80 | <i>amlodipine besylate</i> | 33 |
| 10/01/2021 | | <i>amlodipine besylate-benazepril hcl cap 10-20 mg</i> | 27 |
| | | <i>amlodipine besylate-benazepril hcl cap 10-40 mg</i> | 27 |
| | | <i>amlodipine besylate-benazepril hcl cap</i> | |

| | | | |
|--|----|---|----|
| 2.5-10 mg..... | 27 | 400-57 mg | 18 |
| amlodipine besylate-benazepril hcl cap | | amoxicillin & k clavulanate for susp | |
| 5-10 mg..... | 27 | 200-28.5 mg/5ml..... | 18 |
| amlodipine besylate-benazepril hcl cap | | amoxicillin & k clavulanate for susp | |
| 5-20 mg..... | 27 | 250-62.5 mg/5ml..... | 18 |
| amlodipine besylate-benazepril hcl cap | | amoxicillin & k clavulanate for susp | |
| 5-40 mg..... | 27 | 400-57 mg/5ml..... | 18 |
| amlodipine besylate-olmesartan | | amoxicillin & k clavulanate for susp | |
| medoxomil tab 10-20 mg | 29 | 600-42.9 mg/5ml..... | 18 |
| amlodipine besylate-olmesartan | | amoxicillin & k clavulanate tab 250-125 | |
| medoxomil tab 10-40 mg | 29 | mg | 18 |
| amlodipine besylate-olmesartan | | amoxicillin & k clavulanate tab 500-125 | |
| medoxomil tab 5-20 mg | 29 | mg | 18 |
| amlodipine besylate-olmesartan | | amoxicillin & k clavulanate tab 875-125 | |
| medoxomil tab 5-40 mg | 29 | mg | 18 |
| amlodipine besylate-valsartan tab 10- | | amoxicillin & k clavulanate tab er 12hr | |
| 160 mg..... | 29 | 1000-62.5 mg | 18 |
| amlodipine besylate-valsartan tab 10- | | amphetamine-dextroamphetamine cap | |
| 320 mg..... | 29 | er 24hr 10 mg | 45 |
| amlodipine besylate-valsartan tab 5- | | amphetamine-dextroamphetamine cap | |
| 160 mg..... | 29 | er 24hr 15 mg | 45 |
| amlodipine besylate-valsartan tab 5- | | amphetamine-dextroamphetamine cap | |
| 320 mg..... | 29 | er 24hr 20 mg | 45 |
| amlodipine-valsartan- | | amphetamine-dextroamphetamine cap | |
| hydrochlorothiazide tab 10-160-12.5 | | er 24hr 25 mg | 45 |
| mg | 29 | amphetamine-dextroamphetamine cap | |
| amlodipine-valsartan- | | er 24hr 30 mg | 45 |
| hydrochlorothiazide tab 10-160-25 mg | | amphetamine-dextroamphetamine cap | |
| | 29 | er 24hr 5 mg | 45 |
| amlodipine-valsartan- | | amphetamine-dextroamphetamine tab | |
| hydrochlorothiazide tab 10-320-25 mg | | 10 mg..... | 46 |
| | 29 | amphetamine-dextroamphetamine tab | |
| amlodipine-valsartan- | | 12.5 mg..... | 46 |
| hydrochlorothiazide tab 5-160-12.5 mg | | amphetamine-dextroamphetamine tab | |
| | 29 | 15 mg..... | 46 |
| amlodipine-valsartan- | | amphetamine-dextroamphetamine tab | |
| hydrochlorothiazide tab 5-160-25 mg | 29 | 20 mg..... | 46 |
| amnestem | 80 | amphetamine-dextroamphetamine tab | |
| amoxapine | 40 | 30 mg..... | 46 |
| amoxicillin..... | 18 | amphetamine-dextroamphetamine tab | |
| amoxicillin & k clavulanate chew tab | | 5 mg | 45 |
| 200-28.5 mg | 18 | amphetamine-dextroamphetamine tab | |
| amoxicillin & k clavulanate chew tab | | 7.5 mg..... | 45 |

| | | | |
|--|----|---|----|
| <i>amphotericin b</i> | 12 | <i>atovaquone-proguanil hcl tab 250-100</i> | |
| <i>ampicillin</i> | 18 | <i>mg</i> | 13 |
| <i>ampicillin & sulbactam sodium for inj</i> | | <i>atovaquone-proguanil hcl tab 62.5-25</i> | |
| <i>1.5 (1-0.5) gm</i> | 18 | <i>mg</i> | 13 |
| <i>ampicillin & sulbactam sodium for inj 3</i> | | ATROPINE SULFATE..... | 76 |
| <i>(2-1) gm</i> | 18 | ATROVENT HFA..... | 77 |
| <i>ampicillin & sulbactam sodium for iv</i> | | <i>aubra eq</i> | 54 |
| <i>soln 1.5 (1-0.5) gm</i> | 18 | <i>aurovela 1/20</i> | 54 |
| <i>ampicillin & sulbactam sodium for iv</i> | | <i>aurovela fe 1.5/30</i> | 54 |
| <i>soln 15 (10-5) gm</i> | 18 | <i>aurovela fe 1/20</i> | 54 |
| <i>ampicillin & sulbactam sodium for iv</i> | | AUSTEDO | 47 |
| <i>soln 3 (2-1) gm</i> | 18 | AVASTIN | 22 |
| <i>ampicillin sodium</i> | 18 | <i>aviane</i> | 54 |
| <i>anagrelide hcl</i> | 67 | <i>avita</i> | 80 |
| <i>anastrozole</i> | 21 | <i>ayuna</i> | 54 |
| ANDRODERM | 49 | AYVAKIT | 22 |
| ANORO ELLIPT AER 62.5-25 | 76 | <i>azacitidine</i> | 20 |
| <i>aprepitant</i> | 62 | <i>azathioprine</i> | 70 |
| <i>aprepitant capsule therapy pack 80 &</i> | | <i>azelastine hcl</i> | 77 |
| <i>125 mg</i> | 62 | <i>azelastine hcl (ophth)</i> | 75 |
| <i>apri</i> | 54 | <i>azithromycin</i> | 17 |
| APTIOM..... | 36 | <i>aztreonam</i> | 10 |
| APTIVUS | 13 | <i>azurette</i> | 55 |
| ARALAST NP | 78 | <i>bacitracin (ophthalmic)</i> | 74 |
| <i>aranelle</i> | 54 | <i>bacitracin-polymyxin b ophth oint</i> | 74 |
| ARCALYST | 70 | <i>bacitracin-polymyxin-neomycin-hc</i> | |
| <i>aripiprazole</i> | 43 | <i>ophth oint 1%</i> | 74 |
| ARISTADA..... | 43 | <i>baclofen</i> | 48 |
| ARISTADA INITIO..... | 43 | <i>balsalazide disodium</i> | 63 |
| <i>armodafinil</i> | 48 | BALVERSA..... | 22 |
| ARNUITY ELLIPTA..... | 79 | <i>balziva</i> | 55 |
| <i>asenapine maleate</i> | 43 | BARACLUDE | 16 |
| <i>aspirin-dipyridamole cap er 12hr 25-</i> | | BASAGLAR KWIKPEN | 52 |
| <i>200 mg</i> | 68 | BCG VACCINE INJ | 70 |
| <i>atazanavir sulfate</i> | 13 | BD ALCOHOL SWABS..... | 52 |
| <i>atenolol</i> | 32 | <i>bekyree</i> | 55 |
| <i>atenolol & chlorthalidone tab 100-25</i> | | BELSOMRA | 46 |
| <i>mg</i> | 32 | <i>benazepril & hydrochlorothiazide tab</i> | |
| <i>atenolol & chlorthalidone tab 50-25 mg</i> | | <i>10-12.5 mg</i> | 27 |
| | 32 | <i>benazepril & hydrochlorothiazide tab</i> | |
| <i>atomoxetine hcl</i> | 46 | <i>20-12.5 mg</i> | 27 |
| <i>atorvastatin calcium</i> | 31 | <i>benazepril & hydrochlorothiazide tab</i> | |
| <i>atovaquone</i> | 10 | <i>20-25 mg</i> | 27 |

| | |
|---|----|
| <i>benazepril & hydrochlorothiazide tab 5-6.25 mg</i> | 27 |
| <i>benazepril hcl</i> | 28 |
| BENDEKA | 20 |
| BENLYSTA | 70 |
| <i>benzoyl peroxide-erythromycin gel 5-3%</i> | 80 |
| <i>benztropine mesylate</i> | 42 |
| <i>bepotastine besilate</i> | 75 |
| BEPREVE | 75 |
| BERINERT | 67 |
| BESIVANCE | 74 |
| <i>betamethasone dipropionate (topical) augmented</i> | 82 |
| <i>betamethasone valerate</i> | 82 |
| BETASERON | 48 |
| <i>betaxolol hcl (ophth)</i> | 75 |
| <i>bethanechol chloride</i> | 65 |
| BETOPTIC-S | 75 |
| BEVESPI AER 9-4.8MCG | 76 |
| <i>bexarotene</i> | 21 |
| BEXSERO INJ | 70 |
| <i>bicalutamide</i> | 21 |
| BICILLIN L-A | 19 |
| BIKTARVY TAB | 14 |
| <i>bisoprolol & hydrochlorothiazide tab 10-6.25 mg</i> | 32 |
| <i>bisoprolol & hydrochlorothiazide tab 2.5-6.25 mg</i> | 32 |
| <i>bisoprolol & hydrochlorothiazide tab 5-6.25 mg</i> | 32 |
| <i>bisoprolol fumarate</i> | 32 |
| BIVIGAM | 69 |
| BLEPHAMIDE OIN S.O.P. | 74 |
| <i>blisovi fe 1.5/30</i> | 55 |
| BOOSTRIX INJ | 71 |
| BORTEZOMIB | 22 |
| <i>bosentan</i> | 35 |
| BOSULIF | 22 |
| BRAFTOVI | 22 |
| BREO ELLIPTA INH 100-25 | 80 |
| BREO ELLIPTA INH 200-25 | 80 |

| | |
|---|----|
| BREZTRI AERO AER SPHERE | 76 |
| BREZTRI AERO AER SPHERE (INSTITUTIONAL PACK) | 77 |
| <i>briellyn</i> | 55 |
| BRILINTA | 68 |
| <i>brimonidine tartrate</i> | 75 |
| <i>brinzolamide</i> | 75 |
| BRIVIACT | 36 |
| <i>bromfenac sodium (ophth)</i> | 75 |
| <i>bromocriptine mesylate</i> | 42 |
| BROMSITE | 75 |
| BRUKINSA | 23 |
| <i>budesonide</i> | 63 |
| <i>budesonide (inhalation)</i> | 79 |
| <i>bumetanide</i> | 33 |
| <i>buprenorphine hcl</i> | 49 |
| <i>buprenorphine hcl-naloxone hcl sl film 12-3 mg (base equiv)</i> | 49 |
| <i>buprenorphine hcl-naloxone hcl sl film 2-0.5 mg (base equiv)</i> | 49 |
| <i>buprenorphine hcl-naloxone hcl sl film 4-1 mg (base equiv)</i> | 49 |
| <i>buprenorphine hcl-naloxone hcl sl film 8-2 mg (base equiv)</i> | 49 |
| <i>buprenorphine hcl-naloxone hcl sl tab 2-0.5 mg (base equiv)</i> | 49 |
| <i>buprenorphine hcl-naloxone hcl sl tab 8-2 mg (base equiv)</i> | 49 |
| <i>bupropion hcl</i> | 40 |
| <i>bupropion hcl (smoking deterrent)</i> | 49 |
| <i>buspirone hcl</i> | 35 |
| <i>butorphanol tartrate</i> | 9 |
| BYDUREON BCISE | 50 |
| BYETTA | 50 |
| BYSTOLIC | 32 |
| <i>cabergoline</i> | 60 |
| CABOMETYX | 23 |
| <i>calcipotriene</i> | 81 |
| <i>calcitonin (salmon) spray</i> | 54 |
| <i>calcitrene</i> | 81 |
| <i>calcitriol</i> | 62 |
| <i>calcium acetate (phosphate binder)</i> ... | 61 |
| CALQUENCE | 23 |

| | | | |
|---|----|--|----|
| <i>camila</i> | 55 | CEFAZOLIN SOLN 2GM/100ML-4% | 16 |
| CAPLYTA | 43 | <i>cefdinir</i> | 17 |
| CAPRELSA | 23 | <i>cefepime hcl</i> | 17 |
| <i>captopril</i> | 28 | <i>cefixime</i> | 17 |
| CARBAGLU | 60 | <i>cefoxitin sodium</i> | 17 |
| <i>carbamazepine</i> | 36 | <i>cefpodoxime proxetil</i> | 17 |
| <i>carbidopa & levodopa orally</i> <i>disintegrating tab 10-100 mg</i> | 42 | <i>cefprozil</i> | 17 |
| <i>carbidopa & levodopa orally</i> <i>disintegrating tab 25-100 mg</i> | 42 | <i>ceftazidime</i> | 17 |
| <i>carbidopa & levodopa orally</i> <i>disintegrating tab 25-250 mg</i> | 42 | CEFTAZIDIME/ SOL D5W 1GM | 17 |
| <i>carbidopa & levodopa tab 10-100 mg</i> | 42 | CEFTAZIDIME/ SOL D5W 2GM | 17 |
| <i>carbidopa & levodopa tab 25-100 mg</i> | 42 | <i>ceftriaxone sodium</i> | 17 |
| <i>carbidopa & levodopa tab 25-250 mg</i> | 42 | <i>cefuroxime axetil</i> | 17 |
| <i>carbidopa & levodopa tab er 25-100 mg</i> | 42 | <i>cefuroxime sodium</i> | 17 |
| <i>carbidopa & levodopa tab er 50-200 mg</i> | 42 | <i>celecoxib</i> | 8 |
| <i>carbidopa-levodopa-entacapone tabs</i> <i>12.5-50-200 mg</i> | 42 | CELONTIN | 36 |
| <i>carbidopa-levodopa-entacapone tabs</i> <i>18.75-75-200 mg</i> | 42 | <i>cephalexin</i> | 17 |
| <i>carbidopa-levodopa-entacapone tabs</i> <i>25-100-200 mg</i> | 42 | CERDELGA | 60 |
| <i>carbidopa-levodopa-entacapone tabs</i> <i>31.25-125-200 mg</i> | 42 | CEREZYME | 60 |
| <i>carbidopa-levodopa-entacapone tabs</i> <i>37.5-150-200 mg</i> | 42 | <i>cetirizine hcl</i> | 77 |
| <i>carbidopa-levodopa-entacapone tabs</i> <i>50-200-200 mg</i> | 42 | <i>cevimeline hcl</i> | 84 |
| <i>carboplatin</i> | 20 | CHANTIX..... | 49 |
| <i>carteolol hcl (ophth)</i> | 76 | CHANTIX CONTINUING MONTH..... | 49 |
| <i>cartia xt</i> | 33 | CHANTIX PAK 0.5& 1MG | 49 |
| <i>carvedilol</i> | 32 | <i>chateal</i> | 55 |
| <i>casprofungin acetate</i> | 12 | CHEMET | 54 |
| CAYSTON | 10 | <i>chlorhexidine gluconate (mouth-throat)</i> | 84 |
| <i>caziant</i> | 55 | <i>chloroquine phosphate</i> | 13 |
| <i>cefaclor</i> | 16 | <i>chlorpromazine hcl</i> | 43 |
| CEFACLOR ER | 16 | <i>chlorthalidone</i> | 33 |
| <i>cefadroxil</i> | 16 | <i>cholestyramine</i> | 31 |
| CEFAZOLIN INJ 1GM/50ML | 16 | <i>cholestyramine light</i> | 31 |
| <i>cefazolin sodium</i> | 16 | <i>ciclopirox olamine</i> | 81 |

| | | | |
|---|----|--|----|
| <i>0.3-0.1%</i> | 76 | <i>colchicine</i> | 8 |
| <i>cisplatin</i> | 20 | <i>colchicine w/ probenecid tab 0.5-500 mg</i> | 8 |
| <i>citalopram hydrobromide</i> | 40 | <i>colesevelam hcl</i> | 31 |
| <i>claravis</i> | 80 | <i>colestipol hcl</i> | 31 |
| <i>clarithromycin</i> | 17 | <i>colistimethate sodium</i> | 11 |
| <i>clindamycin hcl</i> | 10 | COMBIGAN SOL 0.2/0.5% | 76 |
| <i>clindamycin palmitate hydrochloride</i> .. | 10 | COMBIVENT AER 20-100 | 77 |
| <i>clindamycin phosphate</i> | 10 | COMETRIQ (60MG DOSE)..... | 23 |
| <i>clindamycin phosphate (topical)</i> | 80 | COMETRIQ KIT 100MG..... | 23 |
| <i>clindamycin phosphate in d5w iv soln 300 mg/50ml</i> | 10 | COMETRIQ KIT 140MG..... | 23 |
| <i>clindamycin phosphate in d5w iv soln 600 mg/50ml</i> | 10 | COMPLERA TAB..... | 14 |
| <i>clindamycin phosphate in d5w iv soln 900 mg/50ml</i> | 10 | <i>compro</i> | 62 |
| <i>clindamycin phosphate vaginal</i> | 66 | <i>constulose</i> | 64 |
| CLINDMYC/NAC INJ 300/50ML | 10 | COPIKTRA | 23 |
| CLINDMYC/NAC INJ 600/50ML | 10 | CORLANOR..... | 34 |
| CLINDMYC/NAC INJ 900/50ML | 11 | COTELLIC..... | 23 |
| CLINIMIX INJ 4.25/D10 | 73 | CREON CAP 12000UNT..... | 65 |
| CLINIMIX INJ 4.25/D5W | 73 | CREON CAP 24000UNT..... | 65 |
| CLINIMIX INJ 5%/D15W | 73 | CREON CAP 3000UNIT | 65 |
| CLINIMIX INJ 5%/D20W | 73 | CREON CAP 36000UNT..... | 65 |
| CLINIMIX INJ 6/5..... | 73 | CREON CAP 6000UNIT | 65 |
| CLINIMIX INJ 8/10 | 73 | <i>cromolyn sodium</i> | 78 |
| CLINIMIX INJ 8/14 | 73 | <i>cromolyn sodium (mastocytosis)</i> | 64 |
| <i>clinisol sf 15%</i> | 73 | <i>cromolyn sodium (ophth)</i> | 75 |
| CLINOLIPID EMU 20% | 73 | <i>cryselle-28</i> | 55 |
| <i>clobazam</i> | 36 | <i>cyclafem 1/35</i> | 55 |
| <i>clobetasol propionate</i> | 82 | <i>cyclafem 7/7/7</i> | 55 |
| <i>clobetasol propionate e</i> | 82 | <i>cyclobenzaprine hcl</i> | 48 |
| <i>clomipramine hcl</i> | 40 | <i>cyclophosphamide</i> | 20 |
| <i>clonazepam</i> | 36 | CYCLOPHOSPHAMIDE | 20 |
| <i>clonidine</i> | 34 | <i>cycloserine</i> | 15 |
| <i>clonidine hcl</i> | 34 | <i>cyclosporine</i> | 70 |
| <i>clopidogrel bisulfate</i> | 68 | <i>cyclosporine modified (for microemulsion)</i> | 70 |
| <i>clorazepate dipotassium</i> | 36 | <i>cyproheptadine hcl</i> | 77 |
| <i>clotrimazole</i> | 84 | <i>cyred eq</i> | 55 |
| <i>clotrimazole (topical)</i> | 81 | CYSTADANE POW | 60 |
| <i>clotrimazole w/ betamethasone cream 1-0.05%</i> | 81 | CYSTADROPS..... | 76 |
| <i>clozapine</i> | 43 | CYSTAGON | 60 |
| COARTEM TAB 20-120MG..... | 13 | CYSTARAN | 76 |
| | | <i>cytarabine</i> | 20 |
| | | D10W/NACL INJ 0.2% | 71 |

| | | | |
|---|----|--|--------|
| D2.5W/NACL INJ 0.45%..... | 71 | <i>dextrose 5% w/ sodium chloride 0.45%</i> | 72 |
| D5W/LYTES INJ #48..... | 71 | <i>dextrose 5% w/ sodium chloride 0.9%</i> | 72 |
| <i>dalfampridine</i> | 48 | DIACOMIT | 36 |
| DALIRESP | 78 | <i>diazepam</i> | 36, 37 |
| <i>danazol</i> | 58 | <i>diazepam (anticonvulsant)</i> | 37 |
| <i>dantrolene sodium</i> | 48 | <i>diazepam inj</i> | 37 |
| <i>dapsone</i> | 11 | <i>diazoxide</i> | 60 |
| DAPTACEL INJ | 71 | <i>diclofenac potassium</i> | 8 |
| <i>daptomycin</i> | 11 | <i>diclofenac sodium</i> | 8 |
| DAPTOMYCIN..... | 11 | <i>diclofenac sodium (ophth)</i> | 75 |
| <i>dasetta 1/35</i> | 55 | <i>diclofenac sodium (topical)</i> | 83 |
| <i>dasetta 7/7/7</i> | 55 | <i>dicloxacillin sodium</i> | 19 |
| DAURISMO | 23 | <i>dicyclomine hcl</i> | 63 |
| <i>deblitane</i> | 55 | DIFICID | 17 |
| <i>deferasirox</i> | 54 | <i>diflunisal</i> | 8 |
| DELESTROGEN..... | 58 | <i>digitek</i> | 34 |
| DELSTRIGO TAB..... | 14 | <i>digox</i> | 34 |
| DESCOVY TAB 200/25MG | 14 | <i>digoxin</i> | 34 |
| <i>desipramine hcl</i> | 40 | <i>dihydroergotamine mesylate</i> | 47 |
| <i>desmopressin acetate</i> | 60 | DILANTIN..... | 37 |
| <i>desmopressin acetate spray</i> | 60 | DILANTIN INFATABS..... | 37 |
| <i>desmopressin acetate spray refrigerated</i> | 60 | DILANTIN-125 | 37 |
| <i>desogest-eth estrad & eth estrad tab</i> | | <i>diltiazem hcl</i> | 33 |
| <i>0.15-0.02/0.01 mg(21/5)</i> | 55 | <i>diltiazem hcl coated beads</i> | 33 |
| <i>desogestrel & ethinyl estradiol tab 0.15</i> | | <i>diltiazem hcl extended release beads</i> . | 33 |
| <i>mg-30 mcg</i> | 55 | <i>dilt-xr</i> | 33 |
| <i>desvenlafaxine succinate</i> | 40 | DIP/TET PED INJ 25-5LFU | 71 |
| <i>dexamethasone</i> | 59 | <i>diphenhydramine hcl</i> | 77 |
| DEXAMETHASONE INTENSOL..... | 59 | <i>diphenoxylate w/ atropine liq 2.5-0.025</i> | |
| <i>dexamethasone sodium phosphate</i> | 59 | <i>mg/5ml</i> | 64 |
| <i>dexamethasone sodium phosphate</i> | | <i>diphenoxylate w/ atropine tab 2.5-</i> | |
| <i>(ophth)</i> | 75 | <i>0.025 mg</i> | 64 |
| DEXILANT | 65 | <i>dipyridamole</i> | 68 |
| <i>dexmethylphenidate hcl</i> | 46 | <i>disopyramide phosphate</i> | 30 |
| <i>dextrose</i> | 73 | <i>disulfiram</i> | 49 |
| <i>dextrose 10% w/ sodium chloride</i> | | <i>divalproex sodium</i> | 37 |
| <i>0.45%</i> | 72 | <i>docetaxel</i> | 22 |
| <i>dextrose 2.5% w/ sodium chloride</i> | | DOCETAXEL..... | 22 |
| <i>0.45%</i> | 71 | <i>dofetilide</i> | 30 |
| <i>dextrose 5% in lactated ringers</i> | 72 | <i>donepezil hydrochloride</i> | 39, 40 |
| <i>dextrose 5% w/ sodium chloride 0.2%</i> | | DOPTELET | 67 |
| | 72 | | |

| | | | |
|--|----|---|----|
| <i>dorzolamide hcl</i> | 76 | <i>emtricitabine</i> | 13 |
| <i>dorzolamide hcl-timolol maleate ophth soln 22.3-6.8 mg/ml</i> | 76 | <i>emtricitabine-tenofovir disoproxil fumarate tab 100-150 mg</i> | 15 |
| <i>dotti</i> | 58 | <i>emtricitabine-tenofovir disoproxil fumarate tab 133-200 mg</i> | 15 |
| DOVATO TAB 50-300MG | 14 | <i>emtricitabine-tenofovir disoproxil fumarate tab 167-250 mg</i> | 15 |
| <i>doxazosin mesylate</i> | 28 | <i>emtricitabine-tenofovir disoproxil fumarate tab 200-300 mg</i> | 15 |
| <i>doxepin hcl</i> | 40 | EMTRIVA..... | 13 |
| <i>doxepin hcl (sleep)</i> | 46 | EMVERM | 11 |
| <i>doxorubicin hcl</i> | 20 | <i>enalapril maleate</i> | 28 |
| <i>doxorubicin hcl liposomal</i> | 20 | <i>enalapril maleate & hydrochlorothiazide tab 10-25 mg</i> | 27 |
| <i>doxy 100</i> | 19 | <i>enalapril maleate & hydrochlorothiazide tab 5-12.5 mg</i> | 27 |
| <i>doxycycline (monohydrate)</i> | 19 | ENBREL..... | 68 |
| <i>doxycycline hyclate</i> | 19 | ENBREL MINI | 68 |
| DRIZALMA SPRINKLE..... | 40 | ENBREL SURECLICK | 68 |
| <i>dronabinol</i> | 62 | ENDARI..... | 67 |
| <i>drospirenone-ethinyl estradiol tab 3-0.02 mg</i> | 55 | <i>endocet tab 10-325mg</i> | 9 |
| <i>drospirenone-ethinyl estradiol tab 3-0.03 mg</i> | 55 | <i>endocet tab 2.5-325mg</i> | 9 |
| DROXIA | 67 | <i>endocet tab 5-325mg</i> | 9 |
| <i>droxidopa</i> | 34 | <i>endocet tab 7.5-325mg</i> | 9 |
| <i>duloxetine hcl</i> | 40 | ENGERIX-B..... | 71 |
| DUREZOL | 75 | <i>enoxaparin sodium</i> | 66 |
| <i>dutasteride</i> | 65 | <i>enpresse-28</i> | 55 |
| <i>dutasteride-tamsulosin hcl cap 0.5-0.4 mg</i> | 65 | <i>enskyce</i> | 55 |
| <i>ec-naproxen</i> | 8 | ENSTILAR AER | 82 |
| EDURANT | 13 | <i>entacapone</i> | 42 |
| <i>efavirenz</i> | 13 | <i>entecavir</i> | 16 |
| <i>efavirenz-emtricitabine-tenofovir df tab 600-200-300 mg</i> | 14 | ENTRESTO TAB 24-26MG | 29 |
| <i>efavirenz-lamivudine-tenofovir df tab 400-300-300 mg</i> | 14 | ENTRESTO TAB 49-51MG | 29 |
| <i>efavirenz-lamivudine-tenofovir df tab 600-300-300 mg</i> | 15 | ENTRESTO TAB 97-103MG | 29 |
| <i>elinest</i> | 55 | <i>enulose</i> | 64 |
| ELIQUIS..... | 66 | EPCLUSA TAB 200-50MG..... | 16 |
| ELIQUIS STARTER PACK..... | 66 | EPCLUSA TAB 400-100 | 16 |
| ELLA..... | 55 | EPIDIOLEX | 37 |
| <i>eluryng</i> | 55 | <i>epinephrine (anaphylaxis)</i> | 78 |
| EMCYT | 21 | <i>epirubicin hcl</i> | 20 |
| <i>emoquette</i> | 55 | <i>epitol</i> | 37 |
| EMSAM | 40 | EPIVIR HBV | 16 |
| | | <i>eplerenone</i> | 28 |

| | | | |
|---|----|---|--------|
| <i>ergotamine w/ caffeine tab 1-100 mg</i> | 47 | <i>falmina</i> | 55 |
| ERIVEDGE | 23 | <i>famciclovir</i> | 16 |
| ERLEADA | 21 | <i>famotidine</i> | 63 |
| <i>erlotinib hcl</i> | 23 | <i>famotidine in nacl 0.9% iv soln 20 mg/50ml</i> | 63 |
| <i>errin</i> | 55 | FANAPT | 43 |
| <i>ertapenem sodium</i> | 11 | FANAPT PAK | 43 |
| <i>ery</i> | 80 | FARXIGA | 50 |
| <i>ery-tab</i> | 17 | FARYDAK | 23 |
| ERYTHROCIN LACTOBIONATE | 17 | FASENRA | 78 |
| <i>erythrocin stearate</i> | 17 | FASENRA PEN | 78 |
| <i>erythromycin (acne aid)</i> | 80 | <i>felbamate</i> | 37 |
| <i>erythromycin (ophth)</i> | 74 | <i>felodipine</i> | 33 |
| <i>erythromycin base</i> | 17 | <i>femynor</i> | 55 |
| <i>erythromycin ethylsuccinate</i> | 17 | <i>fenofibrate</i> | 31 |
| ESBRIET | 78 | <i>fenofibrate micronized</i> | 31 |
| <i>escitalopram oxalate</i> | 41 | <i>fentanyl</i> | 8 |
| <i>esomeprazole magnesium</i> | 65 | <i>fentanyl citrate</i> | 9 |
| <i>estarylla</i> | 55 | FETZIMA | 41 |
| <i>estradiol</i> | 59 | FETZIMA CAP TITRATIO | 41 |
| <i>estradiol & norethindrone acetate tab 0.5-0.1 mg</i> | 59 | FIASP FLEX INJ TOUCH | 52 |
| <i>estradiol & norethindrone acetate tab 1-0.5 mg</i> | 59 | FIASP INJ 100/ML | 52 |
| <i>estradiol vaginal</i> | 59 | FIASP PENFIL INJ U-100 | 53 |
| <i>estradiol valerate</i> | 59 | <i>finasteride</i> | 65 |
| <i>ethambutol hcl</i> | 15 | FINTEPLA | 37 |
| <i>ethosuximide</i> | 37 | <i>flac</i> | 76 |
| <i>ethynodiol diacetate & ethinyl estradiol tab 1 mg-35 mcg</i> | 55 | FLAREX | 75 |
| <i>ethynodiol diacetate & ethinyl estradiol tab 1 mg-50 mcg</i> | 55 | FLEBOGAMMA DIF | 69 |
| <i>etodolac</i> | 8 | <i>flecainide acetate</i> | 31 |
| <i>etonogestrel-ethinyl estradiol va ring 0.120-0.015 mg/24hr</i> | 55 | FLOVENT DISKUS | 79, 80 |
| <i>etoposide</i> | 22 | FLOVENT HFA | 80 |
| <i>etravirine</i> | 13 | <i>fluconazole</i> | 12 |
| <i>euthyrox</i> | 62 | <i>fluconazole in nacl 0.9% inj 200 mg/100ml</i> | 12 |
| <i>everolimus</i> | 23 | <i>fluconazole in nacl 0.9% inj 400 mg/200ml</i> | 12 |
| <i>everolimus (immunosuppressant)</i> | 70 | <i>flucytosine</i> | 12 |
| EVOTAZ TAB 300-150 | 15 | <i>fludrocortisone acetate</i> | 59 |
| <i>exemestane</i> | 21 | <i>flunisolide (nasal)</i> | 79 |
| <i>ezetimibe</i> | 32 | <i>fluocinolone acetonide</i> | 82 |
| FABRAZYME | 60 | <i>fluocinolone acetonide (otic)</i> | 76 |
| | | <i>fluocinonide</i> | 82 |
| | | <i>fluocinonide emulsified base</i> | 82 |

| | | | |
|---|----|--|--------|
| <i>fluorometholone (ophth)</i> | 75 | <i>gavilyte-c</i> | 64 |
| <i>fluorouracil</i> | 20 | <i>gavilyte-g</i> | 64 |
| <i>fluorouracil (topical)</i> | 83 | <i>gavilyte-n/ flavor pack</i> | 64 |
| <i>fluoxetine hcl</i> | 41 | GAVRETO | 23 |
| <i>fluphenazine decanoate</i> | 43 | <i>gemcitabine hcl</i> | 20 |
| <i>fluphenazine hcl</i> | 43 | <i>gemfibrozil</i> | 31 |
| <i>flurbiprofen</i> | 8 | <i>generlac</i> | 64 |
| <i>flurbiprofen sodium</i> | 75 | <i>gengraf</i> | 70 |
| <i>flutamide</i> | 21 | GENOTROPIN..... | 60 |
| <i>fluticasone propionate</i> | 82 | GENOTROPIN MINIQUICK..... | 60 |
| <i>fluticasone propionate (nasal)</i> | 79 | <i>gentak</i> | 74 |
| <i>fluvoxamine maleate</i> | 35 | <i>gentamicin in saline inj 0.8 mg/ml</i> | 11 |
| <i>fondaparinux sodium</i> | 66 | <i>gentamicin in saline inj 1 mg/ml</i> | 11 |
| FORTEO | 54 | <i>gentamicin in saline inj 1.2 mg/ml</i> | 11 |
| <i>fosamprenavir calcium</i> | 13 | <i>gentamicin in saline inj 1.6 mg/ml</i> | 11 |
| <i>fosinopril sodium</i> | 28 | <i>gentamicin in saline inj 2 mg/ml</i> | 11 |
| <i>fosinopril sodium & hydrochlorothiazide</i> <i>tab 10-12.5 mg</i> | 28 | <i>gentamicin sulfate</i> | 11 |
| <i>fosinopril sodium & hydrochlorothiazide</i> <i>tab 20-12.5 mg</i> | 28 | <i>gentamicin sulfate (ophth)</i> | 74 |
| FOTIVDA | 23 | <i>gentamicin sulfate (topical)</i> | 81 |
| FREAMINE HBC INJ 6.9% | 73 | GENVOYA TAB | 15 |
| FREAMINE III INJ 10%..... | 73 | GILENYA | 48 |
| <i>fulvestrant</i> | 21 | GILOTRIF | 23 |
| <i>furosemide</i> | 34 | <i>glatiramer acetate</i> | 48 |
| <i>furosemide inj</i> | 34 | <i>glatopa</i> | 48 |
| FUZEON | 13 | <i>glimepiride</i> | 50 |
| <i>fyavolv tab 0.5mg-2.5mcg</i> | 59 | <i>glipizide</i> | 50 |
| <i>fyavolv tab 1mg-5mcg</i> | 59 | <i>glipizide xl</i> | 50 |
| FYCOMPA | 37 | <i>glipizide-metformin hcl tab 2.5-250 mg</i> | 50 |
| <i>gabapentin</i> | 37 | <i>glipizide-metformin hcl tab 2.5-500 mg</i> | 50 |
| <i>galantamine hydrobromide</i> | 40 | <i>glipizide-metformin hcl tab 5-500 mg</i> | 50 |
| GAMASTAN INJ | 69 | <i>glycopyrrolate</i> | 63 |
| GAMMAGARD LIQUID..... | 69 | <i>glydo</i> | 83 |
| GAMMAGARD S/D IGA LESS TH | 69 | GLYXAMBI TAB 10-5 MG | 50 |
| GAMMAKED | 69 | GLYXAMBI TAB 25-5 MG | 50 |
| GAMMAPLEX | 69 | GOLYTELY SOL..... | 64 |
| GAMUNEX-C | 69 | <i>granisetron hcl</i> | 62, 63 |
| <i>ganciclovir sodium</i> | 16 | <i>griseofulvin microsize</i> | 12 |
| GARDASIL 9 INJ..... | 71 | <i>griseofulvin ultramicrosize</i> | 12 |
| <i>gatifloxacin (ophth)</i> | 74 | <i>guanfacine hcl</i> | 34 |
| GATTEX | 64 | <i>guanfacine hcl (adhd)</i> | 46 |
| GAUZE PADS 2 | 53 | GVOKE HYPOPEN 2-PACK | 60 |

| | | | |
|---|----|--|--------|
| GVOKE PFS | 60 | <i>hydrocodone-acetaminophen tab 10-325 mg</i> | 9 |
| HAEGARDA | 67 | <i>hydrocodone-acetaminophen tab 5-325 mg</i> | 9 |
| <i>hailey 1.5/30</i> | 55 | <i>hydrocodone-acetaminophen tab 7.5-325 mg</i> | 9 |
| <i>halobetasol propionate</i> | 82 | <i>hydrocodone-ibuprofen tab 7.5-200 mg</i> | 9 |
| <i>haloperidol</i> | 43 | <i>hydrocortisone</i> | 59 |
| <i>haloperidol decanoate</i> | 43 | <i>hydrocortisone (intrarectal)</i> | 63 |
| <i>haloperidol lactate</i> | 44 | <i>hydrocortisone (rectal)</i> | 83 |
| HARVONI PAK 33.75-150MG | 16 | <i>hydrocortisone (topical)</i> | 82 |
| HARVONI PAK 45-200MG | 16 | <i>hydromorphone hcl</i> | 9 |
| HARVONI TAB 45-200MG | 16 | <i>hydroxychloroquine sulfate</i> | 69 |
| HARVONI TAB 90-400MG | 16 | <i>hydroxyurea</i> | 21 |
| HAVRIX | 71 | <i>hydroxyzine hcl</i> | 77 |
| <i>heather</i> | 55 | <i>hydroxyzine pamoate</i> | 77 |
| HEP SOD/NACL INJ 25000UNT | 66 | HYSINGLA ER | 9 |
| <i>heparin sodium (porcine)</i> | 66 | <i>ibandronate sodium</i> | 54 |
| <i>heparin sodium (porcine) 100 unit/ml in d5w</i> | 66 | IBRANCE | 23 |
| <i>heparin sodium (porcine)-dextrose iv sol 20000 unit/500ml-5%</i> | 66 | <i>ibu</i> | 8 |
| <i>heparin sodium (porcine)-dextrose iv sol 25000 unit/500ml-5%</i> | 66 | <i>ibuprofen</i> | 8 |
| HEPARIN/NACL INJ 25000UNT | 66 | <i>icatibant acetate</i> | 67 |
| <i>hepatamine</i> | 73 | <i>iclevia</i> | 55 |
| HERCEP HYLEC SOL 60-10000 | 23 | ICLUSIG | 23 |
| HERCEPTIN | 23 | IDHIFA | 23 |
| HERZUMA | 23 | ILEVRO | 75 |
| HETLIOZ | 46 | <i>imatinib mesylate</i> | 23 |
| HIBERIX | 71 | IMBRUVICA | 23, 24 |
| HUMIRA | 68 | <i>imipenem-cilastatin intravenous for soln 250 mg</i> | 11 |
| HUMIRA PEDIA INJ CROHNS | 68 | <i>imipenem-cilastatin intravenous for soln 500 mg</i> | 11 |
| HUMIRA PEDIATRIC CROHNS D | 68 | <i>imipramine hcl</i> | 41 |
| HUMIRA PEN | 68 | <i>imiquimod</i> | 83 |
| HUMIRA PEN KIT PS/UV | 68 | IMOVAX RABIES (H.D.C.V.) | 71 |
| HUMIRA PEN-CD/UC/HS START | 68 | <i>incassia</i> | 55 |
| HUMIRA PEN-PEDIATRIC UC S | 68 | INCRELEX | 60 |
| HUMIRA PEN-PS/UV STARTER | 68 | INCRUSE ELLIPTA | 77 |
| HUMULIN R U-500 (CONCENTR | 53 | <i>indapamide</i> | 34 |
| HUMULIN R U-500 KWIKPEN | 53 | INFANRIX INJ | 71 |
| <i>hydralazine hcl</i> | 34 | INGREZZA | 47 |
| <i>hydrochlorothiazide</i> | 34 | INGREZZA CAP 40-80MG | 48 |
| <i>hydrocodone bitartrate</i> | 8 | | |
| <i>hydrocodone-acetaminophen soln 7.5-325 mg/15ml</i> | 9 | | |

| | | | |
|--|----|--|--------|
| INLYTA | 24 | JANUMET TAB 50-1000 | 50 |
| INQOVI TAB 35-100MG | 20 | JANUMET TAB 50-500MG | 50 |
| INREBIC..... | 24 | JANUMET XR TAB 100-1000..... | 51 |
| INSULIN SAFETY NEEDLES | 53 | JANUMET XR TAB 50-1000 | 50 |
| INSULIN SYRINGES: | | JANUMET XR TAB 50-500MG..... | 50 |
| BD/ULTIMED/ALLISON/TRIVIDIA/MHC | | JANUVIA | 51 |
| | 53 | JARDIANCE | 51 |
| INTELENCE..... | 13 | <i>jasmiel</i> | 56 |
| INTRALIPID | 74 | JENTADUETO TAB 2.5-1000..... | 51 |
| INTRON A | 70 | JENTADUETO TAB 2.5-500 | 51 |
| <i>introvale</i> | 56 | JENTADUETO TAB 2.5-850 | 51 |
| INVEGA SUSTENNA | 44 | JENTADUETO TAB XR 2.5-1000MG ... | 51 |
| INVEGA TRINZA | 44 | JENTADUETO TAB XR 5-1000MG | 51 |
| INVIRASE..... | 13 | <i>jinteli</i> | 59 |
| IPOL INJ INACTIVE..... | 71 | <i>jolessa</i> | 56 |
| <i>ipratropium bromide</i> | 77 | <i>juleber</i> | 56 |
| <i>ipratropium bromide (nasal)</i> | 77 | JULUCA TAB 50-25MG..... | 15 |
| <i>ipratropium-albuterol nebu soln 0.5-</i> | | <i>junel 1.5/30</i> | 56 |
| <i>2.5(3) mg/3ml</i> | 77 | <i>junel 1/20</i> | 56 |
| <i>irbesartan</i> | 30 | <i>junel fe 1.5/30</i> | 56 |
| <i>irbesartan-hydrochlorothiazide tab 150-</i> | | <i>junel fe 1/20</i> | 56 |
| <i>12.5 mg</i> | 29 | KADCYLA | 24 |
| <i>irbesartan-hydrochlorothiazide tab 300-</i> | | KALETRA TAB 100-25MG..... | 15 |
| <i>12.5 mg</i> | 29 | KALETRA TAB 200-50MG..... | 15 |
| IRESSA..... | 24 | KALYDECO | 78, 79 |
| <i>irinotecan hcl</i> | 21 | KANJINTI | 24 |
| ISENTRESS | 13 | <i>kariva</i> | 56 |
| ISENTRESS HD | 13 | <i>kcl 10 meq/l (0.075%) in dextrose 5%</i> | |
| <i>isibloom</i> | 56 | <i>& nacl 0.45% inj</i> | 72 |
| ISOLYTE-P INJ /D5W | 72 | <i>kcl 20 meq/l (0.15%) in dextrose 5% &</i> | |
| ISOLYTE-S INJ..... | 72 | <i>nacl 0.2% inj</i> | 72 |
| ISOLYTE-S INJ PH 7.4..... | 72 | <i>kcl 20 meq/l (0.15%) in dextrose 5% &</i> | |
| <i>isoniazid</i> | 15 | <i>nacl 0.45% inj</i> | 72 |
| ISOPTO ATROPINE | 76 | <i>kcl 20 meq/l (0.15%) in dextrose 5% &</i> | |
| <i>isosorbide dinitrate</i> | 35 | <i>nacl 0.9% inj</i> | 72 |
| <i>isosorbide mononitrate</i> | 35 | <i>kcl 20 meq/l (0.15%) in nacl 0.45% inj</i> | |
| <i>isotretinoin</i> | 80 | | 72 |
| <i>isradipine</i> | 33 | KCL 20 MEQ/L (0.15%) IN NACL 0.45% | |
| <i>itraconazole</i> | 12 | INJ | 72 |
| <i>ivermectin</i> | 11 | <i>kcl 20 meq/l (0.15%) in nacl 0.9% inj</i> | |
| IXIARO INJ..... | 71 | | 72 |
| JAKAFI..... | 24 | <i>kcl 30 meq/l (0.224%) in dextrose 5%</i> | |
| <i>jantoven</i> | 67 | <i>& nacl 0.45% inj</i> | 72 |

| | |
|--|--------|
| <i>kcl 40 meq/l (0.3%) in dextrose 5% & nacl 0.45% inj</i> | 72 |
| KCL 40 MEQ/L (0.3%) IN NACL 0.9% INJ | 72 |
| KCL/D5W/NACL INJ 0.3/0.9% | 72 |
| <i>kelnor 1/35</i> | 56 |
| <i>kelnor 1/50</i> | 56 |
| <i>ketoconazole</i> | 12 |
| <i>ketoconazole (topical)</i> | 81 |
| <i>ketorolac tromethamine (ophth)</i> | 75 |
| KEYTRUDA | 24 |
| KINRIX INJ | 71 |
| KISQALI 200 DOSE | 24 |
| KISQALI 200 PAK FEMARA | 22 |
| KISQALI 400 DOSE | 24 |
| KISQALI 400 PAK FEMARA | 22 |
| KISQALI 600 DOSE | 24 |
| KISQALI 600 PAK FEMARA | 22 |
| <i>klor-con</i> | 73 |
| <i>klor-con 10</i> | 73 |
| <i>klor-con 8</i> | 73 |
| <i>klor-con m10</i> | 73 |
| <i>klor-con m15</i> | 73 |
| <i>klor-con m20</i> | 73 |
| KORLYM | 60 |
| <i>kurvelo</i> | 56 |
| KYNMOBI | 42 |
| <i>labetalol hcl</i> | 32 |
| <i>lactated ringer's solution</i> | 72 |
| <i>lactic acid (ammonium lactate)</i> | 83 |
| <i>lactulose</i> | 64 |
| <i>lactulose (encephalopathy)</i> | 64 |
| <i>lamivudine</i> | 13 |
| <i>lamivudine (hbv)</i> | 16 |
| <i>lamivudine-zidovudine tab 150-300 mg</i> | 15 |
| <i>lamotrigine</i> | 37, 38 |
| <i>lansoprazole</i> | 65 |
| <i>lapatinib ditosylate</i> | 24 |
| <i>larin 1.5/30</i> | 56 |
| <i>larin 1/20</i> | 56 |
| <i>larin fe 1.5/30</i> | 56 |
| <i>larin fe 1/20</i> | 56 |

| | |
|---|----|
| <i>larissia</i> | 56 |
| LASTACRAFT | 75 |
| <i>latanoprost</i> | 76 |
| LATUDA | 44 |
| <i>leena</i> | 56 |
| <i>leflunomide</i> | 69 |
| LENVIMA 10 MG DAILY DOSE | 24 |
| LENVIMA 12MG DAILY DOSE | 24 |
| LENVIMA 20 MG DAILY DOSE | 24 |
| LENVIMA 4 MG DAILY DOSE | 24 |
| LENVIMA 8 MG DAILY DOSE | 24 |
| LENVIMA CAP 14 MG | 24 |
| LENVIMA CAP 18 MG | 24 |
| LENVIMA CAP 24 MG | 24 |
| <i>lessina</i> | 56 |
| <i>letrozole</i> | 21 |
| <i>leucovorin calcium</i> | 27 |
| LEUKERAN | 20 |
| <i>leuprolide acetate</i> | 21 |
| <i>levalbuterol hcl</i> | 78 |
| <i>levalbuterol tartrate</i> | 78 |
| LEVEMIR | 53 |
| LEVEMIR FLEXTOUCH | 53 |
| <i>levetiracetam</i> | 38 |
| <i>levetiracetam in sodium chloride iv soln 1000 mg/100ml</i> | 38 |
| <i>levetiracetam in sodium chloride iv soln 1500 mg/100ml</i> | 38 |
| <i>levetiracetam in sodium chloride iv soln 500 mg/100ml</i> | 38 |
| <i>levobunolol hcl</i> | 76 |
| <i>levocarnitine (metabolic modifiers)</i> | 61 |
| <i>levocetirizine dihydrochloride</i> | 77 |
| <i>levofloxacin</i> | 18 |
| <i>levofloxacin in d5w iv soln 250 mg/50ml</i> | 18 |
| <i>levofloxacin in d5w iv soln 500 mg/100ml</i> | 18 |
| <i>levofloxacin in d5w iv soln 750 mg/150ml</i> | 18 |
| <i>levonest</i> | 56 |
| <i>levonorgestrel & ethinyl estradiol (91-day) tab 0.15-0.03 mg</i> | 56 |

| | | | |
|---|----|--|--------|
| <i>levonorgestrel & ethinyl estradiol tab 0.1 mg-20 mcg</i> | 56 | <i>lorazepam</i> | 35, 36 |
| <i>levonorgestrel & ethinyl estradiol tab 0.15 mg-30 mcg</i> | 56 | <i>lorazepam intensol</i> | 36 |
| <i>levonorgestrel-eth estra tab 0.05-30/0.075-40/0.125-30mg-mcg</i> | 56 | LORBRENA | 24 |
| <i>levora 0.15/30-28</i> | 56 | <i>loryna</i> | 56 |
| <i>levo-t</i> | 62 | <i>losartan potassium</i> | 30 |
| <i>levothyroxine sodium</i> | 62 | <i>losartan potassium & hydrochlorothiazide tab 100-12.5 mg</i> .. | 29 |
| <i>levoxyl</i> | 62 | <i>losartan potassium & hydrochlorothiazide tab 100-25 mg</i> ... | 29 |
| LEXIVA | 13 | <i>losartan potassium & hydrochlorothiazide tab 50-12.5 mg</i> .. | 29 |
| <i>lidocaine</i> | 83 | LOTEMAX | 75 |
| <i>lidocaine hcl</i> | 83 | <i>lovastatin</i> | 31 |
| <i>lidocaine hcl (local anesth.)</i> | 10 | <i>low-ogestrel</i> | 56 |
| <i>lidocaine hcl (mouth-throat)</i> | 84 | <i>loxapine succinate</i> | 44 |
| <i>lidocaine-prilocaine cream 2.5-2.5%</i> .. | 83 | LUMAKRAS | 24 |
| <i>lillow</i> | 56 | LUMIGAN | 76 |
| <i>linezolid</i> | 11 | LUMIZYME | 61 |
| <i>linezolid in sodium chloride iv soln 600 mg/300ml-0.9%</i> | 11 | LUPRON DEPOT (1-MONTH) | 21 |
| LINZESS | 64 | LUPRON DEPOT (3-MONTH) | 21 |
| <i>liothyronine sodium</i> | 62 | LUPRON DEPOT-PED (1-MONTH | 61 |
| <i>lisinopril</i> | 28 | LUPRON DEPOT-PED (3-MONTH | 61 |
| <i>lisinopril & hydrochlorothiazide tab 10-12.5 mg</i> | 28 | <i>lutea</i> | 56 |
| <i>lisinopril & hydrochlorothiazide tab 20-12.5 mg</i> | 28 | <i>lyleq</i> | 56 |
| <i>lisinopril & hydrochlorothiazide tab 20-25 mg</i> | 28 | <i>lyllana</i> | 59 |
| LITHIUM | 48 | LYNPARZA | 24 |
| <i>lithium carbonate</i> | 48 | LYSODREN | 21 |
| <i>loestrin 1.5/30-21</i> | 56 | <i>lyza</i> | 56 |
| <i>loestrin 1/20-21</i> | 56 | <i>magnesium sulfate</i> | 72 |
| <i>loestrin fe 1.5/30</i> | 56 | MAGNESIUM SULFATE | 72 |
| <i>loestrin fe 1/20</i> | 56 | <i>magnesium sulfate in dextrose 5% iv soln 1 gm/100ml</i> | 72 |
| LOKELMA | 54 | <i>malathion</i> | 84 |
| LONSURF TAB 15-6.14 | 20 | <i>marlissa</i> | 56 |
| LONSURF TAB 20-8.19 | 20 | MARPLAN | 41 |
| <i>loperamide hcl</i> | 64 | MATULANE | 22 |
| <i>lopinavir-ritonavir soln 400-100 mg/5ml (80-20 mg/ml)</i> | 15 | MAVYRET TAB 100-40MG | 16 |
| <i>lopinavir-ritonavir tab 100-25 mg</i> | 15 | <i>meclizine hcl</i> | 63 |
| <i>lopinavir-ritonavir tab 200-50 mg</i> | 15 | <i>medroxyprogesterone acetate</i> | 61 |
| | | <i>medroxyprogesterone acetate (contraceptive)</i> | 57 |
| | | <i>mefloquine hcl</i> | 13 |
| | | <i>megestrol acetate</i> | 21, 61 |

| | | | |
|---|--------|---------------------------------------|----|
| <i>megestrol acetate (appetite)</i> | 61 | <i>micafungin sodium</i> | 12 |
| MEKINIST | 24 | <i>microgestin 1.5/30</i> | 57 |
| MEKTOVI..... | 24 | <i>microgestin 1/20</i> | 57 |
| <i>meloxicam</i> | 8 | <i>microgestin fe 1.5/30</i> | 57 |
| <i>memantine hcl</i> | 40 | <i>microgestin fe 1/20</i> | 57 |
| MENACTRA INJ | 71 | <i>midodrine hcl</i> | 35 |
| MENQUADFI INJ..... | 71 | <i>miglustat</i> | 61 |
| MENVEO INJ..... | 71 | <i>mili</i> | 57 |
| <i>mercaptopurine</i> | 20 | <i>mimvey</i> | 59 |
| <i>meropenem</i> | 11 | <i>minitran</i> | 35 |
| <i>mesalamine</i> | 63, 64 | <i>minocycline hcl</i> | 19 |
| <i>mesalamine w/ cleanser</i> | 64 | <i>minoxidil</i> | 35 |
| MESNEX..... | 27 | <i>mirtazapine</i> | 41 |
| <i>metadate er</i> | 46 | <i>misoprostol</i> | 64 |
| <i>metformin hcl</i> | 51 | MITIGARE | 8 |
| <i>methadone hcl</i> | 9 | M-M-R II INJ..... | 71 |
| <i>methadone hydrochloride i</i> | 9 | M-NATAL PLUS TAB | 73 |
| <i>methazolamide</i> | 34 | <i>moexipril hcl</i> | 28 |
| <i>methenamine hippurate</i> | 11 | <i>molindone hcl</i> | 44 |
| <i>methimazole</i> | 62 | <i>mometasone furoate</i> | 82 |
| <i>methotrexate sodium</i> | 20, 69 | <i>mondoxyne nl</i> | 19 |
| <i>methyl dopa</i> | 34 | MONJUVI..... | 25 |
| <i>methylphenidate hcl</i> | 46 | <i>mono-lynyah</i> | 57 |
| <i>methylprednisolone</i> | 59 | <i>montelukast sodium</i> | 78 |
| <i>methylprednisolone acetate</i> | 59 | <i>morphine sulfate</i> | 9 |
| <i>methylprednisolone sod succ</i> | 59 | MORPHINE SULFATE..... | 9 |
| <i>metoclopramide hcl</i> | 63 | MOVANTIK | 64 |
| <i>metolazone</i> | 34 | <i>moxifloxacin hcl (ophth)</i> | 74 |
| <i>metoprolol & hydrochlorothiazide tab</i> <i>100-25 mg</i> | 32 | MULTAQ..... | 31 |
| <i>metoprolol & hydrochlorothiazide tab</i> <i>100-50 mg</i> | 32 | <i>mupirocin</i> | 81 |
| <i>metoprolol & hydrochlorothiazide tab</i> <i>50-25 mg</i> | 32 | MVASI | 25 |
| <i>metoprolol succinate</i> | 32 | <i>mycophenolate mofetil</i> | 70 |
| <i>metoprolol tartrate</i> | 32 | <i>mycophenolate sodium</i> | 70 |
| <i>metronidazole</i> | 11 | <i>myorisan</i> | 80 |
| <i>metronidazole (topical)</i> | 83 | MYRBETRIQ..... | 66 |
| <i>metronidazole in nacl 0.79% iv soln 500</i> <i>mg/100ml</i> | 11 | <i>nabumetone</i> | 8 |
| <i>metronidazole vaginal</i> | 66 | <i>nadolol</i> | 32 |
| <i>metyrosine</i> | 35 | <i>nafcillin sodium</i> | 19 |
| MG SO4/D5W INJ 10MG/ML..... | 72 | NAGLAZYME | 61 |
| | | <i>nalbuphine hcl</i> | 10 |
| | | <i>naloxone hcl</i> | 49 |
| | | <i>naltrexone hcl</i> | 49 |
| | | NAMZARIC CAP 14-10MG | 40 |

| | | | |
|---|----|---|----|
| NAMZARIC CAP 21-10MG | 40 | <i>nitrofurantoin macrocrystal</i> | 11 |
| NAMZARIC CAP 28-10MG | 40 | <i>nitrofurantoin monohyd macro</i> | 11 |
| NAMZARIC CAP 7-10MG | 40 | <i>nitroglycerin</i> | 35 |
| NAMZARIC CAP PACK | 40 | <i>nizatidine</i> | 63 |
| <i>naproxen</i> | 8 | <i>nora-be</i> | 57 |
| <i>naproxen sodium</i> | 8 | <i>norethindrone (contraceptive)</i> | 57 |
| <i>naratriptan hcl</i> | 47 | <i>norethindrone ace & ethinyl estradiol</i> | |
| NARCAN | 49 | <i>tab 1 mg-20 mcg</i> | 57 |
| NATACYN | 74 | <i>norethindrone ace & ethinyl estradiol</i> | |
| <i>nateglinide</i> | 51 | <i>tab 1.5 mg-30 mcg</i> | 57 |
| NATPARA | 54 | <i>norethindrone ace & ethinyl estradiol-fe</i> | |
| NAYZILAM | 38 | <i>tab 1 mg-20 mcg</i> | 57 |
| <i>necon 0.5/35-28</i> | 57 | <i>norethindrone acetate</i> | 62 |
| <i>nefazodone hcl</i> | 41 | <i>norethindrone acetate-ethinyl estradiol</i> | |
| <i>neomycin sulfate</i> | 11 | <i>tab 0.5 mg-2.5 mcg</i> | 59 |
| <i>neomycin-bacitrac zn-polymyx</i> | | <i>norethindrone acetate-ethinyl estradiol</i> | |
| <i>5(3.5)mg-400unt-10000unt op oin</i> | 74 | <i>tab 1 mg-5 mcg</i> | 59 |
| <i>neomycin-polymy-gramicid op sol 1.75-</i> | | <i>norgestimate & ethinyl estradiol tab</i> | |
| <i>10000-0.025mg-unt-mg/ml</i> | 74 | <i>0.25 mg-35 mcg</i> | 57 |
| <i>neomycin-polymyxin-dexamethasone</i> | | <i>norgestimate-eth estrad tab 0.18-</i> | |
| <i>ophth oint 0.1%</i> | 74 | <i>25/0.215-25/0.25-25 mg-mcg</i> | 57 |
| <i>neomycin-polymyxin-dexamethasone</i> | | <i>norgestimate-eth estrad tab 0.18-</i> | |
| <i>ophth susp 0.1%</i> | 74 | <i>35/0.215-35/0.25-35 mg-mcg</i> | 57 |
| <i>neomycin-polymyxin-hc ophth susp</i> ...74 | | <i>norlyroc</i> | 57 |
| <i>neomycin-polymyxin-hc otic soln 1%</i> .76 | | NORPACE CR | 31 |
| <i>neomycin-polymyxin-hc otic susp 3.5</i> | | <i>nortrel 0.5/35 (28)</i> | 57 |
| <i>mg/ml-10000 unit/ml-1%</i> | 76 | <i>nortrel 1/35 (21)</i> | 57 |
| NERLYNX..... | 25 | <i>nortrel 1/35 (28)</i> | 57 |
| NEUPRO | 42 | <i>nortrel 7/7/7</i> | 57 |
| <i>nevirapine</i> | 14 | <i>nortriptyline hcl</i> | 41 |
| NEXAVAR | 25 | NORVIR | 14 |
| <i>niacin (antihyperlipidemic)</i> | 32 | NOVOLIN INJ 70/30..... | 53 |
| <i>nicardipine hcl</i> | 33 | NOVOLIN INJ 70/30 FP | 53 |
| NICOTROL INHALER | 49 | NOVOLIN N | 53 |
| NICOTROL NS | 49 | NOVOLIN N FLEXPEN | 53 |
| <i>nifedipine</i> | 33 | NOVOLIN R | 53 |
| <i>nikki</i> | 57 | NOVOLIN R FLEXPEN | 53 |
| <i>nilutamide</i> | 21 | NOVOLOG | 53 |
| <i>nimodipine</i> | 33 | NOVOLOG FLEXPEN | 53 |
| NINLARO..... | 25 | NOVOLOG MIX INJ 70/30 | 53 |
| <i>nitazoxanide</i> | 11 | NOVOLOG MIX INJ FLEXPEN | 53 |
| <i>nitisinone</i> | 61 | NOVOLOG PENFILL | 53 |
| NITRO-BID | 35 | NOXAFIL | 12 |

| | | | |
|---|----|--|----|
| NUBEQA..... | 21 | <i>olmesartan-amlodipine-</i> | |
| NUEDEXTA CAP 20-10MG..... | 48 | <i>hydrochlorothiazide tab 40-5-25 mg ..</i> | 30 |
| NULOJIX | 70 | <i>olopatadine hcl</i> | 75 |
| NULYTELY SOL LMN/LIME..... | 64 | <i>omeprazole</i> | 65 |
| NUPLAZID | 44 | OMNIPOD KIT STARTER | 53 |
| NUTRILIPID | 74 | OMNIPOD MIS 5 PACK | 53 |
| <i>nyamyc.....</i> | 81 | <i>ondansetron</i> | 63 |
| <i>nylia 7/7/7</i> | 57 | <i>ondansetron hcl</i> | 63 |
| NYMALIZE | 33 | ONTRUZANT | 25 |
| <i>nymyo</i> | 57 | ONUREG | 20 |
| <i>nystatin</i> | 12 | OPSUMIT | 35 |
| <i>nystatin (mouth-throat)</i> | 84 | ORGOVYX..... | 21 |
| <i>nystatin (topical).....</i> | 81 | ORKAMBI GRA 100-125 | 79 |
| <i>nystop</i> | 81 | ORKAMBI GRA 150-188 | 79 |
| <i>ocella.....</i> | 57 | ORKAMBI TAB 100-125..... | 79 |
| OCTAGAM | 69 | ORKAMBI TAB 200-125..... | 79 |
| <i>octreotide acetate</i> | 61 | <i>orsythia</i> | 57 |
| ODEFSEY TAB..... | 15 | <i>oseltamivir phosphate.....</i> | 16 |
| ODOMZO..... | 25 | <i>oxacillin sodium</i> | 19 |
| OFEV | 79 | <i>oxaliplatin</i> | 20 |
| <i>ofloxacin (ophth).....</i> | 74 | <i>oxandrolone</i> | 49 |
| <i>ofloxacin (otic).....</i> | 76 | <i>oxcarbazepine</i> | 38 |
| OGIVRI..... | 25 | <i>oxybutynin chloride</i> | 66 |
| OGIVRI INJ 420MG..... | 25 | <i>oxycodone hcl.....</i> | 10 |
| <i>olanzapine.....</i> | 44 | <i>oxycodone w/ acetaminophen tab 10-</i> | |
| <i>olmesartan medoxomil.....</i> | 30 | <i>325 mg.....</i> | 10 |
| <i>olmesartan medoxomil-</i> | | <i>oxycodone w/ acetaminophen tab 2.5-</i> | |
| <i>hydrochlorothiazide tab 20-12.5 mg ..</i> | 29 | <i>325 mg.....</i> | 10 |
| <i>olmesartan medoxomil-</i> | | <i>oxycodone w/ acetaminophen tab 5-325</i> | |
| <i>hydrochlorothiazide tab 40-12.5 mg ..</i> | 29 | <i>mg</i> | 10 |
| <i>olmesartan medoxomil-</i> | | <i>oxycodone w/ acetaminophen tab 7.5-</i> | |
| <i>hydrochlorothiazide tab 40-25 mg</i> | 30 | <i>325 mg.....</i> | 10 |
| <i>olmesartan-amlodipine-</i> | | OZEMPIC (0.25 OR 0.5MG/DOSE) | 51 |
| <i>hydrochlorothiazide tab 20-5-12.5 mg</i> | | OZEMPIC (1MG/DOSE)..... | 51 |
| <i>.....</i> | 30 | <i>pacerone.....</i> | 31 |
| <i>olmesartan-amlodipine-</i> | | <i>paclitaxel</i> | 22 |
| <i>hydrochlorothiazide tab 40-10-12.5 mg</i> | | <i>paliperidone</i> | 44 |
| <i>.....</i> | 30 | <i>pamidronate disodium</i> | 54 |
| <i>olmesartan-amlodipine-</i> | | PAMIDRONATE DISODIUM..... | 54 |
| <i>hydrochlorothiazide tab 40-10-25 mg</i> | 30 | <i>pantoprazole sodium</i> | 65 |
| <i>olmesartan-amlodipine-</i> | | PANZYGA | 70 |
| <i>hydrochlorothiazide tab 40-5-12.5 mg</i> | | <i>paraplatin</i> | 20 |
| <i>.....</i> | 30 | <i>paricalcitol.....</i> | 62 |

| | | | |
|---|----|---|--------|
| <i>paromomycin sulfate</i> | 11 | <i>pimozide</i> | 44 |
| <i>paroxetine hcl</i> | 41 | <i>pimtrea</i> | 57 |
| PASER | 15 | <i>pindolol</i> | 32 |
| PAXIL | 41 | <i>pioglitazone hcl</i> | 51 |
| PEDIARIX INJ 0.5ML..... | 71 | <i>piperacillin sod-tazobactam na for inj</i> <i>3.375 gm (3-0.375 gm)</i> | 19 |
| PEDVAX HIB | 71 | <i>piperacillin sod-tazobactam sod for inj</i> <i>13.5 gm (12-1.5 gm)</i> | 19 |
| <i>peg 3350-kcl-na bicarb-nacl-na sulfate</i> <i>for soln 236 gm</i> | 64 | <i>piperacillin sod-tazobactam sod for inj</i> <i>2.25 gm (2-0.25 gm)</i> | 19 |
| <i>peg 3350-kcl-sod bicarb-nacl for soln</i> <i>420 gm</i> | 64 | <i>piperacillin sod-tazobactam sod for inj</i> <i>4.5 gm (4-0.5 gm)</i> | 19 |
| PEGASYS..... | 16 | <i>piperacillin sod-tazobactam sod for inj</i> <i>40.5 gm (36-4.5 gm)</i> | 19 |
| PEMAZYRE..... | 25 | PIQRAY 200MG DAILY DOSE..... | 25 |
| PEN GK/DEXTR INJ 40000/ML..... | 19 | PIQRAY 250MG TAB DOSE..... | 25 |
| PEN GK/DEXTR INJ 60000/ML..... | 19 | PIQRAY 300MG DAILY DOSE..... | 25 |
| PEN NEEDLES: | | <i>pirmella 1/35</i> | 57 |
| NOVO/BD/ULTIMED/OWEN/TRIVIDIA. | 53 | <i>piroxicam</i> | 8 |
| <i>penicillamine</i> | 54 | PLASMA-LYTE INJ -148 | 72 |
| <i>penicillin g potassium</i> | 19 | PLASMA-LYTE INJ -A..... | 72 |
| PENICILLIN G PROCAINE..... | 19 | <i>plenamine</i> | 74 |
| <i>penicillin g sodium</i> | 19 | PLENVU SOL..... | 64 |
| <i>penicillin v potassium</i> | 19 | <i>podofilox</i> | 83 |
| PENTACEL INJ..... | 71 | <i>polymyxin b-trimethoprim ophth soln</i> <i>10000 unit/ml-0.1%</i> | 75 |
| <i>pentamidine isethionate inh</i> | 11 | POMALYST..... | 21 |
| <i>pentamidine isethionate inj</i> | 11 | <i>portia-28</i> | 57 |
| <i>pentoxifylline</i> | 67 | <i>posaconazole</i> | 13 |
| <i>perindopril erbumine</i> | 28 | <i>potassium chloride</i> | 72, 73 |
| <i>perio gard</i> | 84 | POTASSIUM CHLORIDE | 72 |
| <i>permethrin</i> | 84 | <i>potassium chloride 20 meq/l (0.15%) in</i> <i>dextrose 5% inj</i> | 73 |
| <i>perphenazine</i> | 44 | <i>potassium chloride microencapsulated</i> <i>crystals er</i> | 73 |
| PERSERIS | 44 | <i>potassium citrate (alkalinizer)</i> | 65 |
| <i>pfizerpen</i> | 19 | PRADAXA | 67 |
| <i>phenelzine sulfate</i> | 41 | PRALUENT..... | 32 |
| <i>phenobarbital</i> | 38 | <i>pramipexole dihydrochloride</i> | 42 |
| <i>phenobarbital sodium</i> | 38 | <i>prasugrel hcl</i> | 68 |
| PHENYTEK..... | 38 | <i>pravastatin sodium</i> | 31 |
| <i>phenytoin</i> | 38 | <i>praziquantel</i> | 11 |
| <i>phenytoin sodium</i> | 38 | <i>prazosin hcl</i> | 28 |
| <i>phenytoin sodium extended</i> | 38 | | |
| PHESGO SOL | 25 | | |
| <i>philith</i> | 57 | | |
| PIFELTRO | 14 | | |
| <i>pilocarpine hcl</i> | 76 | | |
| <i>pilocarpine hcl (oral)</i> | 84 | | |

| | | | |
|--|----|--|----|
| <i>prednisolone</i> | 59 | <i>protriptyline hcl</i> | 41 |
| <i>prednisolone acetate (ophth)</i> | 75 | PULMICORT FLEXHALER | 80 |
| PREDNISOLONE SODIUM PHOSP | 75 | PULMOZYME | 79 |
| <i>prednisolone sodium phosphate</i> | 60 | PURIXAN | 20 |
| <i>prednisone</i> | 60 | <i>pyrazinamide</i> | 15 |
| PREDNISON INTENSOL | 60 | <i>pyridostigmine bromide</i> | 48 |
| <i>pregabalin</i> | 38 | QINLOCK | 25 |
| <i>pregabalin (once-daily)</i> | 48 | QUADRACEL INJ..... | 71 |
| PREMASOL SOL 10% | 74 | <i>quetiapine fumarate</i> | 44 |
| PRENATAL TAB 27-1MG..... | 73 | <i>quinapril hcl</i> | 28 |
| PRENATAL TAB PLUS | 73 | <i>quinapril-hydrochlorothiazide tab 10-</i> <i>12.5 mg</i> | 28 |
| PRENATAL VIT TAB LOW IRON | 73 | <i>quinapril-hydrochlorothiazide tab 20-</i> <i>12.5 mg</i> | 28 |
| <i>prevalite</i> | 32 | <i>quinapril-hydrochlorothiazide tab 20-25</i> <i>mg</i> | 28 |
| <i>previfem</i> | 57 | <i>quinidine sulfate</i> | 31 |
| PREVYMIS | 16 | <i>quinine sulfate</i> | 13 |
| PREZCOBIX TAB 800-150..... | 15 | RABAVERT INJ | 71 |
| PREZISTA..... | 14 | <i>raloxifene hcl</i> | 61 |
| PRIFTIN | 15 | <i>ramipril</i> | 28 |
| <i>primaquine phosphate</i> | 13 | <i>ranolazine</i> | 35 |
| PRIMAQUINE PHOSPHATE | 13 | <i>rasagiline mesylate</i> | 42 |
| <i>primidone</i> | 38 | RAYALDEE | 62 |
| PRIVIGEN..... | 70 | <i>reclipsen</i> | 57 |
| <i>probenecid</i> | 8 | RECOMBIVAX HB..... | 71 |
| PROCALAMINE INJ 3% | 74 | RECTIV | 83 |
| <i>prochlorperazine</i> | 63 | REGRANEX | 84 |
| <i>prochlorperazine edisylate</i> | 63 | RELENZA DISKHALER | 16 |
| <i>prochlorperazine maleate</i> | 63 | RELISTOR | 64 |
| PROCRIT | 67 | REMICADE..... | 68 |
| <i>procto-med hc</i> | 83 | RENFLEXIS | 68 |
| <i>procto-pak</i> | 83 | <i>repaglinide</i> | 51 |
| <i>proctozone-hc</i> | 83 | RESTASIS | 76 |
| PROGRAF | 70 | RESTASIS MULTIDOSE..... | 76 |
| PROLASTIN-C | 79 | RETEVMO | 25 |
| PROLENSA..... | 75 | REVLIMID..... | 21 |
| PROLIA | 54 | REXULTI | 44 |
| PROMACTA | 67 | REYATAZ..... | 14 |
| <i>promethazine hcl</i> | 63 | RHOPRESSA | 76 |
| <i>propafenone hcl</i> | 31 | RIABNI | 25 |
| <i>proparacaine hcl</i> | 76 | <i>ribavirin (hepatitis c)</i> | 16 |
| <i>propranolol hcl</i> | 32 | <i>rifabutin</i> | 15 |
| <i>propylthiouracil</i> | 62 | | |
| PROQUAD INJ | 71 | | |
| PROSOL INJ 20% | 74 | | |

| | | | |
|--|--------|---|--------|
| <i>rifampin</i> | 15 | SIMBRINZA SUS 1-0.2% | 76 |
| <i>riluzole</i> | 48 | <i>simliya</i> | 58 |
| <i>rimantadine hydrochloride</i> | 16 | <i>simvastatin</i> | 31 |
| RINVOQ | 68 | <i>sirolimus</i> | 70 |
| RISPERDAL CONSTA | 44 | SIRTURO | 15 |
| <i>risperidone</i> | 44, 45 | SIVEXTRO | 11 |
| <i>ritonavir</i> | 14 | SKYRIZI | 68, 69 |
| RITUXAN | 25 | SKYRIZI PEN | 69 |
| RITUXAN INJ HYCELA | 25 | <i>sodium chloride</i> | 73 |
| <i>rivastigmine</i> | 40 | <i>sodium chloride (gu irrigant)</i> | 84 |
| <i>rivastigmine tartrate</i> | 40 | <i>sodium fluoride chew; tab; 1.1 (0.5 f)</i> | |
| <i>rizatriptan benzoate</i> | 47 | <i>mg/ml soln</i> | 73 |
| <i>ropinirole hydrochloride</i> | 42 | <i>sodium phenylbutyrate</i> | 61 |
| <i>rosadan</i> | 83 | <i>sodium polystyrene sulfonate powder</i> | 54 |
| <i>rosuvastatin calcium</i> | 31 | <i>solifenacin succinate</i> | 66 |
| ROTARIX SUS | 71 | SOLQUA INJ 100/33 | 53 |
| ROTATEQ SOL | 71 | SOLTAMOX | 21 |
| <i>roweepra</i> | 38 | SOLU-CORTEF | 60 |
| ROZLYTREK | 25 | SOMATULINE DEPOT | 61 |
| RUBRACA | 25 | SOMAVERT | 61 |
| <i>rufinamide</i> | 38 | <i>sorine</i> | 31 |
| RUKOBIA | 14 | <i>sotalol hcl</i> | 31 |
| RUXIENCE | 25 | <i>sotalol hcl (afib/af)</i> | 31 |
| RYBELSUS | 51 | <i>spironolactone</i> | 28 |
| RYDAPT | 25 | <i>spironolactone & hydrochlorothiazide</i> | |
| SANDIMMUNE | 70 | <i>tab 25-25 mg</i> | 34 |
| SANTYL | 84 | <i>sprintec 28</i> | 58 |
| <i>sapropterin dihydrochloride</i> | 61 | SPRITAM | 39 |
| <i>scopolamine</i> | 63 | SPRYCEL | 25 |
| SECUADO | 45 | <i>sps</i> | 54 |
| <i>selegiline hcl</i> | 43 | <i>sronyx</i> | 58 |
| <i>selenium sulfide</i> | 81 | <i>ssd</i> | 81 |
| SELZENTRY | 14 | STELARA | 69 |
| SEREVENT DISKUS | 78 | STIVARGA | 25 |
| <i>sertraline hcl</i> | 41 | <i>streptomycin sulfate</i> | 11 |
| <i>setlakin</i> | 57 | STRIBILD TAB | 15 |
| <i>sevelamer carbonate</i> | 61 | <i>subvenite</i> | 39 |
| <i>sharobel</i> | 57 | <i>sucalfate</i> | 65 |
| SHINGRIX | 71 | <i>sulfacetamide sodium (acne)</i> | 80 |
| SIGNIFOR | 61 | <i>sulfacetamide sodium (ophth)</i> | 75 |
| <i>sildenafil citrate (pulmonary</i> | | <i>sulfacetamide sodium-prednisolone</i> | |
| <i>hypertension)</i> | 35 | <i>ophth soln 10-0.23(0.25)%</i> | 74 |
| <i>silver sulfadiazine</i> | 81 | SULFADIAZINE | 11 |

| | | | |
|--|----|--|--------|
| <i>sulfamethoxazole-trimethoprim iv soln</i> | | <i>tamoxifen citrate</i> | 21 |
| 400-80 mg/5ml..... | 12 | <i>tamsulosin hcl</i> | 65 |
| <i>sulfamethoxazole-trimethoprim susp</i> | | TARGRETIN | 83 |
| 200-40 mg/5ml..... | 12 | <i>tarina fe 1/20 eq</i> | 58 |
| <i>sulfamethoxazole-trimethoprim tab</i> | | TASIGNA..... | 25 |
| 400-80 mg | 12 | <i>tazarotene</i> | 81 |
| <i>sulfamethoxazole-trimethoprim tab</i> | | <i>tazicef</i> | 17 |
| 800-160 mg | 12 | TAZORAC | 81 |
| SULFAMYLON..... | 81 | <i>taztia xt</i> | 33 |
| <i>sulfasalazine</i> | 64 | TAZVERIK | 25 |
| <i>sulindac</i> | 8 | TDVAX INJ 2-2 LF..... | 71 |
| <i>sumatriptan</i> | 47 | TECENTRIQ | 26 |
| <i>sumatriptan succinate</i> | 47 | TEFLARO | 17 |
| SUPREP BOWEL SOL PREP KIT | 64 | <i>telmisartan</i> | 30 |
| SUTENT | 25 | <i>temazepam</i> | 46, 47 |
| <i>syeda</i> | 58 | TEMIXYS TAB 300-300..... | 15 |
| SYMBICORT AER 160-4.5 | 80 | TENIVAC INJ 5-2LF..... | 71 |
| SYMBICORT AER 80-4.5 | 80 | <i>tenofovir disoproxil fumarate</i> | 14 |
| SYMDEKO TAB 100-150 | 79 | TEPMETKO | 26 |
| SYMDEKO TAB 50-75MG | 79 | <i>terazosin hcl</i> | 28 |
| SYMJEPI..... | 79 | <i>terbinafine hcl</i> | 13 |
| SYMPAZAN | 39 | <i>terbutaline sulfate</i> | 78 |
| SYMTUZA TAB..... | 15 | <i>terconazole vaginal</i> | 66 |
| SYNAREL..... | 58 | <i>testosterone</i> | 49 |
| SYNERCID INJ 500MG..... | 12 | <i>testosterone cypionate</i> | 50 |
| SYNJARDY TAB 12.5-1000MG | 52 | <i>testosterone enanthate</i> | 50 |
| SYNJARDY TAB 12.5-500..... | 52 | <i>tetrabenazine</i> | 48 |
| SYNJARDY TAB 5-1000MG..... | 52 | <i>tetracycline hcl</i> | 19 |
| SYNJARDY TAB 5-500MG..... | 52 | THALOMID | 21 |
| SYNJARDY XR TAB 10-1000..... | 52 | THEO-24 | 79 |
| SYNJARDY XR TAB 12.5-1000MG | 52 | <i>theophylline</i> | 79 |
| SYNJARDY XR TAB 25-1000..... | 52 | <i>thioridazine hcl</i> | 45 |
| SYNJARDY XR TAB 5-1000MG | 52 | <i>thiothixene</i> | 45 |
| SYNRIBO..... | 22 | <i>tiadylt er</i> | 33 |
| SYNTHROID..... | 62 | <i>tiagabine hcl</i> | 39 |
| TABLOID | 20 | TIBSOVO..... | 26 |
| TABRECTA..... | 25 | <i>tigecycline</i> | 19 |
| <i>tacrolimus</i> | 70 | TIGECYCLINE..... | 19 |
| <i>tacrolimus (topical)</i> | 83 | <i>tilia fe</i> | 58 |
| TAFINLAR..... | 25 | <i>timolol maleate</i> | 32 |
| TAGRISSE..... | 25 | <i>timolol maleate (ophth)</i> | 76 |
| TALTZ..... | 69 | <i>timolol maleate (ophth) once-daily</i> | 76 |
| TALZENNA..... | 25 | TIVICAY | 14 |

| | | | |
|---|----|---|----|
| TIVICAY PD | 14 | 75-50 mg..... | 34 |
| <i>tizanidine hcl</i> | 48 | TRICARE TAB PRENATAL | 73 |
| TOBRADEX OIN 0.3-0.1% | 74 | <i>triderm</i> | 83 |
| <i>tobramycin</i> | 12 | <i>trientine hcl</i> | 54 |
| <i>tobramycin (ophth)</i> | 75 | <i>tri-estarylla</i> | 58 |
| <i>tobramycin sulfate</i> | 12 | <i>trifluoperazine hcl</i> | 45 |
| <i>tobramycin-dexamethasone ophth susp</i> <i>0.3-0.1%</i> | 74 | <i>trifluridine</i> | 75 |
| <i>tolterodine tartrate</i> | 66 | <i>trihexyphenidyl hcl</i> | 43 |
| <i>topiramate</i> | 39 | TRIJARDY XR TAB ER 24HR 10-5- 1000MG | 52 |
| <i>toposar</i> | 22 | TRIJARDY XR TAB ER 24HR 12.5-2.5- 1000MG | 52 |
| <i>toremifene citrate</i> | 21 | TRIJARDY XR TAB ER 24HR 25-5- 1000MG | 52 |
| <i>torse mide</i> | 34 | TRIJARDY XR TAB ER 24HR 5-2.5- 1000MG | 52 |
| TOVIAZ..... | 66 | TRIKAFTA TAB 100-50-75MG & 150MG | 79 |
| TPN ELECTROL INJ | 73 | TRIKAFTA TAB 50-25-37.5MG & 75MG | 79 |
| TRADJENTA | 52 | <i>tri-legend fe</i> | 58 |
| <i>tramadol hcl</i> | 10 | <i>tri-linyah</i> | 58 |
| <i>tramadol-acetaminophen tab 37.5-325</i> <i>mg</i> | 10 | <i>tri-lo-estarylla</i> | 58 |
| <i>trandolapril</i> | 28 | <i>tri-lo-marzia</i> | 58 |
| <i>tranexamic acid</i> | 67 | <i>tri-lo-mili</i> | 58 |
| <i>tranylcyromine sulfate</i> | 41 | <i>tri-lo-sprintec</i> | 58 |
| TRAVASOL INJ 10%..... | 74 | <i>trilyte</i> | 64 |
| TRAZIMERA | 26 | <i>trimethoprim</i> | 12 |
| <i>trazodone hcl</i> | 41 | <i>tri-mili</i> | 58 |
| TRECTOR | 15 | <i>trimipramine maleate</i> | 41 |
| TRELEGY AER ELLIPTA 100-62.5-25 MCG | 77 | TRINTELLIX | 41 |
| TRELEGY AER ELLIPTA 200-62.5-25 MCG | 77 | <i>tri-nymyo</i> | 58 |
| TRELSTAR MIXJECT | 21 | <i>tri-previfem</i> | 58 |
| <i>treprostinil</i> | 35 | <i>tri-sprintec</i> | 58 |
| TRESIBA | 53 | TRIUMEQ TAB | 15 |
| TRESIBA FLEXTOUCH..... | 53 | <i>trivora-28</i> | 58 |
| <i>tretinoin</i> | 81 | <i>tri-vylibra</i> | 58 |
| <i>tretinoin (chemotherapy)</i> | 22 | <i>tri-vylibra lo</i> | 58 |
| <i>triamcinolone acetonide (mouth)</i> | 84 | TROGARZO..... | 14 |
| <i>triamcinolone acetonide (topical)</i> | 83 | TROPHAMINE INJ 10%..... | 74 |
| <i>triamterene & hydrochlorothiazide cap</i> <i>37.5-25 mg</i> | 34 | <i>tropium chloride</i> | 66 |
| <i>triamterene & hydrochlorothiazide tab</i> <i>37.5-25 mg</i> | 34 | TRULICITY..... | 52 |
| <i>triamterene & hydrochlorothiazide tab</i> <i>75-50 mg</i> | 34 | TRUMENBA INJ | 71 |

| | | | |
|---|----|---|----|
| TRUSELTIQ 100 MG DAILY DOSE | 26 | VENCLEXTA | 26 |
| TRUSELTIQ 125 MG DAILY DOSE | 26 | VENCLEXTA TAB START PK | 26 |
| TRUSELTIQ 50 MG DAILY DOSE | 26 | <i>venlafaxine hcl</i> | 41 |
| TRUSELTIQ 75 MG DAILY DOSE | 26 | VENTAVIS | 35 |
| TRUXIMA | 26 | VENTOLIN HFA | 78 |
| TUKYSA | 26 | VENTOLIN HFA (INSTITUTIONAL PACK) | |
| TURALIO | 26 | | 78 |
| TWINRIX INJ | 71 | <i>verapamil hcl</i> | 33 |
| TYBOST | 14 | VERSACLOZ | 45 |
| TYPHIM VI | 71 | VERZENIO | 26 |
| UBRELVY | 47 | <i>vestura</i> | 58 |
| UKONIQ | 26 | V-GO 20 KIT | 53 |
| <i>unithroid</i> | 62 | V-GO 30 KIT | 53 |
| <i>ursodiol</i> | 65 | V-GO 40 KIT | 54 |
| <i>valacyclovir hcl</i> | 16 | VICTOZA | 52 |
| VALCHLOR | 84 | <i>vienna</i> | 58 |
| <i>valganciclovir hcl</i> | 16 | <i>vigabatrin</i> | 39 |
| <i>valproate sodium</i> | 39 | <i>vigadrone</i> | 39 |
| <i>valproic acid</i> | 39 | VIIBRYD | 41 |
| <i>valsartan</i> | 30 | VIIBRYD KIT STARTER | 41 |
| <i>valsartan-hydrochlorothiazide tab 160-</i> | | VIMPAT | 39 |
| <i>12.5 mg</i> | 30 | <i>vincristine sulfate</i> | 22 |
| <i>valsartan-hydrochlorothiazide tab 160-</i> | | <i>vinorelbine tartrate</i> | 22 |
| <i>25 mg</i> | 30 | <i>viorele</i> | 58 |
| <i>valsartan-hydrochlorothiazide tab 320-</i> | | VIRACEPT | 14 |
| <i>12.5 mg</i> | 30 | VIREAD | 14 |
| <i>valsartan-hydrochlorothiazide tab 320-</i> | | VITRAKVI | 26 |
| <i>25 mg</i> | 30 | VIVITROL | 49 |
| <i>valsartan-hydrochlorothiazide tab 80-</i> | | VIZIMPRO | 26 |
| <i>12.5 mg</i> | 30 | <i>voriconazole</i> | 13 |
| VALTOCO | 39 | VOSEVI TAB | 16 |
| <i>vancomycin hcl</i> | 12 | VOTRIENT | 26 |
| VANCOMYCIN INJ 1 GM | 12 | VRAYLAR | 45 |
| VANCOMYCIN INJ 500MG | 12 | VRAYLAR CAP 1.5-3MG | 45 |
| VANCOMYCIN INJ 750MG | 12 | <i>vyfemla</i> | 58 |
| <i>vandazole</i> | 66 | <i>vylibra</i> | 58 |
| VAQTA | 71 | VYZULTA | 76 |
| VARIVAX | 71 | <i>warfarin sodium</i> | 67 |
| VASCEPA | 32 | <i>water for irrigation, sterile irrigation</i> | |
| VELCADE | 26 | <i>soln</i> | 84 |
| <i>velivet</i> | 58 | <i>wera</i> | 58 |
| VELTASSA | 54 | XALKORI | 26 |
| VEMLIDY | 16 | XARELTO | 67 |

| | | | |
|----------------------------------|----|-----------------------------------|----|
| XARELTO STAR TAB 15/20MG..... | 67 | <i>yuvafem</i> | 59 |
| XATMEP | 69 | <i>zafemy</i> | 58 |
| XCOPRI..... | 39 | <i>zafirlukast</i> | 78 |
| XCOPRI PAK 100-150 | 39 | <i>zarah</i> | 58 |
| XCOPRI PAK 12.5-25 | 39 | ZARXIO..... | 67 |
| XCOPRI PAK 150-200MG | | ZEJULA | 27 |
| (MAINTENANCE) | 39 | ZELBORAF..... | 27 |
| XCOPRI PAK 150-200MG (TITRATION) | | ZEMAIRA..... | 79 |
| | 39 | <i>zenatane</i> | 81 |
| XCOPRI PAK 50-100MG..... | 39 | ZENPEP CAP 10000UNT..... | 65 |
| XCOPRI PAK 50-200MG..... | 39 | ZENPEP CAP 15000UNT..... | 65 |
| XELJANZ | 69 | ZENPEP CAP 20000UNT..... | 65 |
| XELJANZ XR | 69 | ZENPEP CAP 25000 | 65 |
| XERMELO | 65 | ZENPEP CAP 3000UNIT | 65 |
| XGEVA..... | 54 | ZENPEP CAP 40000 | 65 |
| XIFAXAN | 65 | ZENPEP CAP 5000UNIT | 65 |
| XIGDUO XR TAB 10-1000..... | 52 | ZERVIATE | 75 |
| XIGDUO XR TAB 10-500MG | 52 | <i>zidovudine</i> | 14 |
| XIGDUO XR TAB 2.5-1000..... | 52 | <i>ziprasidone hcl</i> | 45 |
| XIGDUO XR TAB 5-1000MG | 52 | <i>ziprasidone mesylate</i> | 45 |
| XIGDUO XR TAB 5-500MG..... | 52 | ZIRABEV | 27 |
| XOLAIR..... | 79 | ZIRGAN | 75 |
| XOSPATA | 26 | <i>zoledronic acid</i> | 54 |
| XPOVIO 100 MG ONCE WEEKLY | 27 | ZOLINZA..... | 27 |
| XPOVIO 40 MG ONCE WEEKLY | 26 | <i>zolmitriptan</i> | 47 |
| XPOVIO 40 MG TWICE WEEKLY..... | 26 | <i>zolpidem tartrate</i> | 47 |
| XPOVIO 60 MG ONCE WEEKLY | 26 | <i>zonisamide</i> | 39 |
| XPOVIO 60 MG TWICE WEEKLY..... | 26 | ZORTRESS | 70 |
| XPOVIO 80 MG ONCE WEEKLY | 26 | <i>zovia 1/35</i> | 58 |
| XPOVIO 80 MG TWICE WEEKLY..... | 27 | <i>zumandimine</i> | 58 |
| XTANDI..... | 21 | ZYDELIG | 27 |
| <i>xulane</i> | 58 | ZYKADIA..... | 27 |
| XULTOPHY INJ 100/3.6 | 54 | ZYLET SUS 0.5-0.3%..... | 74 |
| XYREM..... | 49 | ZYPREXA RELPREVV | 45 |
| YF-VAX INJ..... | 71 | | |

GlobalHealth complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex. GlobalHealth cumple con las leyes federales de derechos civiles aplicables y no discrimina por motivos de raza, color, nacionalidad, edad, discapacidad o sexo. GlobalHealth tuân thủ luật dân quyền hiện hành của Liên bang và không phân biệt đối xử dựa trên chủng tộc, màu da, nguồn gốc quốc gia, độ tuổi, khuyết tật, hoặc giới tính.

This formulary was updated on 10/01/2021. For more recent information or other questions, please contact Customer Care at 1-866-494-3927 (TTY users should call 711), 24 hours a day, seven days a week, or visit www.GlobalHealth.com.