

2022 Drug Formulary for State & Education Employees

| TIER | | DESCRIPTION |
|------|------------------------------|--|
| T0 | Health Care Reform | |
| T1 | Generics | |
| T2 | Preferred Brands | |
| T3 | Non Preferred Brands/HCG | |
| T4 | Specialty | |
| TYPE | | DESCRIPTION |
| QL | Quantity Limit | There is a limit on the amount of this drug that is covered per prescription, or within a specific time frame. |
| ST | Step Therapy | In some cases, you may be required to first try certain drugs to treat your medical condition before you move up a “step” to other drug options. |
| GL | Gender Limit | This prescription drug is restricted for a single gender. |
| AL | Age Limit | This prescription drug may only be covered if you meet the minimum or maximum age limit. |
| NPS | Non-Preferred Specialty Drug | Non-Preferred Specialty drugs are high-cost drugs used to treat complex or rare conditions, such as multiple sclerosis, rheumatoid arthritis, hepatitis C, and hemophilia. |
| MED | Medical Drug | This medication is not on our drug list. Click on the THERAPEUTIC CLASS or sub class to find covered alternative medications. If you have questions, please contact member services. |
| PR | Preventive Medication | Preventive health drugs can help prevent, treat, and manage several health concerns that can lead to serious illness or complications in the future. The copays for these products may vary so check with your plan for further information. |

2022 Drug Formulary for State & Education Employees

| | | |
|------------|-------------------------------|---|
| HCR | Health Care Reform Products | The Affordable Care Act (ACA) requires certain preventive generic products to be covered at zero dollar copay. This does not include plans that are grandfathered. |
| PS | Preferred Specialty | Preferred Specialty. |
| PA | PA Applies | Your provider is required to get prior authorization before you fill your prescription, which ensures appropriate use of the selected drug. Without prior approval, we may not cover this drug. |
| QPD | Quantity Per Day | Quantity Per Day. |
| HCG | High Cost Generic | High Cost Generic. |
| LCG | Low Cost Generic | Generic drugs available at the lowest cost. Please note the specific strengths and dosage forms; other strengths and/or dosage forms of these products would be subject to the standard generic Cost-share. |
| SDS | Extended Specialty Day Supply | Extended Specialty Day Supply |
| PS1 | Preferred 1st line | |
| PS2 | Preferred 2nd line | |

2022 Drug Formulary for State & Education Employees

LIST OF COVERED PRESCRIPTION MEDICATIONS

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|--------------------------|
| ALPHA-ADRENERGIC BLOCKING AGENT(SYMPATH) | | |
| NON-SEL.ALPHA-ADRENERGIC BLOCKING AGENTS | | |
| CAFERGOT | T3 | |
| DIBENZYLIN | T3 | |
| <i>dihydroergotamine 1 mg/ml amp</i> | T1 | PA |
| <i>dihydroergotamine 4 mg/ml spry</i> | T3 | QL 8 / 30 days PA |
| <i>ergoloid mesylates</i> | T1 | |
| ERGOMAR | T3 | |
| <i>ergotamine-caffeine</i> | T1 | |
| MIGERGOT | T3 | QPD 0.72 per day |
| MIGRANAL | T3 | QL 8 / 30 days PA |
| <i>phenoxybenzamine hcl</i> | T3 | HCG |
| SELECTIVE ALPHA-1-ADRENERGIC BLOCK.AGENT | | |
| <i>alfuzosin hcl er</i> | T1 | GL Male QPD 1 per day |
| RAPAFLO | T3 | GL Male QPD 1 per day |
| <i>silodosin</i> | T1 | GL Male QPD 1 per day |
| <i>tamsulosin hcl</i> | T1 | QPD 2 per day |
| UROXATRAL | T3 | GL Male QPD 1 per day |

2022 Drug Formulary for State & Education Employees

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|-----------------------|
| ANALGESICS AND ANTIPYRETICS | | |
| ANALGESICS AND ANTIPYRETICS, MISC. | | |
| ALLZITAL | T3 | QPD 12 per day |
| BUPAP | T1 | QPD 6 per day |
| <i>butalbital-acetaminophn 50-300</i> | T3 | QPD 6 per day HCG |
| <i>butalbital-acetaminophn 25-325</i> | T1 | QPD 12 per day |
| <i>butalbital-acetaminophn 50-325</i> | T1 | QPD 6 per day |
| <i>butalbital-acetaminophen-caff</i> | T1 | QPD 6 per day |
| CORICIDIN HBP COLD AND FLU | T3 | |
| ESGIC CAPSULE | T1 | QPD 6 per day HCG |
| ESGIC 50-325-40 MG TABLET | T3 | QPD 6 per day |
| GRALISE 300-600 MG SAMPLE PACK | T3 | ST |
| GRALISE ER 300 MG TABLET | T3 | ST QPD 1 per day |
| GRALISE ER 600 MG TABLET | T3 | ST QPD 3 per day |
| PHRENILIN FORTE | T1 | QPD 6 per day |
| <i>pregabalin er (er 82.5 mg tablet, er 165 mg tablet)</i> | T1 | PA QPD 3 per day |
| <i>pregabalin er 330 mg tablet</i> | T1 | PA QPD 2 per day |
| TENCON | T1 | QPD 6 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|---|
| VANATOL LQ | T3 | |
| VTOL LQ | T1 | |
| ZEBUTAL | T1 | QPD 6 per day |
| OPIATE AGONISTS | | |
| <i>acetamn-caf-dihydrcoidein 320.5</i> | T1 | AL At least 18 yrs old QPD 10 per day |
| <i>acetamin-caf-dihydrocodein 325</i> | T1 | AL At least 18 yrs old QPD 10 per day HCG |
| <i>acetamin-codein 300-30 mg/12.5</i> | T1 | AL At least 12 yrs old QPD 139 per day |
| <i>acetaminop-codeine 120-12 mg/5</i> | T1 | AL At least 12 yrs old QPD 140 per day |
| <i>acetaminophen-cod #2 tablet</i> | T1 | AL At least 12 yrs old QPD 22 per day |
| <i>acetaminophen-cod #3 tablet</i> | T1 | AL At least 12 yrs old QPD 12 per day |
| <i>acetaminophen-cod #4 tablet</i> | T1 | AL At least 12 yrs old QPD 6 per day |
| ACTIQ | T3 | AL At least 18 yrs old PA QPD 4 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|---|
| <i>asa-butalb-caffeine-codeine</i> | T1 | AL At least 18 yrs old QPD 6 per day |
| ASCOMP WITH CODEINE | T1 | AL At least 18 yrs old QPD 6 per day |
| <i>belladonna-opium 16.2-30 supp</i> | T1 | QPD 2 per day |
| <i>belladonna-opium 16.2-60 supp</i> | T1 | QPD 1 per day |
| <i>butalb-acetamin-caf-cod 50-300</i> | T1 | QPD 6 per day HCG |
| <i>butalb-acetamin-caf-cod 50-325</i> | T1 | QPD 6 per day |
| <i>butalbital compound-codeine</i> | T1 | AL At least 18 yrs old QPD 6 per day |
| <i>codeine sulfat</i> | T1 | AL At least 18 yrs old QPD 6 per day |
| DEMEROL 75 MG/ML CARPUJECT | T3 | AL At least 18 yrs old QPD 7 per day |
| DEMEROL 100 MG TABLET | T3 | AL At least 18 yrs old QPD 5 per day |
| DVORAH | T3 | AL At least 18 yrs old QPD 10 per day |
| ENDOCET (5-325 TABLET, 7.5-325 MG TABLET, 10-325 MG TABLET) | T3 | AL At least 18 yrs old QPD 12 per day HCG |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|--|
| <i>fentanyl (12 mcg/hr patch, 25 mcg/hr patch, 50 mcg/hr patch, 75 mcg/hr patch, 87.5 mcg/hr patch, 100 mcg/hr patch)</i> | T1 | PA QPD 0.5 per day |
| <i>fentanyl (37.5 mcg/hr patch, 62.5 mcg/hr patch)</i> | T3 | PA QPD 0.5 per day HCG |
| <i>fentanyl citrate (cit 1,200 mcg, cit 1,600 mcg, citrate 200 mcg, citrate 400 mcg, citrate 600 mcg)</i> | T3 | AL At least 18 yrs old PA QPD 4 per day HCG |
| <i>fentanyl citrate otfc 800 mcg</i> | T1 | AL At least 18 yrs old PA QPD 4 per day |
| FIORINAL WITH CODEINE #3 | T3 | AL At least 18 yrs old QPD 6 per day |
| <i>hydrocodone bitartrate er (er 10 mg capsule, er 15 mg capsule, er 20 mg capsule, er 30 mg capsule, er 40 mg capsule, er 50 mg capsule)</i> | T1 | PA QPD 2 per day |
| <i>hydrocodone bitartrate er (er 20 mg tablet, er 30 mg tablet, er 40 mg tablet, er 60 mg tablet, er 80 mg tablet, er 100 mg tablet, er 120 mg tablet)</i> | T1 | PA QPD 1 per day |
| <i>hydrocodone-acetaminophen (2.5-108/5, 5-217/10, 10-325/15)</i> | T1 | AL At least 2 yrs old QPD 90.0 per day |
| <i>hydrocodone-acetamn 7.5-325/15</i> | T3 | AL At least 2 yrs old QPD 90.0 per day HCG |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|---|
| <i>hydrocodone-acetamin 2.5-325</i> | T1 | AL At least 18 yrs old QPD 20 per day |
| <i>hydrocodone-acetaminophen (5-300 mg, 7.5-300, 10-300 mg)</i> | T3 | AL At least 18 yrs old QPD 13 per day HCG |
| <i>hydrocodone-acetaminophen (5-325 mg, 7.5-325, 10-325 mg)</i> | T1 | AL At least 18 yrs old QPD 12 per day |
| <i>hydrocodone-ibuprofen 10-200</i> | T3 | AL At least 16 yrs old QPD 5 per day HCG |
| <i>hydrocodone-ibuprofen 5-200 mg</i> | T3 | AL At least 16 yrs old QPD 6 per day HCG |
| <i>hydrocodone-ibuprofen 7.5-200</i> | T1 | AL At least 16 yrs old QPD 5 per day |
| <i>hydromorphone er</i> | T3 | PA QPD 2 per day HCG |
| <i>hydromorphone hcl (1 mg/ml solution, 5 mg/5 ml soln)</i> | T3 | AL At least 18 yrs old QPD 13 per day HCG |
| <i>hydromorphone hcl (2 mg tablet, 4 mg tablet, 8 mg tablet)</i> | T1 | AL At least 18 yrs old QPD 6 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|---|
| <i>levorphanol 2 mg tablet</i> | T3 | HCG |
| LORCET | T1 | AL At least 18 yrs old QPD 12 per day |
| LORCET HD | T1 | AL At least 18 yrs old QPD 12 per day |
| LORCET PLUS | T1 | AL At least 18 yrs old QPD 12 per day |
| LORTAB | T3 | AL At least 2 yrs old QPD 67.5 per day |
| <i>meperidine 50 mg/5 ml solution</i> | T1 | AL At least 18 yrs old QPD 50 per day |
| <i>meperidine 50 mg tablet</i> | T1 | AL At least 18 yrs old QPD 10 per day |
| <i>methadone 10 mg/ml oral conc</i> | T1 | PA QPD 2 per day |
| <i>methadone 10 mg/5 ml solution</i> | T1 | PA QPD 8 per day |
| <i>methadone 5 mg/5 ml solution</i> | T1 | PA QPD 18 per day |
| <i>methadone hcl (5 mg tablet, 10 mg tablet)</i> | T1 | PA QPD 3 per day |
| METHADONE INTENSOL | T1 | PA QPD 2 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|---|
| METHADOSE 10 MG/ML ORAL CONC | T3 | PA QPD 2 per day |
| MORPHABOND ER | T3 | PA QPD 2 per day |
| <i>morphine sulf 10 mg/5 ml soln</i> | T1 | QPD 25 per day |
| <i>morphine sulf 100 mg/5 ml conc</i> | T1 | QPD 3 per day |
| <i>morphine sulf 20 mg/5 ml soln</i> | T1 | QPD 13 per day |
| <i>morphine sulf 10 mg suppos</i> | T1 | QPD 5 per day |
| <i>morphine sulfate ir 15 mg tab</i> | T1 | AL At least 18 yrs old QPD 3 per day |
| <i>morphine sulfate ir 30 mg tab</i> | T1 | AL At least 18 yrs old QPD 2 per day |
| <i>morphine sulfate er (er 10 mg cap, er 20 mg cap, er 50 mg cap, er 100 mg cap)</i> | T1 | PA QPD 2 per day |
| <i>morphine sulfate er (er 30 mg cap, er 45 mg cap)</i> | T1 | PA QPD 1 per day |
| <i>morphine sulfate er (er 60 mg cap, er 80 mg cap, er 90 mg cap, er 120 mg cap)</i> | T3 | PA QPD 1 per day HCG |
| <i>morphine sulfate er (er 40 mg cap, er 75 mg cap)</i> | T3 | PA QPD 1 per day HCG |
| <i>morphine sulf er 200 mg tablet</i> | T3 | PA QPD 3 per day HCG |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|---|
| <i>morphine sulfate er (er 15 mg tablet, er 30 mg tablet, er 60 mg tablet, er 100 mg tablet)</i> | T1 | PA QPD 3 per day |
| NALOCET | T3 | AL At least 18 yrs old QPD 12 per day |
| OPANA | T3 | QPD 12 per day |
| <i>oxycodone hcl 5 mg capsule</i> | T3 | AL At least 18 yrs old QPD 8 per day HCG |
| <i>oxycodone hcl 100 mg/5 ml conc</i> | T3 | QPD 2 per day HCG |
| <i>oxycodone hcl 5 mg/5 ml soln</i> | T3 | QPD 33 per day HCG |
| <i>oxycodone hcl (5 mg tablet, 10 mg tablet, 15 mg tablet, 20 mg tablet, 30 mg tablet)</i> | T1 | AL At least 18 yrs old QPD 8 per day |
| <i>oxycodone hcl-aspirin</i> | T1 | AL At least 18 yrs old QPD 7 per day |
| <i>oxycodone hcl-ibuprofen</i> | T1 | AL At least 18 yrs old QPD 4 per day |
| <i>oxycodone-acetaminophen (oxycodone-acetaminophen 5-325, oxycodone-acetaminophen 10-325, oxycodone-acetaminophen 2.5-300, oxycodone-acetaminophen 7.5-325)</i> | T1 | AL At least 18 yrs old QPD 12 per day |
| <i>oxycodone-acetaminophen 2.5-325</i> | T3 | AL At least 18 yrs old QPD 12 per day HCG |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|---|
| <i>oxymorphone hcl</i> | T1 | <p>AL At least 18 yrs old</p> <p>QPD 12 per day</p> |
| <i>oxymorphone hcl er (er 5 mg tablet, er 10 mg tab, er 15 mg tab, er 20 mg tab, er 30 mg tab, er 40 mg tab)</i> | T3 | <p>AL At least 18 yrs old</p> <p>PA</p> <p>QPD 2 per day</p> <p>HCG</p> |
| <i>oxymorphone hcl er 7.5 mg tab</i> | T1 | <p>AL At least 18 yrs old</p> <p>PA</p> <p>QPD 2 per day</p> |
| PRIMLEV 10-300 MG TABLET | T3 | <p>AL At least 18 yrs old</p> <p>QPD 3 per day</p> |
| PRIMLEV 5-300 MG TABLET | T3 | <p>AL At least 18 yrs old</p> <p>QPD 7 per day</p> |
| PRIMLEV 7.5-300 MG TABLET | T3 | <p>AL At least 18 yrs old</p> <p>QPD 4 per day</p> |
| PROLATE 10 MG-300 MG/5 ML SOLN | T3 | <p>AL At least 18 yrs old</p> <p>QPD 30 per day</p> |
| PROLATE (5-300 MG TABLET, 7.5-300 MG TABLET, 10-300 MG TABLET) | T3 | <p>AL At least 18 yrs old</p> <p>QPD 13 per day</p> |
| <i>tramadol hcl 100 mg tablet</i> | T1 | <p>AL At least 18 yrs old</p> <p>QPD 4 per day</p> |
| <i>tramadol hcl 50 mg tablet</i> | T1 | <p>AL At least 18 yrs old</p> <p>QPD 8 per day</p> |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|--|
| <i>tramadol hcl er (er 100 mg tablet, er 200 mg tablet, er 300 mg tablet, hcl er 100 mg tablet, hcl er 150 mg capsule, hcl er 200 mg tablet, hcl er 300 mg tablet)</i> | T1 | <p>AL At least 18 yrs old</p> <p>PA</p> <p>QPD 1 per day</p> |
| <i>tramadol hcl-acetaminophen</i> | T1 | <p>AL At least 18 yrs old</p> <p>QPD 8 per day</p> |
| TREZIX | T3 | <p>AL At least 18 yrs old</p> <p>QPD 10 per day</p> |
| VICODIN HP | T3 | <p>AL At least 18 yrs old</p> <p>QPD 13 per day</p> <p>HCG</p> |
| XTAMPZA ER | T2 | <p>PA</p> <p>QPD 2 per day</p> |
| OPIATE PARTIAL AGONISTS | | |
| BELBUCA | T3 | <p>AL At least 18 yrs old</p> <p>PA</p> <p>QPD 2 per day</p> |
| BUNAVAIL (2.1-0.3 MG FILM, 6.3-1 MG FILM) | T3 | <p>PA</p> <p>QPD 3 per day</p> |
| BUNAVAIL 4.2-0.7 MG FILM | T3 | <p>PA</p> <p>QPD 2 per day</p> |
| <i>buprenorphine</i> | T1 | <p>PA</p> <p>QPD 0.144 per day</p> |
| <i>buprenorphine 0.3 mg/ml crpjct</i> | T1 | <p>QPD 17 per day</p> |
| <i>buprenorphine hcl (2 mg tablet, 8 mg tablet)</i> | T1 | <p>PA</p> <p>QPD 3 per day</p> |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|---|
| <i>buprenorphine-naloxone (4-1mg film, 12-3mg flm)</i> | T1 | PA QPD 2 per day |
| <i>buprenorphine-naloxone (2-0.5mg fm, 2-0.5mg tb, 8-2 mg tab, 8-2mg film)</i> | T1 | PA QPD 3 per day |
| <i>butorphanol 10 mg/ml spray</i> | T1 | AL At least 18 yrs old QPD 0.3 per day |
| BUTRANS 7.5 MCG/HR PATCH | T3 | PA QPD 0.144 per day |
| <i>nalbuphine hcl (10 mg/ml ampul, 100 mg/10 ml vial)</i> | T1 | QPD 5 per day |
| <i>nalbuphine hcl (20 mg/ml ampul, 200 mg/10 ml vial)</i> | T1 | QPD 3 per day |
| <i>pentazocine-naloxone hcl</i> | T1 | AL At least 12 yrs old QPD 12 per day |
| ZUBSOLV | T2 | PA QPD 3 per day |
| ANOREXIGENIC AGENTS | | |
| AMPHETAMINE DERIVATIVES | | |
| <i>diethylpropion hcl</i> | T1 | AL At least 16 yrs old PA QPD 3 per day |
| <i>diethylpropion hcl er</i> | T1 | PA QPD 1 per day |
| LOMAIRA | T3 | AL At least 17 yrs old PA QPD 3 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|---|
| <i>phendimetrazine tartrate</i> | T1 | PA QPD 3 per day |
| <i>phendimetrazine tartrate er</i> | T1 | PA QPD 1 per day |
| <i>phentermine hcl (15 mg capsule, 30 mg capsule)</i> | T1 | PA QPD 1 per day |
| <i>phentermine hcl (37.5 mg capsule, 37.5 mg tablet)</i> | T1 | AL At least 17 yrs old PA QPD 2 per day |
| ANOREXIGENIC AGENTS, MISCELLANEOUS | | |
| IMCIVREE | T4 | NPS Non-Preferred Specialty Drug PA QPD 0.3 per day |
| QSYMIA | T3 | AL At least 18 yrs old PA QPD 1 per day |
| SELECTIVE SEROTONIN RECEPTOR AGONISTS | | |
| BELVIQ | T3 | AL At least 18 yrs old PA QPD 2 per day |
| BELVIQ XR | T3 | AL At least 18 yrs old PA QPD 1 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|---|
| ANOREXIGENICS;RESPIRATORY,CNS STIMULANTS | | |
| AMPHETAMINES | | |
| ADZENYS ER | T3 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #6b8e23; color: white; padding: 2px 5px; border-radius: 3px;">ST</div> <div style="background-color: #e91e63; color: white; padding: 2px 5px; border-radius: 3px;">AL</div> <div style="background-color: #2196f3; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> </div> At least 6 yrs old 15 per day |
| ADZENYS XR-ODT | T3 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #6b8e23; color: white; padding: 2px 5px; border-radius: 3px;">ST</div> <div style="background-color: #e91e63; color: white; padding: 2px 5px; border-radius: 3px;">AL</div> <div style="background-color: #2196f3; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> </div> At least 6 yrs old 1 per day |
| <i>amphetamine</i> | T3 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #6b8e23; color: white; padding: 2px 5px; border-radius: 3px;">ST</div> <div style="background-color: #e91e63; color: white; padding: 2px 5px; border-radius: 3px;">AL</div> <div style="background-color: #2196f3; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> </div> At least 6 yrs old 15 per day |
| <i>amphetamine sulfate</i> | T1 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #2196f3; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> </div> 6 per day |
| <i>benzphetamine hcl</i> | T1 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #8b4513; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> <div style="background-color: #2196f3; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> </div> 3 per day |
| DESOXYN | T3 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #6b8e23; color: white; padding: 2px 5px; border-radius: 3px;">ST</div> <div style="background-color: #2196f3; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> </div> 5 per day |
| DEXEDRINE SPANSULE 10 MG | T3 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #6b8e23; color: white; padding: 2px 5px; border-radius: 3px;">ST</div> <div style="background-color: #2196f3; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> </div> 5 per day |
| DEXEDRINE SPANSULE 15 MG | T3 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #6b8e23; color: white; padding: 2px 5px; border-radius: 3px;">ST</div> <div style="background-color: #2196f3; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> </div> 4 per day |
| DEXEDRINE SPANSULE 5 MG | T3 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #6b8e23; color: white; padding: 2px 5px; border-radius: 3px;">ST</div> <div style="background-color: #2196f3; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> </div> 2 per day |
| <i>dextroamphetamine 5 mg/5 ml</i> | T1 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #2196f3; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> </div> 60 per day |
| <i>dextroamphetamine 10 mg tab</i> | T1 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #2196f3; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> </div> 6 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|--|
| <i>dextroamphetamine 20 mg tab</i> | T1 | QPD 3.0 per day |
| <i>dextroamphetamine 5 mg tab</i> | T1 | QPD 2 per day |
| <i>dextroamphetamine sulfate (15 mg tab, 30 mg tab)</i> | T1 | QPD 2.0 per day |
| <i>dextroamphetamine er 10 mg cap</i> | T1 | QPD 5 per day |
| <i>dextroamphetamine er 15 mg cap</i> | T1 | QPD 4 per day |
| <i>dextroamphetamine er 5 mg cap</i> | T1 | QPD 2 per day |
| <i>dextroamphetamine-amphet er</i> | T1 | QPD 2 per day |
| <i>dextroamp-amphetamin 30 mg tab</i> | T1 | QPD 2 per day |
| <i>dextroamphetamine-amphetamine (dextroamp-amphetam 7.5 mg tab, dextroamp-amphetam 12.5 mg tab, dextroamp-amphetamin 10 mg tab, dextroamp-amphetamin 15 mg tab, dextroamp-amphetamin 20 mg tab, dextroamp-amphetamine 5 mg tab)</i> | T1 | QPD 3 per day |
| DYANAVEL XR | T3 | ST AL At least 6 yrs old QPD 8 per day |
| <i>methamphetamine hcl</i> | T3 | QPD 5 per day HCG |
| MYDAYIS | T3 | ST QPD 1 per day |
| PROCENTRA | T3 | ST QPD 60 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|-----------------------|
| VYVANSE (10 MG CAPSULE, 10 MG CHEWABLE TABLET, 20 MG CAPSULE, 20 MG CHEWABLE TABLET, 30 MG CAPSULE, 30 MG CHEWABLE TABLET, 40 MG CAPSULE, 40 MG CHEWABLE TABLET, 50 MG CAPSULE, 50 MG CHEWABLE TABLET, 60 MG CAPSULE, 60 MG CHEWABLE TABLET, 70 MG CAPSULE) | T2 | QPD 1 per day |
| ZENZEDI (15 MG TABLET, 30 MG TABLET) | T3 | ST QPD 2 per day |
| ZENZEDI (2.5 MG TABLET, 20 MG TABLET) | T3 | ST QPD 3 per day |
| ZENZEDI 10 MG TABLET | T3 | ST QPD 6 per day |
| ZENZEDI 5 MG TABLET | T3 | ST QPD 2 per day |
| ZENZEDI 7.5 MG TABLET | T3 | ST QPD 8 per day |
| RESPIRATORY AND CNS STIMULANTS | | |
| APTENSIO XR | T3 | ST QPD 1 per day |
| AZSTARYS | T3 | ST QPD 1.0 per day |
| <i>caffeine cit 60 mg/3 ml oral</i> | T3 | PA HCG |
| COTEMPLA XR-ODT | T3 | ST QPD 1 per day |
| DAYTRANA | T3 | ST QPD 1 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|-----------------------|
| <i>dexmethylphenidate 10 mg tab</i> | T1 | QPD 2 per day |
| <i>dexmethylphenidate hcl (2.5 mg tab, 5 mg tab)</i> | T1 | QPD 3 per day |
| <i>dexmethylphenidate er 20 mg cp</i> | T1 | QPD 2 per day |
| <i>dexmethylphenidate hcl er (er 5 mg cap, er 10 mg cp, er 15 mg cp, er 25 mg cp, er 30 mg cp, er 35 mg cp, er 40 mg cp)</i> | T1 | QPD 1 per day |
| JORNAY PM | T3 | ST QPD 1 per day |
| METADATE ER | T1 | QPD 3 per day LCG |
| METHYLIN 10 MG/5 ML SOLUTION | T3 | ST QPD 30 per day |
| METHYLIN 5 MG/5 ML SOLUTION | T3 | ST QPD 60 per day |
| <i>methylphenidate er (er 10 mg cap, er 15 mg cap, er 20 mg cap, er 30 mg cap, er 40 mg cap, er 50 mg cap, er 60 mg cap)</i> | T1 | ST QPD 1 per day |
| <i>methylphenidate er (er 18 mg tab, er 27 mg tab, er 36 mg tab)</i> | T1 | QPD 2 per day |
| <i>methylphenidate er (er 54 mg tab, er 72 mg tab)</i> | T1 | QPD 1 per day |
| <i>methylphenidate er 10 mg tab</i> | T1 | QPD 5 per day |
| <i>methylphenidate er 20 mg tab</i> | T1 | QPD 3 per day |
| <i>methylphenidate er (la) (10mg cp, 20mg cp, 40mg cp)</i> | T1 | QPD 1 per day |
| <i>methylphenidate er(la) 30mg cp</i> | T1 | QPD 2 per day |
| <i>methylphenidate 10 mg/5 ml sol</i> | T1 | QPD 30 per day |
| <i>methylphenidate 5 mg/5 ml soln</i> | T1 | QPD 60 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|--|
| <i>methylphenidate 2.5 mg chew tb</i> | T1 | |
| <i>methylphenidate hcl (5 mg chew tab, 10 mg chew tab, 20 mg tablet)</i> | T1 | QPD 3 per day |
| <i>methylphenidate 10 mg tablet</i> | T1 | QPD 5 per day LCG |
| <i>methylphenidate 5 mg tablet</i> | T1 | QPD 3 per day LCG |
| <i>methylphenidate cd 30 mg cap</i> | T1 | QPD 2 per day |
| <i>methylphenidate hcl cd (10 mg cap, 20 mg cap, 40 mg cap, 50 mg cap, 60 mg cap)</i> | T1 | QPD 1 per day |
| <i>methylphenidate er(cd) 30mg cp</i> | T1 | QPD 2 per day |
| <i>methylphenidate hcl er (cd) (10mg cp, 20mg cp, 40mg cp, 50mg cp, 60mg cp)</i> | T1 | QPD 1 per day |
| <i>methylphenidate la (10 mg cap, 20 mg cap, 40 mg cap, 60 mg cap)</i> | T1 | QPD 1 per day |
| <i>methylphenidate la 30 mg cap</i> | T1 | QPD 2 per day |
| QUILLICHEW ER (ER 20 MG CHEW TAB, ER 40 MG CHEW TAB) | T3 | ST AL At least 6 yrs old QPD 1 per day |
| QUILLICHEW ER 30 MG CHEW TAB | T3 | ST AL At least 6 yrs old QPD 2 per day |
| QUILLIVANT XR | T3 | ST QPD 12 per day |
| RELEXXII | T1 | QPD 1 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|-------------------------------------|------|---|
| WAKEFULNESS-PROMOTING AGENTS | | |
| <i>armodafinil</i> | T1 | PA QPD 1 per day |
| <i>modafinil</i> | T1 | PA QPD 1 per day |
| SUNOSI | T3 | AL At least 18 yrs old PA QPD 1 per day |
| WAKIX | T4 | NPS Non-Preferred Specialty Drug PA QPD 2 per day |
| ANTI-INFECTIVE AGENTS | | |
| ANTHELMINTICS | | |
| <i>albendazole</i> | T1 | PA QPD 4 per day |
| ALBENZA | T3 | PA QPD 4 per day |
| BILTRICIDE | T3 | PA |
| EGATEN | T3 | |
| EMVERM | T2 | PA |
| <i>ivermectin 3 mg tablet</i> | T1 | PA |
| <i>praziquantel</i> | T1 | PA |
| STROMEKTOL | T3 | PA |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|--------------------------|
| URINARY ANTI-INFECTIVES | | |
| <i>fosfomicin tromethamine</i> | T1 | |
| FURADANTIN | T3 | |
| HIPREX | T3 | |
| MACROBID | T3 | |
| MACRODANTIN | T3 | |
| <i>methenamine hippurate</i> | T1 | |
| <i>methenamine mandelate</i> | T1 | |
| MONUROL | T3 | |
| <i>nitrofurantoin (25 mg/5 ml susp, mcr 25 mg cap, mcr 50 mg cap, mcr 100 mg cap)</i> | T1 | |
| <i>nitrofurantoin mono-macro</i> | T1 | |
| <i>trimethoprim</i> | T1 | |
| TRIMPEX | T3 | QL max 10 days |
| UROGESIC-BLUE | T3 | |
| ANTI-INFECTIVES (EENT) | | |
| ANTIBACTERIALS (EENT) | | |
| AK-POLY-BAC | T1 | QPD 0.434 per day |
| AZASITE | T3 | QPD 0.36 per day |
| BACIGUENT | T3 | QPD 0.434 per day |
| <i>bacitracin 500 unit/gm ophth</i> | T3 | QPD 0.434 per day HCG |
| <i>bacitracin-polymyxin</i> | T3 | QPD 0.434 per day HCG |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---------------------------------------|------|-------------------------|
| BESIVANCE | T3 | QPD 0.767 per day |
| BLEPH-10 | T3 | QL 5 / fill |
| BLEPHAMIDE | T3 | QL 5 / fill |
| BLEPHAMIDE S.O.P. | T3 | QL 4 / fill |
| CETRAXAL | T3 | ST QPD 0.567 per day |
| CILOXAN (EYE DROPS, OINTMENT) | T3 | QPD 0.767 per day |
| CIPRO HC | T3 | ST QPD 0.434 per day |
| <i>ciprofloxacin 0.2% otic soln</i> | T1 | QPD 0.567 per day |
| <i>ciprofloxacin 0.3% eye drop</i> | T1 | QPD 0.767 per day |
| <i>ciprofloxacin hcl-fluocinolone</i> | T1 | |
| <i>ciprofloxacin-dexamethasone</i> | T1 | QPD 0.257 per day |
| COLY-MYCIN S | T3 | QL 10 / fill |
| CORTISPORIN-TC | T3 | QL 10/ fill |
| <i>doxycycline hyclate 20 mg tab</i> | T3 | HCG |
| <i>erythromycin 0.5% eye ointment</i> | T1 | QPD 0.54 per day |
| <i>gatifloxacin</i> | T3 | QPD 0.36 per day HCG |
| GENTAK | T1 | QPD 0.54 per day |
| <i>gentamicin 0.3% eye drop</i> | T1 | QPD 2.143 per day |
| <i>levofloxacin 0.5% eye drops</i> | T1 | QPD 0.767 per day |
| MAXITROL EYE DROPS | T3 | QL 5 / fill |
| MAXITROL EYE OINTMENT | T3 | QL 4 / fill |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---------------------------------------|------|-------------------------|
| MOXEZA | T2 | QPD 0.434 per day |
| <i>moxifloxacin 0.5% eye drops</i> | T1 | QPD 0.434 per day |
| NEO-POLYCIN | T1 | QPD 0.124 per day |
| NEO-POLYCIN HC | T3 | QL 4 / fill HCG |
| <i>neomycin-bacitracin-poly-hc</i> | T1 | QL 4 / fill |
| <i>neomycin-bacitracin-polymyxin</i> | T1 | QPD 0.124 per day |
| <i>neomyc-polym-dexameth eye drop</i> | T1 | QL 5 / fill |
| <i>neomyc-polym-dexamet eye ointm</i> | T1 | QL 4 / fill |
| <i>neomycin-polymyxin-gramicidin</i> | T1 | QPD 1.47 per day |
| <i>neomycin-poly-hc eye drops</i> | T1 | QL 10/ fill |
| <i>neomycin-polymyxin-hc ear susp</i> | T1 | QL 10 / fill |
| <i>neomycin-polymyxin-hydrocort</i> | T1 | QL 10 / fill |
| OCUFLOX | T3 | QPD 1.47 per day |
| <i>ofloxacin 0.3% ear drops</i> | T1 | QL 10 / 30 days |
| <i>ofloxacin 0.3% eye drops</i> | T1 | QPD 1.47 per day |
| OTIPRIO | T3 | |
| OTOVEL | T3 | ST QPD 0.473 per day |
| POLYCIN | T1 | QPD 0.434 per day |
| <i>polymyxin b sul-trimethoprim</i> | T1 | QPD 1.47 per day |
| POLYTRIM | T3 | QPD 1.47 per day |
| PRED-G 1% EYE DROPS | T3 | QL 5 / fill |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|-----------------------|
| PRED-G S.O.P. EYE OINTMENT | T3 | QL 4 / fill |
| <i>sulfacetamide 10% eye drops</i> | T1 | QL 5 / fill |
| <i>sulfacetamide 10% eye ointment</i> | T1 | QL 4 / fill |
| <i>sulfacetamide-prednisolone</i> | T1 | QL 5 / fill |
| TOBRADEX EYE OINTMENT | T3 | QL 4 / fill |
| TOBRADEX ST | T3 | QL 5 / fill |
| <i>tobramycin 0.3% eye drop</i> | T1 | QPD 2.143 per day |
| <i>tobramycin-dexamethasone</i> | T1 | QL 5 / fill |
| TOBREX 0.3% EYE DROP | T3 | QPD 2.143 per day |
| TOBREX 0.3% EYE OINTMENT | T3 | QPD 0.54 per day |
| ZYLET | T3 | QL 5 / fill |
| ZYMAXID | T3 | QPD 0.36 per day |
| ANTIFUNGALS (EENT) | | |
| NATACYN | T3 | QPD 0.767 per day |
| ANTIVIRALS (EENT) | | |
| <i>trifluridine</i> | T1 | |
| ZIRGAN | T3 | QPD 0.167 per day |
| EENT ANTI-INFECTIVES, MISCELLANEOUS | | |
| <i>acetic acid 2% ear solution</i> | T1 | |
| BETADINE 5% EYE SOLUTION | T3 | |
| <i>chlorhexidine 0.12% rinse</i> | T1 | |
| <i>hydrocortisone-acetic acid</i> | T1 | |
| PAROEX | T1 | |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|----------------------------|
| PERIDEX | T3 | |
| PERIOGARD | T1 | |
| ANTI-INFECTIVES (SKIN, MUCOUS MEMBRANE) | | |
| ANTIBACTERIALS (SKIN, MUCOUS MEMBRANE) | | |
| ALTABAX | T3 | PA |
| CENTANY | T3 | PA |
| CLEOCIN T 1% GEL | T3 | QL 75 / 30 days |
| CLEOCIN T (LOION, SOLUION) | T3 | |
| CLINDACIN ETZ 1% PLEDGET | T3 | HCG |
| CLINDACIN P | T3 | HCG |
| <i>clind ph-benzoyl perox 1.2-5%</i> | T1 | QPD 1.5 per day |
| <i>clind ph-benzoyl pero 1.2-2.5%</i> | T1 | QPD 1.667 per day |
| <i>clindamycin phos-tretinoin</i> | T3 | PA QPD 2 per day HCG |
| <i>clindamycin phosphate 1% foam</i> | T3 | QPD 1.667 per day HCG |
| <i>clindamycin ph 1% gel</i> | T1 | QL 75 / 30 days |
| <i>clindamycin phosphate (phos 1% pledget, phosp 1% lotion, 2% vaginal cream)</i> | T1 | |
| <i>clindamycin ph 1% solution</i> | T1 | QPD 2 per day |
| <i>clindamycin-benzoyl perox 1-5%</i> | T1 | QPD 1.667 per day |
| <i>clindamycin-bnz perox 1-5% pmp</i> | T1 | QPD 1.667 per day HCG |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|-----------------------|
| CLINDESSE | T3 | |
| CORTISPORIN CREAM | T3 | QPD 0.25 per day |
| CORTISPORIN OINTMENT | T3 | QPD 0.5 per day |
| ERY | T1 | |
| ERYGEL | T3 | QPD 1 per day |
| <i>erythromycin 2% gel</i> | T1 | QPD 1 per day |
| <i>erythromycin 2% pledgets</i> | T1 | |
| <i>erythromycin 2% solution</i> | T1 | QPD 2 per day |
| <i>erythromycin-benzoyl peroxide</i> | T1 | QPD 1.6 per day |
| <i>gentamicin sulfate (cream, ointment)</i> | T1 | |
| METROCREAM | T3 | |
| METROGEL-VAGINAL | T3 | |
| METROLOTION | T3 | |
| <i>metronidazole (0.75% cream, 0.75% lotion, top 1% gel pump, topical 1% gel, vaginal 0.75% gl)</i> | T1 | |
| <i>mupirocin 2% cream</i> | T1 | QPD 2 per day |
| <i>mupirocin 2% ointment</i> | T1 | QPD 2.5 per day |
| NEO-SYNALAR 0.5%-0.025% CREAM | T3 | |
| NEUAC GEL | T1 | QPD 1.5 per day |
| ONEXTON 1.2%-3.75% GEL | T3 | QPD 1.667 per day |
| ONEXTON GEL PUMP | T3 | QPD 1.967 per day |
| ROSDAN 0.75% CREAM | T1 | |
| ROSDAN (CREAM KIT, GEL KIT) | T3 | |
| VANDAZOLE | T3 | |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|---|
| XEPI | T3 | PA |
| ZILXI | T3 | PA QPD 1 per day |
| ANTIVIRALS (SKIN AND MUCOUS MEMBRANE) | | |
| <i>acyclovir 5% cream</i> | T1 | AL At least 12 yrs old PA QPD 0.167 per day |
| <i>acyclovir 5% ointment</i> | T1 | |
| DENAVIR | T3 | AL At least 12 yrs old PA QPD 0.167 per day |
| XERESE | T3 | AL At least 6 yrs old PA QPD 0.167 per day |
| LOCAL ANTI-INFECTIVES, MISCELLANEOUS | | |
| AVC | T3 | |
| <i>hydrocortisone-iodoquinol</i> | T1 | |
| <i>iodine mild tincture</i> | T1 | |
| IODOFLEX | T3 | |
| IODOSORB | T3 | |
| KLARON | T3 | QPD 4 per day |
| <i>silver sulfadiazine</i> | T1 | |
| SSD | T1 | |
| <i>sulfacetamide sodium (sod top susp, sodium lotn)</i> | T1 | QPD 4 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|-----------------------|
| SULFAMYLON 8.5% CREAM | T3 | |
| TRIMO-SAN | T3 | |
| SCABICIDES AND PEDICULICIDES | | |
| CROTAN | T1 | |
| ELIMITE | T3 | |
| EURAX (CREAM, LOTION) | T3 | ST |
| <i>lindane</i> | T3 | HCG |
| <i>malathion</i> | T3 | HCG |
| OVIDE | T3 | ST |
| <i>permethrin</i> | T1 | |
| ULESFIA | T3 | ST |
| ANTI-INFLAMMATORY AGENTS (EENT) | | |
| CORTICOSTEROIDS (EENT) | | |
| ALREX | T3 | QPD 0.5 per day |
| DERMOTIC | T3 | |
| <i>dexamethasone 0.1% eye drop</i> | T1 | QL 10 / fill |
| DUREZOL | T3 | QL 10 / 30 days |
| FLAC OTIC OIL | T1 | |
| FLAREX | T3 | QL 10 / fill |
| <i>flunisolide</i> | T1 | QPD 0.834 per day |
| <i>fluocinolone acetonide oil</i> | T3 | HCG |
| <i>fluorometholone</i> | T1 | QL 10 / fill |
| FML | T3 | QL 10 / fill |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|---|
| FML FORTE | T3 | QL 10 / fill |
| FML S.O.P. | T3 | QL 4 / fill |
| LOTEMAX 0.5% OPHTHALMIC GEL | T3 | QL 10 / fill |
| LOTEMAX 0.5% EYE OINTMENT | T3 | QL 4 / fill |
| LOTEMAX SM | T3 | QL 10 / fill |
| <i>loteprednol 0.5% ophthalmic gel</i> | T1 | QL 10 / fill |
| <i>loteprednol etabonate 0.5% drp</i> | T1 | QL 21 / fill |
| MAXIDEX | T3 | QL 10 / fill |
| <i>mometasone furoate 50 mcg spry</i> | T1 | QPD 0.567 per day |
| OMNARIS | T3 | QPD 0.434 per day |
| PRED MILD | T3 | QL 21 / fill |
| <i>prednisolone ac 1% eye drop</i> | T1 | QL 21 / fill |
| <i>prednisolone sod 1% eye drop</i> | T1 | QL 20 / 30 days |
| QNASL | T3 | QPD 0.4 per day |
| QNASL CHILDREN | T3 | QPD 0.3 per day |
| ZETONNA | T3 | QPD 0.22 per day |
| EENT ANTI-INFLAMMATORY AGENTS, MISC. | | |
| RESTASIS | T2 | PA QPD 2 per day |
| RESTASIS MULTIDOSE | T2 | PA QPD 0.2 per day |
| XIIDRA | T2 | AL At least 17 yrs old PA QPD 2 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|---|
| EENT NONSTEROIDAL ANTI-INFLAM. AGENTS | | |
| ACULAR | T3 | QL 15 / 30 days |
| ACULAR LS | T3 | QL 5 / fill |
| ACUVAIL | T3 | QPD 1 per day |
| <i>bromfenac sodium</i> | T3 | QL 8 / rx HCG |
| <i>diclofenac 0.1% eye drops</i> | T1 | QL 5 / fill |
| <i>flurbiprofen sodium</i> | T1 | QL 3/ fill |
| <i>ketorolac 0.4% ophth solution</i> | T1 | QL 5 / fill |
| <i>ketorolac 0.5% ophth solution</i> | T1 | QL 15 / 30 days |
| PROLENSA | T2 | QL 3/ fill |
| ANTI-INFLAMMATORY AGENTS (RESPIRATORY) | | |
| INTERLEUKIN ANTAGONISTS | | |
| DUPIXENT 200 MG/1.14 ML PEN | T4 | AL At least 6 yrs old PS PA QPD 0.15 per day |
| DUPIXENT 200 MG/1.14 ML SYRING | T4 | AL At least 6 yrs old PS PA QPD 0.15 per day |
| FASENRA | T4 | AL At least 12 yrs old PS PA QPD 0.04 per day SDS Extended Specialty Day Supply |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|---|
| FASENRA PEN | T4 | <ul style="list-style-type: none"> AL At least 12 yrs old PS PA QPD 0.04 per day SDS Extended Specialty Day Supply |
| NUCALA (100 MG/ML AUTO-INJECTOR, 100 MG/ML SYRINGE) | T4 | <ul style="list-style-type: none"> AL At least 12 yrs old PS PA QPD 0.04 per day |
| NUCALA 100 MG/ML POWDER VIAL | T4 | <ul style="list-style-type: none"> AL At least 6 yrs old PS PA QPD 0.04 per day |
| LEUKOTRIENE MODIFIERS | | |
| ACCOLATE | T3 | <ul style="list-style-type: none"> PR QPD 2 per day |
| <i>montelukast sod 4 mg granules</i> | T3 | <ul style="list-style-type: none"> PR QPD 1 per day HCG |
| <i>montelukast sodium (4 mg tab chew, 5 mg tab chew, 10 mg tablet)</i> | T1 | <ul style="list-style-type: none"> PR QPD 1 per day |
| <i>zafirlukast</i> | T1 | <ul style="list-style-type: none"> PR QPD 2 per day |
| <i>zileuton er</i> | T3 | <ul style="list-style-type: none"> ST QPD 4 per day HCG |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|-------------------------|
| ZYFLO | T3 | ST QPD 4 per day |
| MAST-CELL STABILIZERS | | |
| ALOCRIIL | T3 | QL 5 / fill |
| <i>cromolyn 20 mg/2 ml neb soln</i> | T1 | PR |
| <i>cromolyn 4% eye drops</i> | T1 | QL 10 / fill |
| <i>cromolyn 100 mg/5 ml oral conc</i> | T1 | |
| GASTROCROM | T3 | |
| ANTI-INFLAMMATORY AGENTS (SKIN, MUCOUS) | | |
| ANTI-INFLAMMATORY AGENTS, MISC (SKIN) | | |
| EUCRISA | T2 | ST QPD 2.143 per day |
| CORTICOSTEROIDS (SKIN, MUCOUS MEMBRANE) | | |
| <i>alclometasone dipro 0.05% crm</i> | T3 | HCG |
| <i>alclometasone dipr 0.05% oint</i> | T1 | |
| <i>amcinonide (cream, lotion)</i> | T3 | HCG |
| ANALPRAM HC (1% CREAM, 2.5%-1% LOTION) | T3 | |
| ANUCORT-HC | T1 | |
| ANUSOL-HC 2.5% CREAM | T3 | |
| ANUSOL-HC 25 MG SUPPOSITORY | T1 | HCG |
| BESER | T1 | |
| <i>betamethasone diprop augmented (crm, gel, lot, oin)</i> | T1 | |
| <i>betamethasone dipropionate (crm, lot, oint)</i> | T1 | |
| <i>betamethasone valer 0.12% foam</i> | T3 | HCG |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|-----------------------|
| <i>betamethasone valerate (va cream, va lotion, valer ointm)</i> | T1 | |
| BRYHALI | T3 | PA |
| <i>clobetasol emollient 0.05% crm</i> | T1 | |
| <i>clobetasol emollnt 0.05% foam</i> | T3 | HCG |
| <i>clobetasol emulsion</i> | T3 | HCG |
| <i>clobetasol propionate (cream, gel, ointment, shampoo, solution)</i> | T1 | |
| <i>clobetasol propionate (prop spray, topical lotn)</i> | T3 | HCG |
| <i>clocortolone pivalate</i> | T3 | HCG |
| CLODAN 0.05% SHAMPOO | T1 | HCG |
| COLOCORT | T1 | |
| CORMAX | T1 | |
| CORTENEMA | T3 | |
| CORTIFOAM | T3 | |
| CUTIVATE (CREAM, LOTION) | T3 | |
| DERMA-SMOOTH-FS (BODY OIL, SCALP OIL) | T3 | |
| DERMATOP | T3 | |
| <i>desonide (cream, gel, lotion, ointment)</i> | T1 | |
| DESOWEN (CREAM, LOTION) | T3 | |
| <i>desoximetasone (cream, ointment)</i> | T3 | HCG |
| <i>desoximetasone (0.05% gel, 0.25% cream, 0.25% ointment, 0.25% spray)</i> | T1 | |
| DESRX | T1 | |
| DIPROLENE | T3 | |
| ELOCON | T3 | |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|-----------------------|
| EPIFOAM | T3 | |
| <i>fluocinolone acetonide (0.01% scalp oil, 0.01% solution, 0.025% cream, 0.025% ointment)</i> | T3 | HCG |
| <i>fluocinolone acetonide (body oil, cream)</i> | T1 | |
| <i>fluocinonide 0.1% cream</i> | T3 | PA HCG |
| <i>fluocinonide (cream, gel, ointment, solution)</i> | T1 | |
| <i>fluocinonide-e</i> | T1 | |
| <i>fluticasone prop 0.05% lotion</i> | T3 | HCG |
| <i>fluticasone propionate (0.005% oint, 0.05% cream)</i> | T1 | |
| <i>halcinonide</i> | T1 | PA |
| <i>halobetasol propionate (cream, ointmnt)</i> | T1 | |
| <i>hydrocortisone (2.5% cream, 2.5% lotion, 2.5% ointment, 100 mg/60 ml)</i> | T1 | |
| <i>hydrocortisone 1% absorbase</i> | T3 | HCG |
| <i>hydrocortisone acetate (25 mg, 30 mg)</i> | T1 | |
| <i>hydrocortisone butyrate (lipid crm, lipo cream)</i> | T3 | HCG |
| <i>hydrocortisone butyrate (buty cream, butyr lotn, butyr oint, butyr soln)</i> | T1 | |
| <i>hydrocortisone valerate (cream, ointmt)</i> | T1 | |
| <i>hydrocortisone-pramoxine (1%-1% crm, 2.5%-1% cm, 2.5-1% crm)</i> | T1 | |
| LOCOID (CREAM, LOTION, SOLUTION) | T3 | PA |
| LUXIQ | T3 | |
| <i>mometasone furoate (cream, oint, soln)</i> | T1 | |
| OLUX | T3 | PA |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|-----------------------|
| OLUX-E | T3 | |
| ORALONE | T1 | |
| PRAMOSONE (1% LOTION, 1%-1% CREAM, 2.5%-1% LOTION) | T3 | |
| <i>prednicarbate (cream, ointment)</i> | T1 | |
| PROCTO-MED HC | T1 | |
| PROCTOCORT 30 MG SUPPOSITORY | T3 | |
| PROCTOFOAM-HC | T2 | |
| PROCTOSOL-HC | T1 | |
| PROCTOZONE-HC | T3 | HCG |
| SANADERMRX | T1 | |
| SCALACORT | T1 | |
| SERNIVO | T3 | PA |
| SYNALAR (0.01% SOLUTION, 0.025% CREAM) | T3 | |
| TEMOVATE (CREAM, OINTMENT) | T3 | |
| TEXACORT | T3 | |
| TOPICORT (0.05% CREAM, 0.05% GEL, 0.05% OINTMENT, 0.25% CREAM, 0.25% OINTMENT) | T3 | |
| TOVET EMOLLIENT | T3 | HCG |
| <i>triamcinolone acetonide (0.025% cream, 0.025% lotion, 0.025% oint, 0.1% cream, 0.1% lotion, 0.1% ointment, 0.1% paste, 0.5% cream, 0.5% ointment)</i> | T1 | |
| TRIDERM | T1 | |
| TRIDESILON | T3 | |
| VANOS | T3 | ST |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---------------------------------|------|----------------------------------|
| ANTIANEMIA DRUGS | | |
| IRON PREPARATIONS | | |
| ACCRUFER | T3 | PA QPD 2 per day |
| FOLIVANE-PLUS | T3 | |
| HEMATINIC WITH FOLIC ACID | T1 | |
| INJECTAFER | T4 | NPS Non-Preferred Specialty Drug |
| IRO-PLEX CAPLET | T3 | |
| VIRT-FEFA PLUS | T3 | |
| ANTIARRHYTHMIC AGENTS | | |
| CLASS IA ANTIARRHYTHMICS | | |
| <i>disopyramide phosphate</i> | T1 | |
| NORPACE | T3 | |
| NORPACE CR | T3 | |
| <i>quinidine gluconate</i> | T1 | |
| <i>quinidine sulfate</i> | T1 | |
| CLASS IB ANTIARRHYTHMICS | | |
| <i>mexiletine hcl</i> | T1 | |
| CLASS IC ANTIARRHYTHMICS | | |
| <i>flecainide acetate</i> | T1 | |
| <i>propafenone hcl</i> | T1 | |
| <i>propafenone hcl er</i> | T1 | PA |
| RYTHMOL SR | T3 | PA |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|---|
| CLASS III ANTIARRHYTHMICS | | |
| <i>amiodarone hcl (100 mg tablet, 200 mg tablet, 400 mg tablet)</i> | T1 | |
| <i>dofetilide</i> | T4 | NPS Non-Preferred Specialty Drug |
| MULTAQ | T3 | PA |
| PACERONE | T1 | |
| ANTIBACTERIALS | | |
| AMINOGLYCOSIDE ANTIBIOTICS | | |
| ARIKAYCE | T4 | NPS Non-Preferred Specialty Drug PA QPD 9 per day |
| BETHKIS | T4 | NPS Non-Preferred Specialty Drug PA |
| <i>gentamicin sulfate (20 mg/2 ml vial, ped 20 mg/2 ml vial, 40 mg/ml vial, 80 mg/2 ml vial, 800 mg/20 ml vial)</i> | T1 | |
| <i>gentamicin 10 mg/ml vial</i> | T1 | |
| <i>gentamicin sulfate in ns (70 mg/ns 50 ml, 90 mg/ns 100 ml)</i> | T1 | |
| <i>neomycin sulfate</i> | T1 | |
| TOBI | T4 | NPS Non-Preferred Specialty Drug PA |
| TOBI PODHALER | T4 | NPS Non-Preferred Specialty Drug PA |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|--|
| <i>tobramycin (300 mg/4 ml ampule, 300 mg/5 ml ampule, pak 300 mg/5 ml)</i> | T4 | NPS Non-Preferred Specialty Drug PA |
| QUINOLONE ANTIBIOTICS | | |
| BAXDELA 450 MG TABLET | T3 | QL max 14 days PA |
| CIPRO 10% SUSPENSION | T3 | QPD 10 per day |
| CIPRO 5% SUSPENSION | T3 | QPD 7 per day |
| CIPRO (250 MG TABLET, 500 MG TABLET) | T3 | QPD 2 per day |
| <i>ciprofloxacin 250 mg/5 ml susp</i> | T1 | QPD 7 per day |
| <i>ciprofloxacin 500 mg/5 ml susp</i> | T1 | QPD 10 per day |
| <i>ciprofloxacin hcl (100 mg tab, 250 mg tab, 750 mg tab)</i> | T1 | QPD 2 per day |
| <i>ciprofloxacin hcl 500 mg tab</i> | T1 | QPD 2 per day LCG |
| FACTIVE | T3 | PA QPD 7 per day |
| LEVAQUIN | T3 | QL 30 / fill |
| <i>levofloxacin 25 mg/ml solution</i> | T1 | |
| <i>levofloxacin (250 mg tablet, 500 mg tablet, 750 mg tablet)</i> | T1 | QL 30 / fill |
| <i>moxifloxacin hcl</i> | T1 | QL 21 / fill |
| <i>ofloxacin (300 mg tablet, 400 mg tablet)</i> | T1 | QL 56 / fill |
| SULFONAMIDE ANTIBIOTICS (SYSTEMIC) | | |
| AZULFIDINE (500 MG TABLET, ENTAB 500 MG) | T3 | |
| BACTRIM | T3 | |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|-----------------------|
| BACTRIM DS | T3 | |
| <i>sulfadiazine</i> | T1 | |
| <i>sulfamethoxazole-tmp ds tablet</i> | T1 | LCG |
| <i>sulfamethoxazole-trimethoprim (ss tablet, susp)</i> | T1 | |
| <i>sulfasalazine</i> | T1 | |
| <i>sulfasalazine dr</i> | T1 | |
| SULFATRIM | T1 | |
| TETRACYCLINE ANTIBIOTICS | | |
| AVIDOXY | T1 | |
| COREMINO (ER 90 MG TABLET, ER 135 MG TABLET) | T1 | ST QPD 1 per day |
| COREMINO ER 45 MG TABLET | T1 | ST QPD 3 per day |
| <i>demeclocycline hcl</i> | T1 | |
| <i>doxycycline hyclate (50 mg cap, 100 mg cap, 100 mg tab)</i> | T1 | |
| <i>doxycycline 50 mg tablet</i> | T1 | ST HCG |
| <i>doxycycline hyclate (75 mg tab, 150 mg tab)</i> | T3 | HCG |
| <i>doxycycline ir-dr</i> | T3 | QPD 1 per day HCG |
| <i>doxycycline mono 150 mg cap</i> | T3 | QL 30 / fill HCG |
| <i>doxycycline monohydrate (25 mg/5 ml susp, mono 50 mg cap, mono 50 mg tablet, mono 100 mg cap, mono 100 mg tablet)</i> | T1 | |
| <i>doxycycline monohydrate (75 mg capsule, 75 mg tablet, 150 mg tablet)</i> | T3 | HCG |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|----------------------------|
| <i>minocycline hcl (50 mg capsule, 75 mg capsule, 100 mg capsule)</i> | T1 | |
| <i>minocycline hcl (50 mg tablet, 75 mg tablet, 100 mg tablet)</i> | T3 | ST HCG |
| <i>minocycline er 45 mg tablet</i> | T3 | ST QPD 3 per day HCG |
| <i>minocycline hcl er (er 55 mg tablet, er 65 mg tablet, er 80 mg tablet, er 90 mg tablet, er 105 mg tablet, er 115 mg tablet, er 135 mg tablet)</i> | T3 | ST QPD 1 per day HCG |
| MONDOXYNE NL 100 MG CAPSULE | T1 | |
| MONDOXYNE NL 75 MG CAPSULE | T3 | HCG |
| MORGIDOX (50 MG CAPSULE, 100 MG CAPSULE) | T1 | |
| OKEBO | T1 | |
| <i>tetracycline hcl</i> | T1 | |
| ANTIBACTERIALS, MISCELLANEOUS | | |
| CYCLIC LIPOPEPTIDE ANTIBIOTICS | | |
| <i>daptomycin 500 mg vial</i> | T1 | |
| GLYCOPEPTIDE ANTIBIOTICS | | |
| VANCOGIN HCL | T3 | |
| <i>vancomycin hcl (125 mg capsule, 250 mg capsule)</i> | T1 | |
| <i>vancomycin hcl (1 gm add-van vial, 1 gm vial, hcl 5 gm vial)</i> | T1 | |
| LINCOMYCIN ANTIBIOTICS | | |
| CLEOCIN HCL | T3 | QPD 4 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|--|
| CLEOCIN PEDIATRIC | T3 | QPD 70 per day |
| CLEOCIN PHOSPHATE (600 MG/4ML, 900 MG/6ML) | T3 | |
| <i>clindamycin (pediatric)</i> | T1 | QPD 70 per day |
| <i>clindamycin hcl</i> | T1 | QPD 4 per day |
| OTHER MISC. ANTIBACTERIAL AGENTS | | |
| HELIDAC | T3 | QL max 1 per 365 days |
| PYLERA | T2 | QL 120 / 365 days |
| OXAZOLIDINONE ANTIBIOTICS | | |
| <i>linezolid 100 mg/5 ml susp</i> | T1 | QL 900 / rx |
| <i>linezolid 600 mg tablet</i> | T1 | QPD 2 per day |
| SIVEXTRO 200 MG TABLET | T3 | QL 6 / 30 days PA |
| ZYVOX 100 MG/5 ML SUSPENSION | T3 | QL 900 / rx PA |
| ZYVOX 600 MG TABLET | T3 | PA QPD 2 per day |
| PLEUROMUTILINS | | |
| XENLETA 600 MG TABLET | T4 | NPS Non-Preferred Specialty Drug PA |
| RIFAMYCIN ANTIBIOTICS | | |
| AEMCOLO | T3 | |
| XIFAXAN | T3 | PA |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|-------------------------|
| ANTICHOLINERGIC AGENTS | | |
| ANTIMUSCARINICS/ANTISPASMODICS | | |
| ANASPAZ | T3 | |
| ANORO ELLIPTA | T2 | PR QPD 2 per day |
| ATROVENT HFA | T3 | PR QPD 1.29 per day |
| <i>chlordiazepoxide-clidinium</i> | T1 | |
| COMBIVENT RESPIMAT | T2 | PR QPD 0.267 per day |
| CUVPOSA | T3 | |
| <i>dicyclomine hcl (10 mg capsule, 10 mg/5 ml soln, 20 mg tablet)</i> | T1 | LCG |
| DONNATAL (ELIXIR, TABLET) | T3 | |
| ED-SPAZ | T1 | |
| GLYCATE | T3 | |
| <i>glycopyrrolate (1 mg tablet, 2 mg tablet)</i> | T1 | |
| <i>glycopyrrolate 1.5 mg tablet</i> | T1 | HCG |
| <i>hyoscyamine sulfate (0.125 mg odt, 0.125 mg tab sl, 0.125 mg/5 ml elix, 0.125 mg/ml drop, sulf 0.125 mg tab)</i> | T1 | |
| <i>hyoscyamine sulfate er</i> | T1 | |
| <i>hyoscyamine sulfate sr</i> | T1 | |
| HYOSYNE (0.125 MG/ML DROP, 125 MCG/5 ML ELIXIR) | T1 | |
| <i>ipratropium br 0.02% soln</i> | T1 | PR QPD 12.5 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|---------------------------|
| <i>ipratropium-albuterol</i> | T1 | PR |
| LEVSIN 0.125 MG TABLET | T3 | |
| LEVSIN-SL | T3 | |
| LIBRAX | T3 | |
| LONHALA MAGNAIR REFILL | T3 | PR PA QPD 2 per day |
| LONHALA MAGNAIR STARTER | T3 | PR PA QPD 2 per day |
| <i>methscopolamine bromide</i> | T1 | |
| NULEV | T1 | |
| OSCIMIN | T1 | |
| OSCIMIN SL | T1 | |
| OSCIMIN SR | T1 | |
| <i>phenobarbital-belladonna</i> | T1 | |
| <i>phenobarbital-hyosc-atrop-scop (phenobarb-hyo-atrop-scop elix, phenobarb-hyosc-atrop-scop tab)</i> | T1 | |
| PHENOHYTRO TABLET | T3 | HCG |
| <i>propantheline bromide</i> | T1 | |
| QBREXZA | T3 | PA QPD 1 per day |
| SPIRIVA | T2 | PR QPD 1 per day |
| SPIRIVA RESPIMAT | T2 | PR QPD 1 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|----------------------------------|
| STIOLTO RESPIMAT | T2 | PR QPD 0.134 per day |
| SYMAX DUOTAB | T3 | |
| ANTICOAGULANTS | | |
| ANTICOAGULANTS, MISCELLANEOUS | | |
| ARIXTRA | T4 | NPS Non-Preferred Specialty Drug |
| <i>fondaparinux sodium</i> | T4 | NPS Non-Preferred Specialty Drug |
| <i>sodium citrate 4% syringe</i> | T1 | |
| COUMARIN DERIVATIVES | | |
| COUMADIN | T3 | PR |
| JANTOVEN (1 MG TABLET, 2.5 MG TABLET, 3 MG TABLET, 4 MG TABLET, 5 MG TABLET) | T1 | PR LCG |
| JANTOVEN (2 MG TABLET, 6 MG TABLET, 7.5 MG TABLET, 10 MG TABLET) | T1 | PR |
| <i>warfarin sodium (1 mg tablet, 2 mg tablet, 2.5 mg tablet, 3 mg tablet, 4 mg tablet, 5 mg tablet)</i> | T1 | PR LCG |
| <i>warfarin sodium (6 mg tablet, 7.5 mg tablet, 10 mg tablet)</i> | T1 | PR |
| DIRECT FACTOR XA INHIBITORS | | |
| ELIQUIS DVT-PE TREAT START 5MG | T2 | QL 100 / 30 days PR |
| ELIQUIS (2.5 MG TABLET, 5 MG TABLET) | T2 | PR QPD 2 per day |
| SAVAYSA | T3 | PR PA QPD 1 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|---|
| XARELTO DVT-PE TREAT START 30D | T2 | <div style="background-color: #6a3d9a; color: white; padding: 2px;">QL</div> 56 / fill <div style="background-color: #003366; color: white; padding: 2px;">PR</div> |
| XARELTO (10 MG TABLET, 20 MG TABLET) | T2 | <div style="background-color: #003366; color: white; padding: 2px;">PR</div> <div style="background-color: #0070c0; color: white; padding: 2px;">QPD</div> 1 per day |
| XARELTO (2.5 MG TABLET, 15 MG TABLET) | T2 | <div style="background-color: #003366; color: white; padding: 2px;">PR</div> <div style="background-color: #0070c0; color: white; padding: 2px;">QPD</div> 2 per day |
| DIRECT THROMBIN INHIBITORS | | |
| PRADAXA | T2 | <div style="background-color: #003366; color: white; padding: 2px;">PR</div> <div style="background-color: #0070c0; color: white; padding: 2px;">QPD</div> 2 per day |
| HEPARINS | | |
| <i>enoxaparin sodium (30 mg/0.3 ml syr, 40 mg/0.4 ml syr, 60 mg/0.6 ml syr, 80 mg/0.8 ml syr, 100 mg/ml syringe, 120 mg/0.8 ml syr, 150 mg/ml syringe)</i> | T4 | <div style="background-color: #d62728; color: white; padding: 2px;">NPS</div> Non-Preferred Specialty Drug |
| <i>enoxaparin 300 mg/3 ml vial</i> | T4 | <div style="background-color: #d62728; color: white; padding: 2px;">NPS</div> Non-Preferred Specialty Drug |
| FRAGMIN (2,500 UNIT/0.2 ML SYR, 5,000 UNIT/0.2 ML SYR, 7,500 UNIT/0.3 ML SYR, 10,000 UNIT/ML SYRINGE, 12,500 UNIT/0.5 ML SYR, 15,000 UNIT/0.6 ML SYR, 18,000 UNIT/0.72 ML, 95,000 UNIT/3.8 ML VL) | T4 | <div style="background-color: #d62728; color: white; padding: 2px;">NPS</div> Non-Preferred Specialty Drug |
| <i>heparin flush (iv flush 1 unit/ml syr, 2 unit/2 ml (1/ml) syr, 3 unit/3 ml (1/ml) syr, 5 unit/5 ml (1/ml) syr, 10 unit/10 ml (1/ml), flush 10 units/ml syr, 20 units/2 ml (10/ml), 30 units/3 ml (10/ml), 50 units/5 ml (10/ml), 60 units/6 ml (10/ml), iv flush 100 units/ml, 200 unit/2 ml (100/ml), 300 unit/3 ml (100/ml), 1,000 unit/10 (100/ml))</i> | T1 | |
| <i>heparin 500 unit/5 ml (100/ml)</i> | T1 | <div style="background-color: #003366; color: white; padding: 2px;">PR</div> |
| <i>heparin lock (lock flush 10 units/ml, 100 unit/10 ml (10/ml), lock flush 100 unit/ml)</i> | T1 | |
| <i>heparin 5,000 unit/ml carpupjct</i> | T1 | |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|---|
| <i>heparin sodium (sod 5,000 unit/ml syrg, 50,000 unit/10 ml vial)</i> | T1 | |
| <i>heparin sodium (sod 1,000 unit/ml vial, 2,000 unit/2 ml vial, sod 5,000 unit/0.5 ml, sod 5,000 unit/ml vial, 10,000 unit/10 ml vial, sod 10,000 unit/ml vl, sod 20,000 unit/ml vl, 30,000 unit/30 ml vial, 40,000 unit/4 ml vial, 50,000 unit/5 ml vial)</i> | T1 | |
| <i>heparin sodium in 0.45% nacl</i> | T1 | |
| <i>heparin sodium-0.45% nacl</i> | T1 | |
| <i>heparin sodium-0.9% nacl (4,000 unit/1,000 ml-ns, 5,000 unit/1,000 ml-ns, 5,000 unit/500 ml-ns, 30,000 unit/1,000-ns)</i> | T1 | |
| <i>heparin sodium-d5w</i> | T1 | |
| LOVENOX (30 MG/0.3 ML SYRINGE, 40 MG/0.4 ML SYRINGE, 60 MG/0.6 ML SYRINGE, 80 MG/0.8 ML SYRINGE, 100 MG/ML SYRINGE, 120 MG/0.8 ML SYRINGE, 150 MG/ML SYRINGE, 300 MG/3 ML VIAL) | T4 | NPS Non-Preferred Specialty Drug |
| ANTICONVULSANTS | | |
| ANTICONVULSANTS, MISCELLANEOUS | | |
| APTIOM (400 MG TABLET, 600 MG TABLET, 800 MG TABLET) | T3 | PA QPD 2 per day |
| APTIOM 200 MG TABLET | T3 | PA QPD 3 per day |
| BANZEL (40 MG/ML SUSPENSION, 200 MG TABLET, 400 MG TABLET) | T3 | PA |
| BRIVIACT 10 MG/ML ORAL SOLN | T3 | PA QPD 20 per day |
| BRIVIACT (10 MG TABLET, 50 MG TABLET) | T3 | PA QPD 4 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|---|
| BRIVIACT 100 MG TABLET | T3 | PA QPD 2 per day |
| BRIVIACT 25 MG TABLET | T3 | PA QPD 8 per day |
| BRIVIACT 75 MG TABLET | T3 | PA QPD 3 per day |
| <i>carbamazepine 200 mg/10ml susp</i> | T1 | |
| <i>carbamazepine (100 mg tab chew, 100 mg/5 ml susp, 200 mg tablet)</i> | T1 | |
| <i>carbamazepine er (er 100 mg cap, er 100 mg tablet, er 200 mg cap, er 200 mg tablet, er 300 mg cap, er 400 mg tablet)</i> | T1 | |
| DIACOMIT (250 MG CAPSULE, 250 MG POWDER PACKET, 500 MG CAPSULE, 500 MG POWDER PACKET) | T4 | NPS Non-Preferred Specialty Drug PA QPD 2 per day |
| <i>divalproex sodium (dr 125 mg cap sprnk, dr 125 mg cp(sprnk), sod dr 125 mg tab, sod dr 250 mg tab, sod dr 500 mg tab)</i> | T1 | |
| <i>divalproex sodium er</i> | T1 | |
| ELEPSIA XR | T3 | ST |
| EPIDIOLEX | T4 | NPS Non-Preferred Specialty Drug PA |
| EPITOL | T1 | |
| EQUETRO | T3 | |
| <i>felbamate (400 mg tablet, 600 mg tablet, 600 mg/5 ml susp)</i> | T1 | |
| FELBATOL (400 MG TABLET, 600 MG TABLET, 600 MG/5 ML SUSP) | T3 | PA |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|---|
| FINTEPLA | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>12 per day</div> </div> |
| FYCOMPA 0.5 MG/ML ORAL SUSP | T3 | <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>6 per day</div> </div> |
| FYCOMPA (2 MG TABLET, 4 MG TABLET, 6 MG TABLET, 8 MG TABLET, 10 MG TABLET, 12 MG TABLET) | T3 | <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>1 per day</div> </div> |
| <i>gabapentin (100 mg capsule, 300 mg capsule, 400 mg capsule)</i> | T1 | <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>9 per day</div> </div> |
| <i>gabapentin (250 mg/5 ml soln, 300 mg/6 ml soln)</i> | T1 | <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>72 per day</div> </div> |
| <i>gabapentin 600 mg tablet</i> | T1 | <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>6 per day</div> </div> |
| <i>gabapentin 800 mg tablet</i> | T1 | <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>5 per day</div> </div> |
| GABITRIL | T3 | |
| HORIZANT ER 300 MG TABLET | T3 | <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>4 per day</div> </div> |
| HORIZANT ER 600 MG TABLET | T3 | <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>2 per day</div> </div> |
| <i>lamotrigine (25 mg tablet, 100 mg tablet, 150 mg tablet, 200 mg tablet)</i> | T1 | |
| <i>lamotrigine (5 mg disper tablet, 25 mg disper tab)</i> | T1 | <div style="display: flex; align-items: center;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> |
| <i>lamotrigine (blue)</i> | T1 | |
| <i>lamotrigine (green)</i> | T1 | |
| <i>lamotrigine (orange)</i> | T1 | |
| <i>lamotrigine er</i> | T1 | |
| <i>lamotrigine odt</i> | T1 | <div style="display: flex; align-items: center;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> |
| <i>lamotrigine odt (blue)</i> | T1 | |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|---|
| <i>lamotrigine odt (green)</i> | T1 | |
| <i>lamotrigine odt (orange)</i> | T1 | |
| <i>levetiracetam (100 mg/ml soln, 250 mg tablet, 500 mg tablet, 500 mg/5 ml soln, 750 mg tablet, 1,000 mg tablet, 1000 mg/10 ml)</i> | T1 | |
| <i>levetiracetam er</i> | T1 | |
| <i>oxcarbazepine (150 mg tablet, 300 mg tablet, 300 mg/5 ml susp, 600 mg tablet)</i> | T1 | |
| <i>pregabalin (225 mg capsule, 300 mg capsule)</i> | T1 | QPD 2 per day |
| <i>pregabalin (25 mg capsule, 50 mg capsule, 75 mg capsule, 100 mg capsule, 150 mg capsule, 200 mg capsule)</i> | T1 | QPD 3 per day |
| <i>pregabalin 20 mg/ml solution</i> | T1 | QPD 30 per day |
| ROWEEPRA | T1 | |
| ROWEEPRA XR | T1 | |
| <i>rufinamide (40 mg/ml suspension, 200 mg tablet, 400 mg tablet)</i> | T1 | PA |
| SABRIL (500 MG POWDER PACKET, 500 MG TABLET) | T4 | NPS Non-Preferred Specialty Drug PA QPD 6 per day |
| SPRITAM | T3 | AL At least 4 yrs old QPD 3 per day |
| SUBVENITE | T1 | |
| SUBVENITE (BLUE) | T1 | |
| SUBVENITE (GREEN) | T1 | |
| SUBVENITE (ORANGE) | T1 | |
| <i>tiagabine hcl</i> | T1 | |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|---|
| <i>topiramate 15 mg sprinkle cap</i> | T1 | LCG |
| <i>topiramate (25 mg sprinkle cap, 25 mg tablet, 50 mg tablet, 100 mg tablet, 200 mg tablet)</i> | T1 | |
| <i>topiramate er</i> | T1 | PA |
| TROKENDI XR | T3 | ST |
| <i>valproic acid (250 mg capsule, 250 mg/5 ml soln)</i> | T1 | |
| <i>valproic acid 500 mg/10 ml sol</i> | T1 | |
| <i>vigabatrin 500 mg powder packt</i> | T4 | PS PA QPD 6 per day |
| <i>vigabatrin 500 mg tablet</i> | T4 | NPS Non-Preferred Specialty Drug PA QPD 6 per day |
| VIGADRONE | T4 | NPS Non-Preferred Specialty Drug PA QPD 6 per day |
| VIMPAT 10 MG/ML SOLUTION | T3 | QPD 50 per day |
| VIMPAT (150 MG TABLET, 200 MG TABLET, STARTER KIT) | T3 | QPD 2 per day |
| VIMPAT (50 MG TABLET, 100 MG TABLET) | T3 | QPD 4 per day |
| XCOPRI (12.5-25 MG PK, 50-100 MG PAK, 150-200 MG PK) | T3 | PA QPD 1 per day |
| XCOPRI (150 MG TABLET, 200 MG TABLET, 250 MG DAILY DOSE PACK, 350 MG DAILY DOSE PACK) | T3 | PA QPD 2 per day |
| XCOPRI (50 MG TABLET, 100 MG TABLET) | T3 | PA QPD 4 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|--|
| <i>zonisamide (25 mg capsule, 100 mg capsule)</i> | T1 | |
| <i>zonisamide 50 mg capsule</i> | T1 | LCG |
| BARBITURATES (ANTICONVULSANTS) | | |
| MYSOLINE | T3 | |
| <i>primidone</i> | T1 | |
| BENZODIAZEPINES (ANTICONVULSANTS) | | |
| <i>clobazam 2.5 mg/ml suspension</i> | T4 | NPS Non-Preferred Specialty Drug PA |
| <i>clobazam (10 mg tablet, 20 mg tablet)</i> | T1 | PA |
| <i>clonazepam (2 mg odt, 2 mg tablet)</i> | T1 | QPD 10 per day |
| <i>clonazepam (0.125 mg dis tab, 0.125 mg odt, 0.25 mg odt, 0.5 mg dis tablet, 0.5 mg odt, 0.5 mg tablet, 1 mg dis tablet, 1 mg odt, 1 mg tablet)</i> | T1 | QPD 3 per day |
| NAYZILAM | T3 | QL 10 / 30 days |
| HYDANTOINS | | |
| DILANTIN 30 MG CAPSULE | T3 | |
| PEGANONE | T3 | |
| PHENYTEK | T3 | |
| <i>phenytoin (50 mg infatab, 50 mg tablet chew, 100 mg/4 ml susp, 125 mg/5 ml susp)</i> | T1 | |
| <i>phenytoin sodium extended</i> | T1 | |
| SUCCINIMIDES | | |
| CELONTIN | T3 | |
| <i>ethosuximide (250 mg capsule, 250 mg/5 ml soln)</i> | T1 | |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|--|
| ZARONTIN (250 MG CAPSULE, 250 MG/5 ML SOLUTION) | T3 | |
| ANTIDEPRESSANTS | | |
| ANTIDEPRESSANTS, MISCELLANEOUS | | |
| APLENZIN | T3 | ST QPD 1 per day |
| <i>bupropion hcl 100 mg tablet</i> | T1 | QPD 5 per day |
| <i>bupropion hcl 75 mg tablet</i> | T1 | QPD 6 per day |
| <i>bupropion hcl sr 100 mg tablet</i> | T1 | QPD 4 per day |
| <i>bupropion hcl sr (sr 150 mg tablet, sr 200 mg tablet)</i> | T1 | QPD 2 per day |
| <i>bupropion hcl xl 150 mg tablet</i> | T1 | QPD 3.0 per day |
| <i>bupropion hcl xl 300 mg tablet</i> | T1 | QPD 1 per day |
| <i>mirtazapine 7.5 mg tablet</i> | T1 | QPD 2 per day |
| <i>mirtazapine (15 mg odt, 15 mg tablet, 30 mg odt, 30 mg tablet, 45 mg odt, 45 mg tablet)</i> | T1 | QPD 1 per day |
| REMERON (15 MG SOLTAB, 15 MG TABLET, 30 MG SOLTAB, 30 MG TABLET, 45 MG SOLTAB) | T3 | QPD 1 per day |
| SPRAVATO (28 MG NASAL SPRAY, 84 MG DOSE PACK) | T4 | NPS Non-Preferred Specialty Drug PA QPD 0.87 per day |
| SPRAVATO 56 MG DOSE PACK | T4 | NPS Non-Preferred Specialty Drug PA QPD 0.58 per day |
| MONOAMINE OXIDASE INHIBITORS | | |
| MARPLAN | T3 | QPD 6 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|----------------------------|
| NARDIL | T3 | QPD 6 per day |
| PARNATE | T3 | QPD 6 per day |
| <i>phenelzine sulfate</i> | T1 | QPD 6 per day |
| <i>tranylcypromine sulfate</i> | T1 | QPD 6 per day |
| SEL.SEROTONIN,NOREPI REUPTAKE INHIBITOR | | |
| <i>desvenlafaxine er</i> | T3 | QPD 1 per day HCG |
| <i>desvenlafaxine succinate er</i> | T1 | QPD 1 per day |
| DRIZALMA SPRINKLE | T3 | QPD 2 per day |
| <i>duloxetine hcl (dr 20 mg cap, dr 40 mg cap, dr 60 mg cap)</i> | T1 | QPD 2 per day |
| <i>duloxetine hcl dr 30 mg cap</i> | T1 | QPD 4 per day |
| FETZIMA (20-40 MG TITRATION PAK, ER 20 MG CAPSULE, ER 40 MG CAPSULE, ER 80 MG CAPSULE, ER 120 MG CAPSULE) | T3 | ST QPD 1 per day |
| <i>venlafaxine hcl (37.5 mg tablet, 50 mg tablet, 75 mg tablet, 100 mg tablet)</i> | T1 | |
| <i>venlafaxine hcl 25 mg tablet</i> | T1 | LCG |
| <i>venlafaxine hcl er (er 37.5 mg cap, er 150 mg cap)</i> | T1 | QPD 1 per day |
| <i>venlafaxine hcl er 75 mg cap</i> | T1 | QPD 3 per day |
| <i>venlafaxine hcl er (er 37.5 mg tab, er 75 mg tab, er 150 mg tab, er 225 mg tab)</i> | T3 | QPD 1 per day HCG |
| SELECTIVE-SEROTONIN REUPTAKE INHIBITORS | | |
| <i>citalopram hbr (10 mg/5 ml soln, 20 mg/10 ml sol)</i> | T1 | PR QPD 20 per day |
| <i>citalopram hbr (10 mg tablet, 20 mg tablet, 40 mg tablet)</i> | T1 | PR QPD 1 per day LCG |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|-------------------------------|
| <i>escitalopram oxalate 5 mg/5 ml</i> | T1 | PR QPD 20 per day |
| <i>escitalopram 20 mg tablet</i> | T1 | PR QPD 1 per day |
| <i>escitalopram oxalate (5 mg tablet, 10 mg tablet)</i> | T1 | PR QPD 1.5 per day |
| <i>fluoxetine dr</i> | T3 | PR QPD 0.15 per day HCG |
| <i>fluoxetine hcl 10 mg capsule</i> | T1 | PR QPD 1 per day LCG |
| <i>fluoxetine hcl 20 mg capsule</i> | T1 | PR QPD 4 per day LCG |
| <i>fluoxetine hcl 40 mg capsule</i> | T1 | PR QPD 2 per day |
| <i>fluoxetine 20 mg/5 ml solution</i> | T1 | PR QPD 20 per day |
| <i>fluoxetine hcl (10 mg tablet, 60 mg tablet)</i> | T3 | PR QPD 1.5 per day HCG |
| <i>fluoxetine hcl 20 mg tablet</i> | T3 | PR QPD 4 per day HCG |
| <i>fluvoxamine maleate (25 mg tab, 50 mg tab)</i> | T1 | PR QPD 1 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|---|
| <i>fluvoxamine maleate 100 mg tab</i> | T1 | PR QPD 3 per day |
| <i>fluvoxamine maleate er</i> | T1 | PR QPD 2 per day |
| <i>olanzapine-fluoxetine hcl</i> | T1 | AL At least 10 yrs old PR QPD 1 per day |
| <i>paroxetine cr (cr 25 mg tablet, cr 37.5 mg tablet)</i> | T1 | PR QPD 2 per day |
| <i>paroxetine cr 12.5 mg tablet</i> | T1 | PR QPD 1 per day |
| <i>paroxetine er (er 25 mg tablet, er 37.5 mg tablet)</i> | T1 | PR QPD 2 per day |
| <i>paroxetine er 12.5 mg tablet</i> | T1 | PR QPD 1 per day |
| <i>paroxetine hcl 10 mg/5 ml susp</i> | T1 | PA QPD 42.0 per day |
| <i>paroxetine hcl 10 mg tablet</i> | T1 | PR QPD 1.5 per day LCG |
| <i>paroxetine hcl 20 mg tablet</i> | T1 | PR QPD 1 per day LCG |
| <i>paroxetine hcl 30 mg tablet</i> | T1 | PR QPD 2 per day |
| <i>paroxetine hcl 40 mg tablet</i> | T1 | PR QPD 1 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|---|
| <i>paroxetine mesylate</i> | T1 | QPD 1 per day |
| PAXIL 10 MG/5 ML SUSPENSION | T3 | PA QPD 42 per day |
| PEXEVA | T3 | PA QPD 1 per day |
| SARAFEM 10 MG TABLET | T3 | QPD 1.5 per day |
| SARAFEM 20 MG TABLET | T3 | QPD 4 per day |
| <i>sertraline 20 mg/ml oral conc</i> | T1 | PR QPD 10 per day |
| <i>sertraline hcl (25 mg tablet, 50 mg tablet)</i> | T1 | PR QPD 1.5 per day LCG |
| <i>sertraline hcl 100 mg tablet</i> | T1 | PR QPD 2 per day LCG |
| SYMBYAX | T3 | AL At least 10 yrs old PR QPD 1 per day |
| SEROTONIN MODULATORS | | |
| <i>nefazodone hcl 100 mg tablet</i> | T1 | QPD 6 per day |
| <i>nefazodone hcl 150 mg tablet</i> | T1 | QPD 4 per day |
| <i>nefazodone hcl 200 mg tablet</i> | T1 | QPD 3 per day |
| <i>nefazodone hcl 250 mg tablet</i> | T1 | QPD 2.5 per day |
| <i>nefazodone hcl 50 mg tablet</i> | T1 | QPD 12 per day |
| <i>trazodone 100 mg tablet</i> | T1 | QPD 4 per day LCG |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|-----------------------|
| <i>trazodone 150 mg tablet</i> | T1 | QPD 2 per day LCG |
| <i>trazodone 300 mg tablet</i> | T1 | QPD 1 per day |
| <i>trazodone 50 mg tablet</i> | T1 | QPD 3 per day LCG |
| TRINTELLIX | T3 | ST QPD 1 per day |
| VIIBRYD 10-20 MG STARTER PACK | T3 | |
| VIIBRYD (10 MG TABLET, 20 MG TABLET, 40 MG TABLET) | T3 | QPD 1 per day |
| TRICYCLICS, OTHER NOREPI-RU INHIBITORS | | |
| <i>amitriptyline hcl</i> | T1 | LCG |
| <i>amoxapine</i> | T1 | |
| ANAFRANIL | T3 | |
| <i>chlordiazepoxide-amitriptyline</i> | T1 | |
| <i>clomipramine hcl</i> | T1 | |
| <i>desipramine hcl</i> | T1 | |
| <i>doxepin hcl (10 mg capsule, 25 mg capsule, 50 mg capsule, 100 mg capsule)</i> | T1 | LCG |
| <i>doxepin hcl (10 mg/ml oral conc, 75 mg capsule, 150 mg capsule)</i> | T1 | |
| <i>doxepin hcl (3 mg tablet, 6 mg tablet)</i> | T1 | QPD 1 per day |
| ELAVIL | T3 | |
| <i>imipramine hcl</i> | T1 | LCG |
| <i>imipramine pamoate</i> | T1 | |
| <i>maprotiline hcl</i> | T1 | |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|---|
| NORPRAMIN | T3 | |
| <i>nortriptyline hcl (10 mg/5 ml soln, hcl 10 mg cap, hcl 25 mg cap, hcl 50 mg cap, hcl 75 mg cap)</i> | T1 | |
| PAMELOR | T3 | |
| <i>perphenazine-amitriptyline</i> | T1 | |
| <i>protriptyline hcl</i> | T1 | |
| SILENOR | T3 | QPD 1 per day |
| TOFRANIL | T3 | |
| <i>trimipramine maleate</i> | T1 | |
| ANTIDIABETIC AGENTS | | |
| ALPHA-GLUCOSIDASE INHIBITORS | | |
| <i>acarbose 100 mg tablet</i> | T1 | PR QPD 3 per day |
| <i>acarbose 25 mg tablet</i> | T1 | PR QPD 12 per day |
| <i>acarbose 50 mg tablet</i> | T1 | QL 180 / 30 days PR QPD 6 per day |
| GLYSET | T3 | PR QPD 3 per day |
| <i>miglitol</i> | T1 | PR QPD 3 per day |
| PRECOSE 100 MG TABLET | T3 | PR QPD 3 per day |
| PRECOSE 25 MG TABLET | T3 | PR QPD 12 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|--|
| PRECOSE 50 MG TABLET | T3 | PR QPD 6 per day |
| AMYLINOMIMETICS | | |
| SYMLINPEN 120 | T2 | PR PA QPD 0.4 per day |
| SYMLINPEN 60 | T2 | PR PA QPD 0.2 per day |
| ANTIDIABETIC AGENTS, MISCELLANEOUS | | |
| KORLYM | T4 | NPS Non-Preferred Specialty Drug PA |
| BIGUANIDES | | |
| <i>metformin hcl 500 mg/5 ml soln</i> | T1 | PR QPD 25 per day |
| <i>metformin hcl 1,000 mg tablet</i> | T1 | PR QPD 2.5 per day LCG |
| <i>metformin hcl 500 mg tablet</i> | T1 | PR QPD 5 per day LCG |
| <i>metformin hcl 850 mg tablet</i> | T1 | PR QPD 3 per day LCG |
| <i>metformin hcl er 500 mg tablet</i> | T1 | PR QPD 5 per day LCG |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|---------------------------|
| <i>metformin hcl er 750 mg tablet</i> | T1 | PR QPD 3 per day |
| DIPEPTIDYL PEPTIDASE-4(DPP-4) INHIBITORS | | |
| JANUMET | T2 | PR PA QPD 2 per day |
| JANUMET XR (50-1,000 MG TABLET, 50-500 MG TABLET) | T2 | PR PA QPD 2 per day |
| JANUMET XR 100-1,000 MG TABLET | T2 | PR PA QPD 1 per day |
| JANUVIA | T2 | PR PA QPD 1 per day |
| JENTADUETO | T2 | PR PA QPD 2 per day |
| JENTADUETO XR 2.5 MG-1,000 MG | T2 | PR PA QPD 2 per day |
| JENTADUETO XR 5 MG-1,000 MG TB | T2 | PR PA QPD 1 per day |
| TRADJENTA | T2 | PR PA QPD 1 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|---|
| INCRETIN MIMETICS | | |
| BYDUREON BCISE | T2 | PR PA QPD 0.15 per day |
| BYDUREON PEN | T2 | PR PA QPD 0.15 per day |
| BYETTA 10 MCG DOSE PEN INJ | T2 | PR PA QPD 0.08 per day |
| BYETTA 5 MCG DOSE PEN INJ | T2 | PR PA QPD 0.04 per day |
| OZEMPIC (1 MG/DOSE (2 MG/1.5ML), 1 MG/DOSE (4 MG/3 ML)) | T2 | PR PA QPD 0.124 per day |
| OZEMPIC 0.25-0.5 MG/DOSE PEN | T2 | PR PA QPD 0.067 per day |
| RYBELSUS | T2 | PR PA QPD 1 per day |
| SAXENDA | T3 | AL At least 12 yrs old PA QPD 0.5 per day |
| TRULICITY | T2 | PR PA QPD 0.08 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|---|
| VICTOZA 2-PAK | T2 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #003366; color: white; padding: 2px 5px; border-radius: 3px;">PR</div> <div style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> <div style="background-color: #0070C0; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> </div> 0.3 per day |
| VICTOZA 3-PAK | T2 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #003366; color: white; padding: 2px 5px; border-radius: 3px;">PR</div> <div style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> <div style="background-color: #0070C0; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> </div> 0.3 per day |
| WEGOVY (0.25 MG/0.5 ML PEN, 0.5 MG/0.5 ML PEN, 1 MG/0.5 ML PEN) | T3 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #C00040; color: white; padding: 2px 5px; border-radius: 3px;">AL</div> <div style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> <div style="background-color: #0070C0; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> </div> At least 18 yrs old 0.072 per day |
| WEGOVY (1.7 MG/0.75 ML PEN, 2.4 MG/0.75 ML PEN) | T3 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #C00040; color: white; padding: 2px 5px; border-radius: 3px;">AL</div> <div style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> <div style="background-color: #0070C0; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> </div> At least 18 yrs old 0.108 per day |
| MEGLITINIDES | | |
| <i>nateglinide</i> | T1 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #003366; color: white; padding: 2px 5px; border-radius: 3px;">PR</div> <div style="background-color: #0070C0; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> </div> 3 per day |
| <i>repaglinide (0.5 mg tablet, 1 mg tablet)</i> | T1 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #003366; color: white; padding: 2px 5px; border-radius: 3px;">PR</div> <div style="background-color: #0070C0; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> </div> 4 per day |
| <i>repaglinide 2 mg tablet</i> | T1 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #003366; color: white; padding: 2px 5px; border-radius: 3px;">PR</div> <div style="background-color: #0070C0; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> </div> 8 per day |
| <i>repaglinide-metformin hcl</i> | T1 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #003366; color: white; padding: 2px 5px; border-radius: 3px;">PR</div> <div style="background-color: #0070C0; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> </div> 5 per day |
| STARLIX | T3 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #003366; color: white; padding: 2px 5px; border-radius: 3px;">PR</div> <div style="background-color: #0070C0; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> </div> 3 per day |
| SODIUM-GLUC COTRANSPORT 2 (SGLT2) INHIB | | |
| FARXIGA | T2 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #003366; color: white; padding: 2px 5px; border-radius: 3px;">PR</div> <div style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> <div style="background-color: #0070C0; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> </div> 1 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|--|
| GLYXAMBI | T2 | <div style="display: flex; flex-direction: column; align-items: center;"> <div style="background-color: #003366; color: white; padding: 2px 5px; border-radius: 3px;">PR</div> <div style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> <div style="background-color: #0070C0; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> </div> 1 per day |
| JARDIANCE | T2 | <div style="display: flex; flex-direction: column; align-items: center;"> <div style="background-color: #003366; color: white; padding: 2px 5px; border-radius: 3px;">PR</div> <div style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> <div style="background-color: #0070C0; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> </div> 1 per day |
| SYNJARDY | T2 | <div style="display: flex; flex-direction: column; align-items: center;"> <div style="background-color: #003366; color: white; padding: 2px 5px; border-radius: 3px;">PR</div> <div style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> <div style="background-color: #0070C0; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> </div> 2 per day |
| SYNJARDY XR (5-1,000 MG TABLET, 10-1,000 MG TABLET, 12.5-1,000 MG TAB) | T2 | <div style="display: flex; flex-direction: column; align-items: center;"> <div style="background-color: #003366; color: white; padding: 2px 5px; border-radius: 3px;">PR</div> <div style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> <div style="background-color: #0070C0; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> </div> 2 per day |
| SYNJARDY XR 25-1,000 MG TABLET | T2 | <div style="display: flex; flex-direction: column; align-items: center;"> <div style="background-color: #003366; color: white; padding: 2px 5px; border-radius: 3px;">PR</div> <div style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> <div style="background-color: #0070C0; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> </div> 1 per day |
| TRIJARDY XR (10-5-1,000 MG TAB, 25-5-1,000 MG TAB) | T2 | <div style="display: flex; flex-direction: column; align-items: center;"> <div style="background-color: #003366; color: white; padding: 2px 5px; border-radius: 3px;">PR</div> <div style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> <div style="background-color: #0070C0; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> </div> 1 per day |
| TRIJARDY XR (5-2.5-1,000 MG TAB, 12.5-2.5-1,000 MG) | T2 | <div style="display: flex; flex-direction: column; align-items: center;"> <div style="background-color: #003366; color: white; padding: 2px 5px; border-radius: 3px;">PR</div> <div style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> <div style="background-color: #0070C0; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> </div> 2 per day |
| XIGDUO XR (2.5 MG TAB, 5 MG TABLET) | T2 | <div style="display: flex; flex-direction: column; align-items: center;"> <div style="background-color: #003366; color: white; padding: 2px 5px; border-radius: 3px;">PR</div> <div style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> <div style="background-color: #0070C0; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> </div> 2 per day |
| XIGDUO XR (5 MG-500 MG TABLET, 10 MG-1,000 MG TAB, 10 MG-500 MG TABLET) | T2 | <div style="display: flex; flex-direction: column; align-items: center;"> <div style="background-color: #003366; color: white; padding: 2px 5px; border-radius: 3px;">PR</div> <div style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> <div style="background-color: #0070C0; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> </div> 1 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|----------------------------|
| SULFONYLUREAS | | |
| AMARYL | T3 | PR |
| <i>glimepiride</i> | T1 | PR LCG |
| <i>glipizide</i> | T1 | PR LCG |
| <i>glipizide er</i> | T1 | PR LCG |
| <i>glipizide xl</i> | T1 | PR LCG |
| <i>glipizide-metformin (2.5-500 mg, 5-500 mg)</i> | T1 | PR QPD 4 per day |
| <i>glipizide-metformin 2.5-250 mg</i> | T1 | PR QPD 8 per day |
| GLUCOTROL | T3 | PR |
| GLUCOTROL XL | T3 | PR |
| <i>glyburide</i> | T1 | PR LCG |
| <i>glyburide micronized</i> | T1 | PR LCG |
| <i>glyburid-metformin 1.25-250 mg</i> | T1 | PR QPD 8 per day LCG |
| <i>glyburide-metformin hcl (2.5-500 mg, 5-500 mg)</i> | T1 | PR QPD 4 per day |
| GLYNASE | T3 | PR |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|----------------------------------|
| THIAZOLIDINEDIONES | | |
| ACTOPLUS MET | T3 | PR QPD 3 per day |
| ACTOPLUS MET XR | T3 | PR PA QPD 3 per day |
| ACTOS (15 MG TABLET, 45 MG TABLET) | T3 | PR QPD 1 per day |
| AVANDIA 2 MG TABLET | T3 | PR PA QPD 3 per day |
| AVANDIA 4 MG TABLET | T3 | PR PA QPD 2 per day |
| DUETACT | T3 | PR QPD 1 per day |
| <i>pioglitazone hcl</i> | T1 | PR QPD 1 per day |
| <i>pioglitazone-glimepiride</i> | T1 | PR QPD 1 per day |
| <i>pioglitazone-metformin</i> | T1 | PR QPD 3 per day |
| ANTIEMETICS | | |
| 5-HT3 RECEPTOR ANTAGONISTS | | |
| <i>granisetron hcl 1 mg tablet</i> | T1 | QL 6 / 30 days |
| <i>ondansetron hcl (4 mg/2 ml isecure, hcl 4 mg/2 ml amp, hcl 4 mg/2 ml syr)</i> | T4 | NPS Non-Preferred Specialty Drug |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|--|
| <i>ondansetron 4 mg/5 ml solution</i> | T1 | QPD 20 per day |
| <i>ondansetron hcl (4 mg tablet, 8 mg tablet)</i> | T1 | QL 24 / 30 days |
| <i>ondansetron hcl 24 mg tablet</i> | T1 | QL 3 days |
| <i>ondansetron hcl (hcl 4 mg/2 ml vial, 40 mg/20 ml vial)</i> | T4 | NPS Non-Preferred Specialty Drug |
| <i>ondansetron hcl-0.9% nacl (8mg/50ml-0.9% nacl, 16mg/50ml-0.9%nacl)</i> | T4 | NPS Non-Preferred Specialty Drug |
| <i>ondansetron odt</i> | T1 | QL 24 / 30 days |
| ZOFRAN | T3 | QL 24 / 30 days |
| ZUPLENZ | T3 | QL 24 / 30 days |
| ANTIEMETICS, MISCELLANEOUS | | |
| <i>dronabinol</i> | T1 | QPD 5 per day |
| MARINOL | T3 | PA QPD 5 per day |
| <i>scopolamine</i> | T1 | |
| SYNDROS | T3 | AL At least 18 yrs old PA QPD 13 per day |
| TRANSDERM-SCOP | T3 | |
| ANTIHISTAMINES (GI DRUGS) | | |
| ANTIVERT | T3 | |
| BONJESTA | T3 | PA QPD 2 per day |
| COMPAZINE 25 MG SUPPOSITORY | T1 | |
| COMPAZINE (5 MG TABLET, 10 MG TABLET) | T3 | |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|--|
| COMPRO | T1 | |
| DICLEGIS | T3 | PA QPD 4 per day |
| <i>doxylamine succ-pyridoxine hcl</i> | T1 | PA QPD 4 per day |
| <i>meclizine 25 mg tablet</i> | T1 | |
| <i>prochlorperazine</i> | T1 | |
| <i>prochlorperazine 50 mg/10 ml</i> | T1 | |
| <i>prochlorperazine maleate</i> | T1 | |
| TIGAN 300 MG CAPSULE | T3 | |
| <i>trimethobenzamide hcl</i> | T1 | |
| NEUROKININ-1 RECEPTOR ANTAGONISTS | | |
| AKYNZEO 300-0.5 MG CAPSULE | T3 | PA QPD 0.15 per day |
| <i>aprepitant 125-80-80 mg pack</i> | T3 | QL 3/ fill HCG |
| <i>aprepitant (40 mg capsule, 125 mg capsule)</i> | T1 | QPD 0.08 per day |
| <i>aprepitant 80 mg capsule</i> | T1 | QPD 0.15 per day |
| EMEND TRIPACK | T3 | QL 3/ fill |
| EMEND (40 MG CAPSULE, 125 MG CAPSULE, 125 MG POWDER PACKET) | T3 | QPD 0.08 per day |
| EMEND 80 MG CAPSULE | T3 | QPD 0.15 per day |
| VARUBI (90 MG TABLET, 180 MG DOSE(2X 90MG TB)) | T4 | NPS Non-Preferred Specialty Drug PA QPD 0.15 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|--|
| ANTIFUNGAL (SYSTEMIC) | | |
| ALLYLAMINE ANTIFUNGALS | | |
| <i>terbinafine hcl</i> | T1 | |
| ANTIFUNGALS, MISCELLANEOUS | | |
| BREXAFEMME | T3 | QL 4 / fill PA |
| <i>griseofulvin 125 mg/5 ml susp</i> | T1 | |
| <i>griseofulvin micro 500 mg tab</i> | T3 | HCG |
| <i>griseofulvin ultramicrosize</i> | T3 | HCG |
| AZOLE ANTIFUNGALS | | |
| CRESEMBA 186 MG CAPSULE | T3 | PA |
| DIFLUCAN (10 MG/ML SUSPENSION, 40 MG/ML SUSPENSION, 50 MG TABLET, 100 MG TABLET, 200 MG TABLET) | T3 | |
| DIFLUCAN 150 MG TABLET | T3 | QPD 1 per day |
| <i>fluconazole (10 mg/ml susp, 40 mg/ml susp, 50 mg tablet, 100 mg tablet, 200 mg tablet)</i> | T1 | |
| <i>fluconazole 150 mg tablet</i> | T1 | QPD 1 per day LCG |
| <i>itraconazole (10 mg/ml solution, 100 mg capsule)</i> | T1 | |
| <i>ketoconazole 200 mg tablet</i> | T1 | |
| NOXAFIL (40 MG/ML SUSPENSION, DR 100 MG TABLET) | T3 | |
| ONMEL | T3 | PA |
| <i>posaconazole</i> | T1 | |
| VFEND 40 MG/ML SUSPENSION | T4 | NPS Non-Preferred Specialty Drug QPD 20 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|--|
| VFEND (50 MG TABLET, 200 MG TABLET) | T3 | QPD 4 per day |
| <i>voriconazole 40 mg/ml susp</i> | T4 | NPS Non-Preferred Specialty Drug QPD 20 per day |
| <i>voriconazole (50 mg tablet, 200 mg tablet)</i> | T1 | QPD 4 per day |
| POLYENE ANTIFUNGALS | | |
| <i>nystatin (100,000 unit/ml susp, 500,000 unit oral tab, 500,000 unit/5 ml sus)</i> | T1 | |
| PYRIMIDINE ANTIFUNGALS | | |
| ANCOBON | T3 | |
| <i>flucytosine</i> | T1 | |
| ANTIFUNGALS (SKIN AND MUCOUS MEMBRANE) | | |
| ALLYLAMINES (SKIN AND MUCOUS MEMBRANE) | | |
| <i>naftifine hcl (1% cream, 2% cream)</i> | T3 | ST HCG |
| <i>naftifine hcl 1% gel</i> | T1 | ST HCG |
| ANTIFULGALS (SKIN, MUCOUS MEMBRANE),MISC | | |
| TRIPLE DYE | T3 | |
| AZOLES (SKIN AND MUCOUS MEMBRANE) | | |
| <i>clotrimazole 10 mg troche</i> | T1 | |
| <i>clotrimazole-betamethasone crm</i> | T1 | |
| <i>econazole nitrate</i> | T1 | |
| <i>ketoconazole 2% cream</i> | T1 | QPD 2 per day |
| <i>ketoconazole 2% shampoo</i> | T1 | |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|---|
| LOTRISONE | T3 | |
| <i>luliconazole</i> | T1 | PA QPD 2 per day |
| <i>miconazole 3 200 mg vag supp</i> | T3 | GL Female |
| NIZORAL | T3 | |
| ORAVIG | T3 | |
| <i>oxiconazole nitrate</i> | T3 | ST HCG |
| <i>terconazole (0.4% cream, 0.8% cream)</i> | T1 | GL Female QPD 1.5 per day |
| <i>terconazole 80 mg suppository</i> | T3 | GL Female QPD 1.5 per day HCG |
| HYDROXYPYRIDONES (SKIN, MUCOUS MEMBRANE) | | |
| CICLODAN 8% SOLUTION | T1 | QPD 0.22 per day |
| <i>ciclopirox (0.77% cream, 0.77% gel, 0.77% topical susp, 1% shampoo)</i> | T1 | |
| <i>ciclopirox 8% solution</i> | T1 | QPD 0.22 per day |
| LOPROX 1% SHAMPOO | T3 | |
| PENLAC | T3 | QPD 0.3 per day |
| OXABOROLES | | |
| KERYDIN | T3 | AL At least 6 yrs old PA QPD 0.67 per day |
| <i>tavaborole</i> | T1 | AL At least 6 yrs old PA QPD 0.67 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|------------------------|
| POLYENES (SKIN AND MUCOUS MEMBRANE) | | |
| NYAMYC | T1 | |
| <i>nystatin (unit/gm cream, unit/gm oint)</i> | T1 | |
| <i>nystatin 100,000 unit/gm powd</i> | T1 | QPD 1 per day |
| <i>nystatin-triamcinolone cream</i> | T1 | |
| <i>nystatin-triamcinolone ointm</i> | T3 | HCG |
| NYSTOP | T1 | |
| ANTIGLAUCOMA AGENTS | | |
| ALPHA-ADRENERGIC AGONISTS (EENT) | | |
| ALPHAGAN P 0.1% DROPS | T2 | QPD 0.4 per day |
| <i>brimonidine 0.2% eye drop</i> | T1 | QPD 0.4 per day |
| <i>brimonidine tartrate 0.15% drp</i> | T3 | QPD 0.4 per day HCG |
| COMBIGAN | T2 | QPD 0.334 per day |
| BETA-ADRENERGIC BLOCKING AGENTS (EENT) | | |
| <i>betaxolol hcl 0.5% eye drop</i> | T1 | QPD 0.54 per day |
| BETIMOL 0.25% EYE DROPS | T3 | QPD 0.286 per day |
| BETIMOL 0.5% EYE DROPS | T3 | QPD 0.334 per day |
| BETOPTIC S | T3 | QPD 0.54 per day |
| <i>carteolol hcl</i> | T1 | QPD 0.334 per day |
| ISTALOL | T3 | QPD 0.286 per day |
| <i>levobunolol hcl</i> | T1 | QPD 0.4 per day |
| <i>metipranolol</i> | T1 | QPD 0.334 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|-------------------------|
| <i>timolol maleate 0.5% eye drop</i> | T1 | QPD 2 per day |
| <i>timolol maleate (drop, maleate drops)</i> | T1 | QPD 0.334 per day |
| <i>timolol maleate (0.25% gel-solution, 0.25% gfs gel-solution, maleate 0.25% eye drop, 0.5% gel-solution, 0.5% gfs gel-solution)</i> | T1 | QPD 0.286 per day |
| CARBONIC ANHYDRASE INHIBITORS (EENT) | | |
| <i>acetazolamide</i> | T1 | |
| <i>acetazolamide er</i> | T1 | |
| <i>brinzolamide</i> | T1 | QPD 0.5 per day |
| <i>dorzolamide hcl</i> | T1 | QPD 0.4 per day |
| <i>dorzolamide-timolol 2%-0.5%</i> | T1 | QPD 2 per day |
| <i>dorzolamide-timolol eye drops</i> | T1 | QPD 0.334 per day |
| <i>methazolamide 25 mg tablet</i> | T1 | |
| <i>methazolamide 50 mg tablet</i> | T3 | HCG |
| SIMBRINZA | T2 | QPD 0.4 per day |
| TRUSOPT | T3 | QPD 0.4 per day |
| MIOTICS | | |
| ISOPTO CARPINE | T3 | QPD 0.54 per day |
| <i>pilocarpine hcl (1% drops, 2% drops, 4% drops)</i> | T1 | QPD 0.54 per day |
| PROSTAGLANDIN ANALOGS | | |
| <i>bimatoprost 0.03% eye drops</i> | T3 | QPD 0.13 per day HCG |
| <i>latanoprost 0.005% eye drops</i> | T1 | QPD 0.13 per day |
| LUMIGAN | T2 | QPD 0.13 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|--|
| <i>travoprost</i> | T1 | QPD 0.167 per day |
| XELPROS | T2 | QPD 0.1 per day |
| RHO KINASE INHIBITORS | | |
| RHOPRESSA | T3 | QPD 0.1 per day |
| ROCKLATAN | T3 | QPD 0.1 per day |
| ANTIHEMORRHAGIC AGENTS | | |
| HEMOSTATICS | | |
| AMICAR (0.25 GRAM/ML ORAL SOLN, 500 MG TABLET, 1,000 MG TABLET) | T3 | |
| <i>aminocaproic acid (0.25 gram/ml, 500 mg tab, 1,000 mg tab)</i> | T1 | |
| IDELVION | T4 | NPS Non-Preferred Specialty Drug PA |
| LYSTEDA | T3 | GL Female QPD 6 per day |
| <i>tranexamic acid 650 mg tablet</i> | T1 | GL Female QPD 6 per day |
| VONVENDI | T4 | NPS Non-Preferred Specialty Drug PA |
| ANTIHISTAMINE DRUGS | | |
| SECOND GENERATION ANTIHISTAMINES | | |
| <i>desloratadine 5 mg tablet</i> | T1 | QPD 1 per day |
| <i>desloratadine (2.5 mg odt, 5 mg odt)</i> | T3 | QPD 1 per day HCG |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|---|
| SEMPREX-D | T3 | QPD 4 per day |
| ANTIHYPOGLYCEMIC AGENTS | | |
| ANTIHYPOGLYCEMIC AGENTS, MISCELLANEOUS | | |
| <i>diazoxide</i> | T1 | |
| PROGLYCEM | T3 | |
| GLYCOGENOLYTIC AGENTS | | |
| BAQSIMI | T2 | |
| GLUCAGEN 1 MG HYPOKIT | T3 | ST |
| GLUCAGON EMERGENCY KIT | T2 | |
| GVOKE HYPOPEN 1-PACK | T2 | |
| GVOKE HYPOPEN 2-PACK | T2 | |
| GVOKE PFS 1-PACK SYRINGE | T2 | |
| GVOKE PFS 2-PACK SYRINGE | T2 | |
| ZEGALOGUE AUTOINJECTOR | T3 | ST |
| ZEGALOGUE SYRINGE | T3 | ST |
| ANTILIPEMIC AGENTS | | |
| ANTILIPEMIC AGENTS, MISCELLANEOUS | | |
| <i>icosapent ethyl</i> | T1 | PR PA QPD 4 per day |
| JUXTAPID (20 MG CAPSULE, 30 MG CAPSULE, 40 MG CAPSULE, 60 MG CAPSULE) | T4 | NPS Non-Preferred Specialty Drug PA QPD 1 per day |
| JUXTAPID (5 MG CAPSULE, 10 MG CAPSULE) | T4 | NPS Non-Preferred Specialty Drug PA QPD 2 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|----------------------------------|------|----------------------------|
| NEXLETOL | T2 | PA QPD 1 per day |
| NEXLIZET | T2 | PA QPD 1 per day |
| <i>niacin er 1,000 mg tablet</i> | T3 | PR QPD 2 per day HCG |
| <i>niacin er 500 mg tablet</i> | T3 | PR QPD 3 per day HCG |
| <i>niacin er 750 mg tablet</i> | T3 | PR QPD 2 per day HCG |
| NIACOR | T3 | PR QPD 12 per day |
| <i>cvs omega-3 gummy fish</i> | T1 | |
| <i>omega-3 acid ethyl esters</i> | T1 | PR PA QPD 4 per day |
| THEROMEGA SPORT | T1 | |
| TRIKLO | T1 | PR QPD 4 per day |
| VASCEPA 0.5 GM CAPSULE | T2 | PR PA QPD 4 per day |
| VASCEPA 1 GM CAPSULE | T2 | PR PA QPD 4 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|---------------------------|
| BILE ACID SEQUESTRANTS | | |
| <i>cholestyramine powder</i> | T1 | QPD 24 per day |
| <i>cholestyramine packet</i> | T1 | QPD 4 per day |
| <i>cholestyramine light powder</i> | T1 | QPD 24 per day |
| <i>cholestyramine light packet</i> | T1 | QPD 4 per day |
| <i>colesevelam hcl 3.75 g packet</i> | T1 | QPD 1 per day |
| <i>colesevelam 625 mg tablet</i> | T1 | QPD 6 per day |
| <i>colestipol hcl (granules, granules packet)</i> | T3 | QPD 6 per day HCG |
| <i>colestipol hcl 1 gm tablet</i> | T3 | QPD 4 per day HCG |
| PREVALITE POWDER | T1 | QPD 24 per day |
| PREVALITE PACKET | T1 | QPD 4 per day |
| CHOLESTEROL ABSORPTION INHIBITORS | | |
| <i>ezetimibe</i> | T1 | PR QPD 1 per day |
| <i>ezetimibe-simvastatin</i> | T1 | PR QPD 1 per day |
| FIBRIC ACID DERIVATIVES | | |
| ANTARA 30 MG CAPSULE | T3 | PR PA QPD 2 per day |
| ANTARA 90 MG CAPSULE | T3 | PR PA QPD 1 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|----------------------------|
| <i>fenofibrate (120 mg tablet, 130 mg capsule, 150 mg capsule)</i> | T3 | PR QPD 1 per day HCG |
| <i>fenofibrate (67 mg capsule, 134 mg capsule, 145 mg tablet, 160 mg tablet, 200 mg capsule)</i> | T1 | PR QPD 1 per day |
| <i>fenofibrate 50 mg capsule</i> | T1 | PR QPD 2 per day HCG |
| <i>fenofibrate (43 mg capsule, 48 mg tablet, 54 mg tablet)</i> | T1 | PR QPD 2 per day |
| <i>fenofibrate 40 mg tablet</i> | T3 | PR QPD 2 per day HCG |
| <i>fenofibric acid (105 mg tablet, dr 135 mg cap)</i> | T1 | PR QPD 1 per day |
| <i>fenofibric acid (35 mg tablet, dr 45 mg cap)</i> | T1 | PR QPD 2 per day |
| FENOGLIDE 120 MG TABLET | T3 | PR QPD 1 per day |
| FENOGLIDE 40 MG TABLET | T3 | PR QPD 2 per day |
| FIBRICOR 105 MG TABLET | T3 | PR QPD 1 per day |
| FIBRICOR 35 MG TABLET | T3 | PR QPD 2 per day |
| <i>gemfibrozil</i> | T1 | PR QPD 2 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|---|
| LIPOFEN 150 MG CAPSULE | T3 | <div style="display: flex; flex-direction: column; align-items: center;"> <div style="background-color: #003366; color: white; padding: 2px 5px; margin-bottom: 2px;">PR</div> <div style="background-color: #8B4513; color: white; padding: 2px 5px; margin-bottom: 2px;">PA</div> <div style="background-color: #0070C0; color: white; padding: 2px 5px; margin-bottom: 2px;">QPD</div> </div> 1 per day |
| LIPOFEN 50 MG CAPSULE | T3 | <div style="display: flex; flex-direction: column; align-items: center;"> <div style="background-color: #003366; color: white; padding: 2px 5px; margin-bottom: 2px;">PR</div> <div style="background-color: #8B4513; color: white; padding: 2px 5px; margin-bottom: 2px;">PA</div> <div style="background-color: #0070C0; color: white; padding: 2px 5px; margin-bottom: 2px;">QPD</div> </div> 2 per day |
| LOPID | T3 | <div style="display: flex; flex-direction: column; align-items: center;"> <div style="background-color: #003366; color: white; padding: 2px 5px; margin-bottom: 2px;">PR</div> <div style="background-color: #0070C0; color: white; padding: 2px 5px; margin-bottom: 2px;">QPD</div> </div> 2 per day |
| TRILIPIX DR 135 MG CAPSULE | T3 | <div style="display: flex; flex-direction: column; align-items: center;"> <div style="background-color: #003366; color: white; padding: 2px 5px; margin-bottom: 2px;">PR</div> <div style="background-color: #0070C0; color: white; padding: 2px 5px; margin-bottom: 2px;">QPD</div> </div> 1 per day |
| TRILIPIX DR 45 MG CAPSULE | T3 | <div style="display: flex; flex-direction: column; align-items: center;"> <div style="background-color: #003366; color: white; padding: 2px 5px; margin-bottom: 2px;">PR</div> <div style="background-color: #0070C0; color: white; padding: 2px 5px; margin-bottom: 2px;">QPD</div> </div> 2 per day |
| HMG-COA REDUCTASE INHIBITORS | | |
| ALTOPREV | T3 | <div style="display: flex; flex-direction: column; align-items: center;"> <div style="background-color: #6B8E23; color: white; padding: 2px 5px; margin-bottom: 2px;">ST</div> <div style="background-color: #003366; color: white; padding: 2px 5px; margin-bottom: 2px;">PR</div> <div style="background-color: #0070C0; color: white; padding: 2px 5px; margin-bottom: 2px;">QPD</div> </div> 1 per day |
| <i>amlodipine-atorvastatin</i> | T1 | <div style="display: flex; flex-direction: column; align-items: center;"> <div style="background-color: #003366; color: white; padding: 2px 5px; margin-bottom: 2px;">PR</div> <div style="background-color: #0070C0; color: white; padding: 2px 5px; margin-bottom: 2px;">QPD</div> <div style="background-color: #FFD700; color: black; padding: 2px 5px; margin-bottom: 2px;">HCG</div> </div> 1 per day |
| <i>atorvastatin calcium (10 mg tablet, 20 mg tablet)</i> | T0 | <div style="display: flex; flex-direction: column; align-items: center;"> <div style="background-color: #003366; color: white; padding: 2px 5px; margin-bottom: 2px;">PR</div> <div style="background-color: #00AEEF; color: white; padding: 2px 5px; margin-bottom: 2px;">HCR</div> <div style="background-color: #0070C0; color: white; padding: 2px 5px; margin-bottom: 2px;">QPD</div> </div> 1 per day |
| <i>atorvastatin calcium (40 mg tablet, 80 mg tablet)</i> | T1 | <div style="display: flex; flex-direction: column; align-items: center;"> <div style="background-color: #003366; color: white; padding: 2px 5px; margin-bottom: 2px;">PR</div> <div style="background-color: #0070C0; color: white; padding: 2px 5px; margin-bottom: 2px;">QPD</div> </div> 1 per day |
| CADUET | T3 | <div style="display: flex; flex-direction: column; align-items: center;"> <div style="background-color: #0070C0; color: white; padding: 2px 5px; margin-bottom: 2px;">QPD</div> </div> 1 per day |
| FLOLIPID 20 MG/5 ML ORAL SUSP | T3 | <div style="display: flex; flex-direction: column; align-items: center;"> <div style="background-color: #6B8E23; color: white; padding: 2px 5px; margin-bottom: 2px;">ST</div> <div style="background-color: #003366; color: white; padding: 2px 5px; margin-bottom: 2px;">PR</div> <div style="background-color: #0070C0; color: white; padding: 2px 5px; margin-bottom: 2px;">QPD</div> </div> 10 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|-----------------------------------|
| FLOLIPID 40 MG/5 ML ORAL SUSP | T3 | ST PR QPD 5 per day |
| <i>fluvastatin er</i> | T3 | PR QPD 1 per day HCG |
| <i>fluvastatin sodium 20 mg cap</i> | T3 | PR QPD 1 per day HCG |
| <i>fluvastatin sodium 40 mg cap</i> | T3 | PR QPD 2 per day HCG |
| LESCOL 20 MG CAPSULE | T3 | ST PR QPD 1 per day |
| LESCOL 40 MG CAPSULE | T3 | ST PR QPD 2 per day |
| <i>lovastatin (10 mg tablet, 20 mg tablet)</i> | T0 | PR HCR QPD 1 per day |
| <i>lovastatin 40 mg tablet</i> | T0 | PR HCR QPD 2 per day |
| <i>pravastatin sodium (10 mg tab, 20 mg tab, 40 mg tab)</i> | T0 | PR HCR QPD 1 per day LCG |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|-------------------------------------|
| <i>pravastatin sodium 80 mg tab</i> | T0 | PR HCR |
| <i>rosuvastatin calcium (20 mg tab, 40 mg tab)</i> | T1 | PR QPD 1 per day |
| <i>rosuvastatin calcium (5 mg tab, 10 mg tab)</i> | T0 | PR HCR QPD 1 per day |
| <i>simvastatin 20 mg/5 ml susp</i> | T3 | ST PR QPD 5 per day |
| <i>simvastatin (10 mg tablet, 20 mg tablet, 40 mg tablet)</i> | T0 | PR HCR QPD 1.5 per day LCG |
| <i>simvastatin 5 mg tablet</i> | T0 | PR HCR QPD 1 per day LCG |
| <i>simvastatin 80 mg tablet</i> | T1 | PR QPD 1 per day |
| PCSK9 INHIBITORS | | |
| PRALUENT PEN | T4 | PS PA QPD 0.08 per day |
| REPATHA PUSHTRONEX | T4 | PS PA QPD 0.13 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|---|
| REPATHA SURECLICK | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #f8d7da; padding: 2px; margin-bottom: 2px;">PS</div> <div style="background-color: #d4edda; padding: 2px; margin-bottom: 2px;">PA</div> <div style="background-color: #d1ecf1; padding: 2px;">QPD 0.08 per day</div> </div> |
| REPATHA SYRINGE | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #f8d7da; padding: 2px; margin-bottom: 2px;">PS</div> <div style="background-color: #d4edda; padding: 2px; margin-bottom: 2px;">PA</div> <div style="background-color: #d1ecf1; padding: 2px;">QPD 0.08 per day</div> </div> |
| ANTIMIGRAINE AGENTS | | |
| CALCITONIN GENE-RELATED PEPTIDE ANTAG. | | |
| AIMOVIG 140 MG/ML AUTOINJECTOR | T2 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #f8d7da; padding: 2px; margin-bottom: 2px;">AL At least 18 yrs old</div> <div style="background-color: #d4edda; padding: 2px; margin-bottom: 2px;">PA</div> <div style="background-color: #d1ecf1; padding: 2px;">QPD 0.04 per day</div> </div> |
| AIMOVIG 70 MG/ML AUTOINJECTOR | T2 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #d1ecf1; padding: 2px; margin-bottom: 2px;">QL 2 / 30 days</div> <div style="background-color: #f8d7da; padding: 2px; margin-bottom: 2px;">AL At least 18 yrs old</div> <div style="background-color: #d4edda; padding: 2px;">PA</div> </div> |
| EMGALITY PEN | T2 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #f8d7da; padding: 2px; margin-bottom: 2px;">AL At least 18 yrs old</div> <div style="background-color: #d4edda; padding: 2px; margin-bottom: 2px;">PA</div> <div style="background-color: #d1ecf1; padding: 2px;">QPD 0.04 per day</div> </div> |
| EMGALITY 120 MG/ML SYRINGE | T2 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #f8d7da; padding: 2px; margin-bottom: 2px;">AL At least 18 yrs old</div> <div style="background-color: #d4edda; padding: 2px; margin-bottom: 2px;">PA</div> <div style="background-color: #d1ecf1; padding: 2px;">QPD 0.04 per day</div> </div> |
| EMGALITY SYRINGE (100 MG/ML SYR(1 OF 3), 300 MG (100 MG X3SYR)) | T2 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #f8d7da; padding: 2px; margin-bottom: 2px;">AL At least 18 yrs old</div> <div style="background-color: #d4edda; padding: 2px; margin-bottom: 2px;">PA</div> <div style="background-color: #d1ecf1; padding: 2px;">QPD 0.1 per day</div> </div> |
| NURTEC ODT | T2 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #f8d7da; padding: 2px; margin-bottom: 2px;">AL At least 18 yrs old</div> <div style="background-color: #d4edda; padding: 2px; margin-bottom: 2px;">PA</div> <div style="background-color: #d1ecf1; padding: 2px;">QPD 0.8 per day</div> </div> |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|--|
| UBRELVY | T2 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #800040; color: white; padding: 2px 5px; margin-bottom: 2px;">AL</div> <div style="background-color: #654321; color: white; padding: 2px 5px; margin-bottom: 2px;">PA</div> <div style="background-color: #0056b3; color: white; padding: 2px 5px;">QPD</div> </div> At least 18 yrs old 0.54 per day |
| SELECTIVE SEROTONIN AGONISTS | | |
| <i>almotriptan malate</i> | T3 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #0056b3; color: white; padding: 2px 5px; margin-bottom: 2px;">QPD</div> <div style="background-color: #ffcc00; color: black; padding: 2px 5px;">HCG</div> </div> 0.4 per day |
| AMERGE | T3 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #654321; color: white; padding: 2px 5px; margin-bottom: 2px;">ST</div> <div style="background-color: #0056b3; color: white; padding: 2px 5px;">QPD</div> </div> 0.6 per day |
| <i>eletriptan hbr</i> | T1 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #0056b3; color: white; padding: 2px 5px;">QPD</div> </div> 0.4 per day |
| FROVA | T3 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #654321; color: white; padding: 2px 5px; margin-bottom: 2px;">ST</div> <div style="background-color: #0056b3; color: white; padding: 2px 5px;">QPD</div> </div> 0.6 per day |
| <i>frovatriptan succinate</i> | T3 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #0056b3; color: white; padding: 2px 5px; margin-bottom: 2px;">QPD</div> <div style="background-color: #ffcc00; color: black; padding: 2px 5px;">HCG</div> </div> 0.6 per day |
| <i>naratriptan hcl</i> | T1 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #0056b3; color: white; padding: 2px 5px;">QPD</div> </div> 0.6 per day |
| <i>rizatriptan (5 mg odt, 5 mg tablet, 10 mg odt, 10 mg tablet)</i> | T1 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #0056b3; color: white; padding: 2px 5px;">QPD</div> </div> 0.6 per day |
| <i>sumatriptan</i> | T1 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #660099; color: white; padding: 2px 5px;">QL</div> </div> 6 / 30 days |
| <i>sumatriptan succ-naproxen sod</i> | T1 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #0056b3; color: white; padding: 2px 5px; margin-bottom: 2px;">QPD</div> <div style="background-color: #ffcc00; color: black; padding: 2px 5px;">HCG</div> </div> 0.3 per day |
| <i>sumatriptan succinate (4 mg/0.5 ml cart, 4 mg/0.5 ml inject, 6 mg/0.5 ml cart, 6 mg/0.5 ml inject, 6 mg/0.5 ml syrng, 6 mg/0.5 ml vial)</i> | T1 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #0056b3; color: white; padding: 2px 5px;">QPD</div> </div> 0.167 per day |
| <i>sumatriptan succinate (25 mg tablet, 50 mg tablet, 100 mg tablet)</i> | T1 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #0056b3; color: white; padding: 2px 5px;">QPD</div> </div> 0.3 per day |
| <i>zolmitriptan (2.5 mg nasal spry, 5 mg nasal spray)</i> | T3 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #654321; color: white; padding: 2px 5px; margin-bottom: 2px;">ST</div> <div style="background-color: #0056b3; color: white; padding: 2px 5px;">QPD</div> </div> 0.2 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|---|
| <i>zolmitriptan (2.5 mg tablet, 5 mg tablet)</i> | T1 | QPD 0.2 per day |
| <i>zolmitriptan odt</i> | T1 | QPD 0.2 per day |
| ZOMIG (2.5 MG NASAL SPRAY, 5 MG NASAL SPRAY) | T3 | ST QPD 0.2 per day |
| ANTIMYCOBACTERIALS | | |
| ANTIMYCOBACTERIALS, MISCELLANEOUS | | |
| <i>dapsone (25 mg tablet, 100 mg tablet)</i> | T1 | |
| ANTITUBERCULOSIS AGENTS | | |
| <i>cycloserine</i> | T1 | |
| <i>ethambutol hcl</i> | T1 | |
| <i>isoniazid (50 mg/5 ml solution, 100 mg tablet, 300 mg tablet)</i> | T1 | |
| MYAMBUTOL | T3 | |
| MYCOBUTIN | T3 | |
| PASER | T3 | |
| <i>pretomanid</i> | T3 | AL At least 18 yrs old PA QPD 1 per day |
| PRIFTIN | T3 | QPD 1.25 per day |
| <i>pyrazinamide</i> | T1 | |
| <i>rifabutin</i> | T1 | |
| RIFADIN (150 MG CAPSULE, 300 MG CAPSULE) | T3 | |
| RIFAMATE | T3 | |
| <i>rifampin (150 mg capsule, 300 mg capsule)</i> | T1 | |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|---|
| RIFATER | T3 | |
| SIRTURO | T3 | PA |
| TRECTOR | T3 | |
| ANTINEOPLASTIC AGENTS | | |
| <i>abiraterone 500 mg tablet</i> | T4 | PS PA QPD 2 per day |
| <i>abiraterone acetate 250 mg tab</i> | T4 | PS PA QPD 4 per day |
| AFINITOR (5 MG TABLET, 7.5 MG TABLET, 10 MG TABLET) | T4 | NPS Non-Preferred Specialty Drug PA QPD 2 per day |
| AFINITOR 2.5 MG TABLET | T4 | NPS Non-Preferred Specialty Drug PA QPD 1 per day |
| AFINITOR DISPERZ (2 MG TABLET, 3 MG TABLET) | T4 | NPS Non-Preferred Specialty Drug PA QPD 1 per day |
| AFINITOR DISPERZ 5 MG TABLET | T4 | NPS Non-Preferred Specialty Drug PA QPD 2 per day |
| ALECENSA | T4 | AL At least 18 yrs old NPS Non-Preferred Specialty Drug PA QPD 8 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|--|
| ALKERAN 2 MG TABLET | T3 | |
| ALUNBRIG (90 MG TABLET, 90 MG-180 MG TAB PACK) | T4 | <p>AL At least 18 yrs old</p> <p>NPS Non-Preferred Specialty Drug</p> <p>PA</p> <p>QPD 2 per day</p> |
| ALUNBRIG 180 MG TABLET | T4 | <p>AL At least 18 yrs old</p> <p>NPS Non-Preferred Specialty Drug</p> <p>PA</p> <p>QPD 1 per day</p> |
| ALUNBRIG 30 MG TABLET | T4 | <p>AL At least 18 yrs old</p> <p>NPS Non-Preferred Specialty Drug</p> <p>PA</p> <p>QPD 6 per day</p> |
| <i>anastrozole</i> | T0 | <p>PR</p> <p>HCR</p> |
| AROMASIN | T3 | <p>PR</p> |
| AVASTIN | T4 | <p>NPS Non-Preferred Specialty Drug</p> <p>PA</p> |
| AYVAKIT | T4 | <p>NPS Non-Preferred Specialty Drug</p> <p>PA</p> <p>QPD 1 per day</p> |
| BALVERSA 3 MG TABLET | T4 | <p>NPS Non-Preferred Specialty Drug</p> <p>PA</p> <p>QPD 3 per day</p> |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|---|
| BALVERSA 4 MG TABLET | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #d62728; color: white; padding: 2px 5px; border-radius: 3px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8c564b; color: white; padding: 2px 5px; border-radius: 3px; margin-bottom: 2px;">PA</div> <div style="background-color: #1f77b4; color: white; padding: 2px 5px; border-radius: 3px; margin-bottom: 2px;">QPD</div> </div> Non-Preferred Specialty Drug 2 per day |
| BALVERSA 5 MG TABLET | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #d62728; color: white; padding: 2px 5px; border-radius: 3px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8c564b; color: white; padding: 2px 5px; border-radius: 3px; margin-bottom: 2px;">PA</div> <div style="background-color: #1f77b4; color: white; padding: 2px 5px; border-radius: 3px; margin-bottom: 2px;">QPD</div> </div> Non-Preferred Specialty Drug 1 per day |
| <i>bexarotene</i> | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #d62728; color: white; padding: 2px 5px; border-radius: 3px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8c564b; color: white; padding: 2px 5px; border-radius: 3px; margin-bottom: 2px;">PA</div> </div> Non-Preferred Specialty Drug |
| <i>bicalutamide</i> | T1 | |
| BOSULIF (400 MG TABLET, 500 MG TABLET) | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #e377c2; color: white; padding: 2px 5px; border-radius: 3px; margin-bottom: 2px;">PS</div> <div style="background-color: #8c564b; color: white; padding: 2px 5px; border-radius: 3px; margin-bottom: 2px;">PA</div> <div style="background-color: #1f77b4; color: white; padding: 2px 5px; border-radius: 3px; margin-bottom: 2px;">QPD</div> </div> 1 per day |
| BOSULIF 100 MG TABLET | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #e377c2; color: white; padding: 2px 5px; border-radius: 3px; margin-bottom: 2px;">PS</div> <div style="background-color: #8c564b; color: white; padding: 2px 5px; border-radius: 3px; margin-bottom: 2px;">PA</div> <div style="background-color: #1f77b4; color: white; padding: 2px 5px; border-radius: 3px; margin-bottom: 2px;">QPD</div> </div> 4 per day |
| BRAFTOVI | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #d62728; color: white; padding: 2px 5px; border-radius: 3px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8c564b; color: white; padding: 2px 5px; border-radius: 3px; margin-bottom: 2px;">PA</div> </div> Non-Preferred Specialty Drug |
| BRUKINSA | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #d62728; color: white; padding: 2px 5px; border-radius: 3px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8c564b; color: white; padding: 2px 5px; border-radius: 3px; margin-bottom: 2px;">PA</div> <div style="background-color: #1f77b4; color: white; padding: 2px 5px; border-radius: 3px; margin-bottom: 2px;">QPD</div> </div> Non-Preferred Specialty Drug 4 per day |
| CABOMETYX | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #d62728; color: white; padding: 2px 5px; border-radius: 3px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8c564b; color: white; padding: 2px 5px; border-radius: 3px; margin-bottom: 2px;">PA</div> <div style="background-color: #1f77b4; color: white; padding: 2px 5px; border-radius: 3px; margin-bottom: 2px;">QPD</div> </div> Non-Preferred Specialty Drug 1 per day |
| CALQUENCE | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #9467bd; color: white; padding: 2px 5px; border-radius: 3px; margin-bottom: 2px;">AL</div> <div style="background-color: #d62728; color: white; padding: 2px 5px; border-radius: 3px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8c564b; color: white; padding: 2px 5px; border-radius: 3px; margin-bottom: 2px;">PA</div> <div style="background-color: #1f77b4; color: white; padding: 2px 5px; border-radius: 3px; margin-bottom: 2px;">QPD</div> </div> At least 18 yrs old Non-Preferred Specialty Drug 2 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--------------------------------|------|---|
| <i>capecitabine</i> | T4 | NPS Non-Preferred Specialty Drug PA |
| CAPRELSA 100 MG TABLET | T4 | NPS Non-Preferred Specialty Drug PA QPD 2 per day |
| CAPRELSA 300 MG TABLET | T4 | NPS Non-Preferred Specialty Drug PA QPD 1 per day |
| CARAC | T3 | PA |
| CASODEX | T3 | |
| COMETRIQ 100 MG DAILY-DOSE PK | T4 | NPS Non-Preferred Specialty Drug PA QPD 2 per day |
| COMETRIQ 140 MG DAILY-DOSE PK | T4 | NPS Non-Preferred Specialty Drug PA QPD 4 per day |
| COMETRIQ 60 MG DAILY-DOSE PACK | T4 | NPS Non-Preferred Specialty Drug PA QPD 3 per day |
| COPIKTRA | T4 | NPS Non-Preferred Specialty Drug PA |
| COTELLIC | T4 | AL At least 18 yrs old NPS Non-Preferred Specialty Drug PA QPD 2.5 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|---|
| <i>cyclophosphamide (25 mg capsule, 25 mg tablet, 50 mg capsule, 50 mg tablet)</i> | T1 | PA |
| DAURISMO | T4 | NPS Non-Preferred Specialty Drug PA QPD 1 per day |
| <i>diclofenac sodium 3% gel</i> | T3 | QL 100 / 30 days PA HCG |
| DROXIA | T3 | |
| EFUDEX | T3 | |
| EMCYT | T4 | NPS Non-Preferred Specialty Drug |
| ERIVEDGE | T4 | NPS Non-Preferred Specialty Drug PA QPD 1 per day |
| ERLEADA | T4 | NPS Non-Preferred Specialty Drug PA QPD 4 per day |
| <i>erlotinib hcl</i> | T4 | NPS Non-Preferred Specialty Drug PA QPD 1 per day |
| <i>etoposide 50 mg capsule</i> | T4 | NPS Non-Preferred Specialty Drug |
| <i>everolimus (5 mg tablet, 7.5 mg tablet)</i> | T4 | NPS Non-Preferred Specialty Drug PA QPD 2 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|--|
| <i>everolimus 2.5 mg tablet</i> | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>1 per day</div> </div> |
| <i>exemestane</i> | T0 | <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #003366; color: white; padding: 2px 5px; margin-right: 5px;">PR</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #00b0f0; color: white; padding: 2px 5px; margin-right: 5px;">HCR</div> </div> |
| FARYDAK | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> |
| FEMARA | T3 | <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #003366; color: white; padding: 2px 5px; margin-right: 5px;">PR</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> |
| FLUOROPLEX | T3 | |
| <i>fluorouracil 0.5% cream</i> | T3 | |
| <i>fluorouracil (2% topical soln, 5% cream, 5% topical soln)</i> | T1 | |
| <i>flutamide</i> | T1 | |
| FOTIVDA | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>0.767 per day</div> </div> |
| GAVRETO | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>4 per day</div> </div> |
| GILOTRIF | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>1 per day</div> </div> |
| GLEEVEC 100 MG TABLET | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>8 per day</div> </div> |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|--|
| GLEEVEC 400 MG TABLET | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #e53935; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #8b4513; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #3498db; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>2 per day</div> </div> |
| GLEOSTINE | T3 | |
| HERCEPTIN | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #e53935; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #8b4513; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> |
| HERCEPTIN HYLECTA | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #e53935; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #8b4513; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> |
| HYCAMTIN (0.25 MG CAPSULE, 1 MG CAPSULE) | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #e53935; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #8b4513; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> |
| HYDREA | T3 | |
| <i>hydroxyurea</i> | T1 | |
| IBRANCE (100 MG CAPSULE, 100 MG TABLET) | T4 | <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #f08080; color: white; padding: 2px 5px; margin-right: 5px;">PS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #8b4513; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #3498db; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>1.25 per day</div> </div> |
| IBRANCE (75 MG CAPSULE, 75 MG TABLET) | T4 | <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #f08080; color: white; padding: 2px 5px; margin-right: 5px;">PS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #8b4513; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #3498db; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>1.667 per day</div> </div> |
| IBRANCE (125 MG CAPSULE, 125 MG TABLET) | T4 | <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #f08080; color: white; padding: 2px 5px; margin-right: 5px;">PS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #8b4513; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #3498db; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>1 per day</div> </div> |
| ICLUSIG (10 MG TABLET, 30 MG TABLET, 45 MG TABLET) | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #e53935; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #8b4513; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #3498db; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>1 per day</div> </div> |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|---|
| ICLUSIG 15 MG TABLET | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-bottom: 2px;">NPS</div> <div style="background-color: #800000; color: white; padding: 2px 5px; margin-bottom: 2px;">PA</div> <div style="background-color: #0070c0; color: white; padding: 2px 5px;">QPD</div> </div> Non-Preferred Specialty Drug 2 per day |
| IDHIFA | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #800080; color: white; padding: 2px 5px; margin-bottom: 2px;">AL</div> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-bottom: 2px;">NPS</div> <div style="background-color: #800000; color: white; padding: 2px 5px; margin-bottom: 2px;">PA</div> <div style="background-color: #0070c0; color: white; padding: 2px 5px;">QPD</div> </div> At least 18 yrs old Non-Preferred Specialty Drug 1 per day |
| <i>imatinib mesylate 100 mg tab</i> | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #e08080; color: white; padding: 2px 5px; margin-bottom: 2px;">PS</div> <div style="background-color: #800000; color: white; padding: 2px 5px; margin-bottom: 2px;">PA</div> <div style="background-color: #0070c0; color: white; padding: 2px 5px;">QPD</div> </div> 8 per day |
| <i>imatinib mesylate 400 mg tab</i> | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #e08080; color: white; padding: 2px 5px; margin-bottom: 2px;">PS</div> <div style="background-color: #800000; color: white; padding: 2px 5px; margin-bottom: 2px;">PA</div> <div style="background-color: #0070c0; color: white; padding: 2px 5px;">QPD</div> </div> 2 per day |
| IMBRUVICA (140 MG CAPSULE, 140 MG TABLET) | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-bottom: 2px;">NPS</div> <div style="background-color: #800000; color: white; padding: 2px 5px; margin-bottom: 2px;">PA</div> <div style="background-color: #0070c0; color: white; padding: 2px 5px;">QPD</div> </div> Non-Preferred Specialty Drug 4 per day |
| IMBRUVICA 70 MG CAPSULE | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-bottom: 2px;">NPS</div> <div style="background-color: #800000; color: white; padding: 2px 5px; margin-bottom: 2px;">PA</div> <div style="background-color: #0070c0; color: white; padding: 2px 5px;">QPD</div> </div> Non-Preferred Specialty Drug 8 per day |
| IMBRUVICA 280 MG TABLET | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-bottom: 2px;">NPS</div> <div style="background-color: #800000; color: white; padding: 2px 5px; margin-bottom: 2px;">PA</div> <div style="background-color: #0070c0; color: white; padding: 2px 5px;">QPD</div> </div> Non-Preferred Specialty Drug 2 per day |
| IMBRUVICA 420 MG TABLET | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-bottom: 2px;">NPS</div> <div style="background-color: #800000; color: white; padding: 2px 5px; margin-bottom: 2px;">PA</div> <div style="background-color: #0070c0; color: white; padding: 2px 5px;">QPD</div> </div> Non-Preferred Specialty Drug 1.47 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---------------------------|------|---|
| IMBRUVICA 560 MG TABLET | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>1 per day</div> </div> </div> |
| INLYTA | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>4 per day</div> </div> </div> |
| INQOVI | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>0.18 per day</div> </div> </div> |
| INREBIC | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>4 per day</div> </div> </div> |
| IRESSA | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>1 per day</div> </div> </div> |
| JAKAFI | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>2 per day</div> </div> </div> |
| KANJINTI | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #e08080; color: white; padding: 2px 5px; margin-right: 5px;">PS</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> </div> |
| KISQALI 200 MG DAILY DOSE | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>1 per day</div> </div> </div> |
| KISQALI 400 MG DAILY DOSE | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>2 per day</div> </div> </div> |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|-------------------------------|------|--|
| KISQALI 600 MG DAILY DOSE | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> Non-Preferred Specialty Drug </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> 3 per day </div> </div> |
| KISQALI FEMARA 200 MG CO-PACK | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> Non-Preferred Specialty Drug </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> 2 per day </div> </div> |
| KISQALI FEMARA 400 MG CO-PACK | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> Non-Preferred Specialty Drug </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> 2.5 per day </div> </div> |
| KISQALI FEMARA 600 MG CO-PACK | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> Non-Preferred Specialty Drug </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> 3.334 per day </div> </div> |
| KOSELUGO | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> Non-Preferred Specialty Drug </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> 4 per day </div> </div> |
| <i>lapatinib</i> | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> Non-Preferred Specialty Drug </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> 6 per day </div> </div> |
| LENVIMA | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> Non-Preferred Specialty Drug </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> 3 per day </div> </div> |
| <i>letrozole</i> | T0 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #003366; color: white; padding: 2px 5px; margin-right: 5px;">PR</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #00a0e0; color: white; padding: 2px 5px; margin-right: 5px;">HCR</div> </div> </div> |
| LEUKERAN | T3 | |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|------------------------------|------|---|
| LONSURF 15 MG-6.14 MG TABLET | T4 | <div style="display: flex; flex-direction: column; gap: 5px;"> <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; border-radius: 3px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #804000; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> <div>2.15 per day</div> </div> </div> |
| LONSURF 20 MG-8.19 MG TABLET | T4 | <div style="display: flex; flex-direction: column; gap: 5px;"> <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; border-radius: 3px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #804000; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> <div>3 per day</div> </div> </div> |
| LORBRENA | T4 | <div style="display: flex; flex-direction: column; gap: 5px;"> <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; border-radius: 3px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #804000; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> <div>1 per day</div> </div> </div> |
| LUMAKRAS | T4 | <div style="display: flex; flex-direction: column; gap: 5px;"> <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; border-radius: 3px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #804000; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> <div>8 per day</div> </div> </div> |
| LYNPARZA | T4 | <div style="display: flex; flex-direction: column; gap: 5px;"> <div style="display: flex; align-items: center;"> <div style="background-color: #993366; color: white; padding: 2px 5px; border-radius: 3px;">AL</div> <div>At least 18 yrs old</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; border-radius: 3px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #804000; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div> </div> |
| LYSODREN | T4 | <div style="display: flex; flex-direction: column; gap: 5px;"> <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; border-radius: 3px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> </div> |
| MATULANE | T4 | <div style="display: flex; flex-direction: column; gap: 5px;"> <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; border-radius: 3px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> </div> |
| MEKINIST 0.5 MG TABLET | T4 | <div style="display: flex; flex-direction: column; gap: 5px;"> <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; border-radius: 3px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #804000; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> <div>4 per day</div> </div> </div> |
| MEKINIST 2 MG TABLET | T4 | <div style="display: flex; flex-direction: column; gap: 5px;"> <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; border-radius: 3px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #804000; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> <div>1 per day</div> </div> </div> |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|---|
| MEKTOVI | T4 | NPS Non-Preferred Specialty Drug PA |
| <i>melphalan</i> | T1 | |
| <i>mercaptopurine</i> | T1 | |
| <i>methotrexate 2.5 mg tablet</i> | T1 | |
| <i>methotrexate (1 gm vial, 50 mg/2 ml vial, 250 mg/10 ml vial)</i> | T1 | |
| <i>methotrexate sodium</i> | T1 | |
| MVASI | T4 | PS PA |
| MYLERAN | T4 | NPS Non-Preferred Specialty Drug |
| NERLYNX | T4 | AL At least 18 yrs old NPS Non-Preferred Specialty Drug PA QPD 6 per day |
| NEXAVAR | T4 | NPS Non-Preferred Specialty Drug PA QPD 4 per day |
| NILANDRON | T4 | NPS Non-Preferred Specialty Drug PA |
| <i>nilutamide</i> | T4 | NPS Non-Preferred Specialty Drug |
| NINLARO | T4 | AL At least 18 yrs old NPS Non-Preferred Specialty Drug PA QPD 0.124 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|-------------------------------------|------|--|
| NUBEQA | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #f08080; padding: 2px; margin-bottom: 2px;">PS</div> <div style="background-color: #8b4513; color: white; padding: 2px; margin-bottom: 2px;">PA</div> <div style="background-color: #0070c0; color: white; padding: 2px; margin-bottom: 2px;">QPD</div> </div> 4 per day |
| ODOMZO | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #d62728; color: white; padding: 2px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8b4513; color: white; padding: 2px; margin-bottom: 2px;">PA</div> <div style="background-color: #0070c0; color: white; padding: 2px; margin-bottom: 2px;">QPD</div> </div> Non-Preferred Specialty Drug 1 per day |
| OGIVRI | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #d62728; color: white; padding: 2px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8b4513; color: white; padding: 2px; margin-bottom: 2px;">PA</div> </div> Non-Preferred Specialty Drug |
| ONUREG | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #d62728; color: white; padding: 2px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8b4513; color: white; padding: 2px; margin-bottom: 2px;">PA</div> <div style="background-color: #0070c0; color: white; padding: 2px; margin-bottom: 2px;">QPD</div> </div> Non-Preferred Specialty Drug 0.5 per day |
| PANRETIN | T3 | |
| PEMAZYRE | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #d62728; color: white; padding: 2px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8b4513; color: white; padding: 2px; margin-bottom: 2px;">PA</div> <div style="background-color: #0070c0; color: white; padding: 2px; margin-bottom: 2px;">QPD</div> </div> Non-Preferred Specialty Drug 0.67 per day |
| PICATO | T3 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #556b2f; color: white; padding: 2px; margin-bottom: 2px;">ST</div> </div> |
| PIQRAY (250 MG DAILY, 300 MG DAILY) | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #d62728; color: white; padding: 2px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8b4513; color: white; padding: 2px; margin-bottom: 2px;">PA</div> <div style="background-color: #0070c0; color: white; padding: 2px; margin-bottom: 2px;">QPD</div> </div> Non-Preferred Specialty Drug 2 per day |
| PIQRAY 200 MG DAILY DOSE | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #d62728; color: white; padding: 2px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8b4513; color: white; padding: 2px; margin-bottom: 2px;">PA</div> <div style="background-color: #0070c0; color: white; padding: 2px; margin-bottom: 2px;">QPD</div> </div> Non-Preferred Specialty Drug 1 per day |
| POMALYST | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #d62728; color: white; padding: 2px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8b4513; color: white; padding: 2px; margin-bottom: 2px;">PA</div> <div style="background-color: #0070c0; color: white; padding: 2px; margin-bottom: 2px;">QPD</div> </div> Non-Preferred Specialty Drug 1 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---------------------------|------|--|
| PURIXAN | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-top: 2px; margin-right: 5px;">PA</div> |
| QINLOCK | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-top: 2px; margin-right: 5px;">PA</div> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-top: 2px; margin-right: 5px;">QPD</div> <div style="margin-right: 5px;">3 per day</div> |
| RASUVO | T3 | <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-top: 2px; margin-right: 5px;">QPD</div> <div style="margin-right: 5px;">0.08 per day</div> |
| RETEVMO 40 MG CAPSULE | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-top: 2px; margin-right: 5px;">PA</div> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-top: 2px; margin-right: 5px;">QPD</div> <div style="margin-right: 5px;">2 per day</div> |
| RETEVMO 80 MG CAPSULE | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-top: 2px; margin-right: 5px;">PA</div> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-top: 2px; margin-right: 5px;">QPD</div> <div style="margin-right: 5px;">4 per day</div> |
| REVLIMID | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-top: 2px; margin-right: 5px;">PA</div> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-top: 2px; margin-right: 5px;">QPD</div> <div style="margin-right: 5px;">1 per day</div> |
| RITUXAN 100 MG/10 ML VIAL | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-top: 2px; margin-right: 5px;">PA</div> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-top: 2px; margin-right: 5px;">QPD</div> <div style="margin-right: 5px;">4.3 per day</div> <div style="background-color: #808080; color: white; padding: 2px 5px; margin-top: 2px; margin-right: 5px;">SDS</div> <div style="margin-right: 5px;">Extended Specialty Day Supply</div> |
| RITUXAN 500 MG/50 ML VIAL | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-top: 2px; margin-right: 5px;">PA</div> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-top: 2px; margin-right: 5px;">QPD</div> <div style="margin-right: 5px;">14.3 per day</div> <div style="background-color: #808080; color: white; padding: 2px 5px; margin-top: 2px; margin-right: 5px;">SDS</div> <div style="margin-right: 5px;">Extended Specialty Day Supply</div> |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--------------------------------|------|--|
| RITUXAN HYCELA 1,400 MG-23,400 | T4 | <div style="display: flex; flex-direction: column; gap: 5px;"> <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; border-radius: 3px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #804000; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> <div></div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0056b3; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> <div>1.7 per day</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #808080; color: white; padding: 2px 5px; border-radius: 3px;">SDS</div> <div>Extended Specialty Day Supply</div> </div> </div> |
| RITUXAN HYCELA 1,600 MG-26,800 | T4 | <div style="display: flex; flex-direction: column; gap: 5px;"> <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; border-radius: 3px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #804000; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> <div></div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0056b3; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> <div>0.5 per day</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #808080; color: white; padding: 2px 5px; border-radius: 3px;">SDS</div> <div>Extended Specialty Day Supply</div> </div> </div> |
| ROZLYTREK 100 MG CAPSULE | T4 | <div style="display: flex; flex-direction: column; gap: 5px;"> <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; border-radius: 3px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #804000; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> <div></div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0056b3; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> <div>5 per day</div> </div> </div> |
| ROZLYTREK 200 MG CAPSULE | T4 | <div style="display: flex; flex-direction: column; gap: 5px;"> <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; border-radius: 3px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #804000; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> <div></div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0056b3; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> <div>3 per day</div> </div> </div> |
| RUBRACA | T4 | <div style="display: flex; flex-direction: column; gap: 5px;"> <div style="display: flex; align-items: center;"> <div style="background-color: #800040; color: white; padding: 2px 5px; border-radius: 3px;">AL</div> <div>At least 18 yrs old</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; border-radius: 3px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #804000; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> <div></div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0056b3; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> <div>2 per day</div> </div> </div> |
| RUXIENCE 100 MG/10 ML VIAL | T4 | <div style="display: flex; flex-direction: column; gap: 5px;"> <div style="display: flex; align-items: center;"> <div style="background-color: #e08080; color: white; padding: 2px 5px; border-radius: 3px;">PS</div> <div></div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #804000; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> <div></div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0056b3; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> <div>4.3 per day</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #808080; color: white; padding: 2px 5px; border-radius: 3px;">SDS</div> <div>Extended Specialty Day Supply</div> </div> </div> |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|---|
| RUXIENCE 500 MG/50 ML VIAL | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #f08080; padding: 2px; margin-bottom: 2px;">PS</div> <div style="background-color: #8b4513; padding: 2px; margin-bottom: 2px;">PA</div> <div style="background-color: #0070c0; padding: 2px; margin-bottom: 2px;">QPD</div> <div style="background-color: #a6a6a6; padding: 2px;">SDS</div> </div> 14.3 per day Extended Specialty Day Supply |
| RYDAPT | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #800040; padding: 2px; margin-bottom: 2px;">AL</div> <div style="background-color: #d62728; padding: 2px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8b4513; padding: 2px; margin-bottom: 2px;">PA</div> <div style="background-color: #0070c0; padding: 2px;">QPD</div> </div> At least 18 yrs old Non-Preferred Specialty Drug 2 per day |
| SIKLOS | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #d62728; padding: 2px;">NPS</div> </div> Non-Preferred Specialty Drug |
| SOLARAZE | T3 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #6a3d9a; padding: 2px; margin-bottom: 2px;">QL</div> <div style="background-color: #8b4513; padding: 2px;">PA</div> </div> 100 / 30 days |
| SPRYCEL (100 MG TABLET, 140 MG TABLET) | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #d62728; padding: 2px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8b4513; padding: 2px; margin-bottom: 2px;">PA</div> <div style="background-color: #0070c0; padding: 2px;">QPD</div> </div> Non-Preferred Specialty Drug 1 per day |
| SPRYCEL (70 MG TABLET, 80 MG TABLET) | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #d62728; padding: 2px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8b4513; padding: 2px; margin-bottom: 2px;">PA</div> <div style="background-color: #0070c0; padding: 2px;">QPD</div> </div> Non-Preferred Specialty Drug 2 per day |
| SPRYCEL 20 MG TABLET | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #d62728; padding: 2px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8b4513; padding: 2px; margin-bottom: 2px;">PA</div> <div style="background-color: #0070c0; padding: 2px;">QPD</div> </div> Non-Preferred Specialty Drug 9 per day |
| SPRYCEL 50 MG TABLET | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #d62728; padding: 2px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8b4513; padding: 2px; margin-bottom: 2px;">PA</div> <div style="background-color: #0070c0; padding: 2px;">QPD</div> </div> Non-Preferred Specialty Drug 3 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|--|
| STIVARGA | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> Non-Preferred Specialty Drug </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> 4 per day </div> </div> |
| <i>sunitinib malate</i> | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> Non-Preferred Specialty Drug </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> 1.0 per day </div> </div> |
| SUTENT (12.5 MG CAPSULE, 25 MG CAPSULE) | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> Non-Preferred Specialty Drug </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> 1.0 per day </div> </div> |
| SUTENT (37.5 MG CAPSULE, 50 MG CAPSULE) | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> Non-Preferred Specialty Drug </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> 1 per day </div> </div> |
| SYNRIBO | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> Non-Preferred Specialty Drug </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> </div> |
| TABLOID | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> Non-Preferred Specialty Drug </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> </div> |
| TABRECTA | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> Non-Preferred Specialty Drug </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> 4 per day </div> </div> |
| TAFINLAR 50 MG CAPSULE | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> Non-Preferred Specialty Drug </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> 6 per day </div> </div> |
| TAFINLAR 75 MG CAPSULE | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> Non-Preferred Specialty Drug </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> 4 per day </div> </div> |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|--|
| TAGRISSO | T4 | <p>AL At least 18 yrs old</p> <p>NPS Non-Preferred Specialty Drug</p> <p>PA</p> <p>QPD 1 per day</p> |
| TALZENNA | T4 | <p>NPS Non-Preferred Specialty Drug</p> <p>PA</p> |
| TARCEVA (100 MG TABLET, 150 MG TABLET) | T4 | <p>NPS Non-Preferred Specialty Drug</p> <p>PA</p> <p>QPD 1 per day</p> |
| TARCEVA 25 MG TABLET | T4 | <p>NPS Non-Preferred Specialty Drug</p> <p>PA</p> <p>QPD 6 per day</p> |
| TARGRETIN 1% GEL | T4 | <p>NPS Non-Preferred Specialty Drug</p> <p>PA</p> |
| TASIGNA (150 MG CAPSULE, 200 MG CAPSULE) | T4 | <p>NPS Non-Preferred Specialty Drug</p> <p>PA</p> <p>QPD 4 per day</p> |
| TASIGNA 50 MG CAPSULE | T4 | <p>NPS Non-Preferred Specialty Drug</p> <p>PA</p> <p>QPD 6 per day</p> |
| TAZVERIK | T4 | <p>NPS Non-Preferred Specialty Drug</p> <p>PA</p> |
| TEMODAR (5 MG CAPSULE, 20 MG CAPSULE, 100 MG CAPSULE, 140 MG CAPSULE, 180 MG CAPSULE, 250 MG CAPSULE) | T4 | <p>NPS Non-Preferred Specialty Drug</p> <p>PA</p> |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|--|
| <i>temozolomide</i> | T4 | NPS Non-Preferred Specialty Drug PA |
| TEPMETKO | T4 | NPS Non-Preferred Specialty Drug PA QPD 2 per day |
| TIBSOVO | T4 | NPS Non-Preferred Specialty Drug PA |
| TOLAK | T3 | QPD 1.47 per day |
| TRAZIMERA | T4 | PS PA |
| <i>tretinoin 10 mg capsule</i> | T4 | NPS Non-Preferred Specialty Drug |
| TREXALL | T3 | |
| TRUSELTIQ (50 MG DAILY PK, 125 MG DAILY PK) | T4 | NPS Non-Preferred Specialty Drug PA QPD 1.5 per day |
| TRUSELTIQ 100 MG DAILY DOSE PK | T4 | NPS Non-Preferred Specialty Drug PA QPD 0.75 per day |
| TRUSELTIQ 75 MG DAILY DOSE PK | T4 | NPS Non-Preferred Specialty Drug PA QPD 2.5 per day |
| TUKYSA | T4 | NPS Non-Preferred Specialty Drug PA QPD 4 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|--|
| TURALIO | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QPD</div> <div>4 per day</div> </div> </div> |
| TYKERB | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QPD</div> <div>6 per day</div> </div> </div> |
| UKONIQ | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QPD</div> <div>4 per day</div> </div> </div> |
| VALCHLOR | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QPD</div> <div>3 per day</div> </div> </div> |
| VENCLEXTA | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QPD</div> <div>4 per day</div> </div> </div> |
| VENCLEXTA STARTING PACK | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QPD</div> <div>1.5 per day</div> </div> </div> |
| VERZENIO | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QPD</div> <div>2 per day</div> </div> </div> |
| VITRAKVI (20 MG/ML SOLUTION, 25 MG CAPSULE, 100 MG CAPSULE) | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QPD</div> <div>2 per day</div> </div> </div> |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|----------------------------------|------|---|
| VIZIMPRO | T4 | NPS Non-Preferred Specialty Drug PA |
| VOTRIENT | T4 | NPS Non-Preferred Specialty Drug PA QPD 4 per day |
| XALKORI | T4 | NPS Non-Preferred Specialty Drug PA QPD 2 per day |
| XATMEP | T3 | AL Up to 18 yrs old PA QPD 4 per day |
| XELODA | T4 | NPS Non-Preferred Specialty Drug PA QPD 4 per day |
| XOSPATA | T4 | NPS Non-Preferred Specialty Drug PA QPD 3 per day |
| XPOVIO (40 MG TWICE, 80 MG ONCE) | T4 | NPS Non-Preferred Specialty Drug PA QPD 0.574 per day |
| XPOVIO 100 MG ONCE WEEKLY DOSE | T4 | NPS Non-Preferred Specialty Drug PA QPD 0.767 per day |
| XPOVIO 40 MG ONCE WEEKLY DOSE | T4 | NPS Non-Preferred Specialty Drug PA QPD 0.286 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--------------------------------------|------|--|
| XPOVIO 60 MG ONCE WEEKLY DOSE | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QPD</div> <div>0.434 per day</div> </div> </div> |
| XPOVIO 60 MG TWICE WEEKLY DOSE | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QPD</div> <div>0.86 per day</div> </div> </div> |
| XPOVIO 80 MG TWICE WEEKLY DOSE | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QPD</div> <div>1.25 per day</div> </div> </div> |
| XTANDI (40 MG CAPSULE, 40 MG TABLET) | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QPD</div> <div>4 per day</div> </div> </div> |
| XTANDI 80 MG TABLET | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QPD</div> <div>2 per day</div> </div> </div> |
| YONSA | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QPD</div> <div>4 per day</div> </div> </div> |
| ZEJULA | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #993366; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">AL</div> <div>At least 18 yrs old</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QPD</div> <div>3 per day</div> </div> </div> |
| ZELBORAF | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QPD</div> <div>8 per day</div> </div> </div> |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|---|
| ZIRABEV | T4 | PS PA |
| ZOLINZA | T4 | NPS Non-Preferred Specialty Drug PA QPD 4 per day |
| ZYDELIG | T4 | NPS Non-Preferred Specialty Drug PA QPD 2 per day |
| ZYKADIA | T4 | AL At least 18 yrs old NPS Non-Preferred Specialty Drug PA QPD 8 per day |
| ZYTIGA 250 MG TABLET | T4 | NPS Non-Preferred Specialty Drug PA QPD 4 per day |
| ZYTIGA 500 MG TABLET | T4 | NPS Non-Preferred Specialty Drug PA QPD 2 per day |
| ANTIPARKINSONIAN AGENTS (CNS) | | |
| ADAMANTANES (CNS) | | |
| <i>amantadine (50 mg/5 ml solution, 100 mg capsule, 100 mg tablet, 100 mg/10 ml soln)</i> | T1 | |
| OSMOLEX ER (ER 129 MG TABLET, ER 193 MG TABLET, ER 258 MG TABLET) | T4 | NPS Non-Preferred Specialty Drug PA QPD 1 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|--|
| OSMOLEX ER 322 MG DAILY DOSE | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #0056b3; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>2 per day</div> </div> |
| ANTICHOLINERGIC AGENTS (CNS) | | |
| <i>benztropine mesylate (0.5 mg tab, 1 mg tablet, 2 mg tablet)</i> | T1 | |
| <i>trihexyphenidyl hcl (2 mg tablet, 2 mg/5 ml soln, 5 mg tablet)</i> | T1 | |
| CATECHOL-O-METHYLTRANSFERASE(COMT)INHIB. | | |
| COMTAN | T3 | |
| <i>entacapone</i> | T3 | HCG |
| ONGENTYS | T3 | |
| TASMAR | T3 | |
| <i>tolcapone</i> | T1 | |
| DOPAMINE PRECURSORS | | |
| <i>carbidopa-levodopa (carbidopa-levo 10-100 mg odt, carbidopa-levo 25-100 mg odt, carbidopa-levo 25-250 mg odt, carbidopa-levodopa 10-100 tab, carbidopa-levodopa 25-100 tab, carbidopa-levodopa 25-250 tab)</i> | T1 | |
| <i>carbidopa-levodopa er</i> | T1 | |
| <i>carbidopa-levodopa-entacapone</i> | T1 | |
| DUOPA | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #0056b3; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>1 per day</div> </div> |
| INBRIJA | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #0056b3; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>1 per day</div> </div> |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|---|
| RYTARY | T3 | |
| SINEMET 10-100 | T3 | |
| SINEMET 25-100 | T3 | |
| SINEMET 25-250 | T3 | |
| SINEMET CR | T3 | |
| STALEVO 100 | T3 | |
| STALEVO 125 | T3 | |
| STALEVO 150 | T3 | |
| STALEVO 200 | T3 | |
| STALEVO 50 | T3 | |
| STALEVO 75 | T3 | |
| MONOAMINE OXIDASE B INHIBITORS | | |
| AZILECT | T3 | |
| EMSAM | T3 | ST QPD 1 per day |
| <i>rasagiline mesylate</i> | T1 | |
| <i>selegiline hcl (5 mg capsule, 5 mg tablet)</i> | T1 | |
| XADAGO | T3 | AL At least 18 yrs old PA QPD 1 per day |
| ZELAPAR | T3 | |
| ANTIPROTOZOALS | | |
| AMEBICIDES | | |
| HUMATIN | T3 | |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|--|
| <i>paromomycin sulfate</i> | T1 | |
| ANTIMALARIALS | | |
| ARAKODA | T3 | PA |
| <i>atovaquone-proguanil hcl</i> | T1 | PA |
| <i>chloroquine phosphate</i> | T1 | |
| COARTEM | T3 | |
| <i>hydroxychloroquine 200 mg tab</i> | T1 | |
| KRINTAFEL | T3 | |
| MALARONE | T3 | PA |
| <i>mefloquine hcl</i> | T1 | |
| <i>primaquine</i> | T1 | |
| QUALAQUIN | T3 | QL 42 / 365 days PA |
| <i>quinine sulfate</i> | T1 | QL 42 / 365 days PA |
| ANTIPROTOZOALS, MISCELLANEOUS | | |
| ALINIA (100 MG/5 ML SUSPENSION, 500 MG TABLET) | T3 | PA |
| <i>atovaquone</i> | T1 | PA |
| <i>benznidazole</i> | T3 | QL max 60 days AL 2 to 12 yrs old |
| FLAGYL (250 MG TABLET, 375 CAPSULE, 500 MG TABLET) | T3 | |
| IMPAVIDO | T4 | NPS Non-Preferred Specialty Drug |
| LAMPIT 120 MG TABLET | T3 | AL Up to 17 yrs old PA QPD 7.5 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|--|
| LAMPIT 30 MG TABLET | T3 | AL Up to 17 yrs old PA QPD 12 per day |
| MEPRON | T3 | PA |
| <i>metronidazole (250 mg tablet, 375 mg capsule, 500 mg tablet)</i> | T1 | |
| NEBUPENT | T3 | |
| <i>nitazoxanide</i> | T1 | PA |
| <i>pentamidine 300 mg inhal powdr</i> | T1 | |
| SOLOSEC | T3 | QL 1/ fill GL Female |
| <i>tinidazole</i> | T1 | |
| ANTIPSYCHOTIC AGENTS | | |
| ANTIPSYCHOTICS, MISCELLANEOUS | | |
| ADASUVE | T3 | AL At least 18 yrs old PR |
| <i>loxapine</i> | T1 | AL At least 18 yrs old PR |
| <i>molindone hcl</i> | T1 | |
| <i>pimozide</i> | T1 | |
| ATYPICAL ANTIPSYCHOTICS | | |
| ABILIFY MAINTENA (ER 300 MG SYR, ER 300 MG VL, ER 400 MG SYR, ER 400 MG VL) | T3 | AL At least 18 yrs old PR PA QPD 0.04 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|---|
| ABILIFY MYCITE (2 MG KIT, 2 MG MAINT KIT, 2 MG START KIT, 5 MG KIT, 5 MG MAINT KIT, 5 MG START KIT, 10 MG KIT, 10 MG MAINT KIT, 10 MG START KIT, 15 MG KIT, 15 MG MAINT KIT, 15 MG START KIT, 20 MG KIT, 20 MG MAINT KIT, 20 MG START KIT, 30 MG KIT, 30 MG MAINT KIT, 30 MG START KIT) | T3 | <p>AL At least 18 yrs old</p> <p>PR</p> <p>PA</p> <p>QPD 1 per day</p> |
| <i>aripiprazole 1 mg/ml solution</i> | T1 | <p>AL At least 6 yrs old</p> <p>PR</p> <p>QPD 30 per day</p> |
| <i>aripiprazole (2 mg tablet, 5 mg tablet, 10 mg tablet, 15 mg tablet, 20 mg tablet, 30 mg tablet)</i> | T1 | <p>AL At least 6 yrs old</p> <p>PR</p> <p>QPD 1 per day</p> |
| <i>aripiprazole odt</i> | T1 | <p>AL At least 6 yrs old</p> <p>PR</p> <p>QPD 1 per day</p> |
| ARISTADA ER 1064 MG/3.9 ML SYR | T3 | <p>AL At least 18 yrs old</p> <p>PR</p> <p>PA</p> <p>QPD 0.15 per day</p> |
| ARISTADA ER 441 MG/1.6 ML SYRN | T3 | <p>AL At least 18 yrs old</p> <p>PR</p> <p>PA</p> <p>QPD 0.07 per day</p> |
| ARISTADA ER 662 MG/2.4 ML SYRN | T3 | <p>AL At least 18 yrs old</p> <p>PR</p> <p>PA</p> <p>QPD 0.08 per day</p> |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--------------------------------|------|---|
| ARISTADA ER 882 MG/3.2 ML SYRN | T3 | <p>AL At least 18 yrs old</p> <p>PR</p> <p>PA</p> <p>QPD 0.12 per day</p> |
| ARISTADA INITIO | T3 | <p>AL At least 18 yrs old</p> <p>PR</p> <p>PA</p> <p>QPD 0.08 per day</p> |
| <i>asenapine maleate</i> | T1 | <p>AL At least 10 yrs old</p> <p>PR</p> <p>QPD 2 per day</p> |
| CAPLYTA | T3 | <p>AL At least 18 yrs old</p> <p>PR</p> <p>PA</p> <p>QPD 1 per day</p> |
| <i>clozapine 100 mg tablet</i> | T1 | <p>AL At least 18 yrs old</p> <p>PR</p> <p>QPD 9 per day</p> |
| <i>clozapine 200 mg tablet</i> | T1 | <p>AL At least 18 yrs old</p> <p>PR</p> <p>QPD 4 per day</p> |
| <i>clozapine 25 mg tablet</i> | T1 | <p>AL At least 18 yrs old</p> <p>PR</p> <p>QPD 18 per day</p> |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|---|
| <i>clozapine 50 mg tablet</i> | T1 | <p>AL At least 18 yrs old</p> <p>PR</p> <p>QPD 3 per day</p> |
| <i>clozapine odt (odt 12.5 mg tablet, odt 25 mg tablet, odt 150 mg tablet, odt 200 mg tablet)</i> | T1 | <p>AL At least 18 yrs old</p> <p>PR</p> <p>QPD 3 per day</p> |
| <i>clozapine odt 100 mg tablet</i> | T1 | <p>AL At least 18 yrs old</p> <p>PR</p> <p>QPD 9 per day</p> |
| CLOZARIL 100 MG TABLET | T3 | <p>ST</p> <p>AL At least 18 yrs old</p> <p>PR</p> <p>QPD 9 per day</p> |
| CLOZARIL 200 MG TABLET | T3 | <p>ST</p> <p>AL At least 18 yrs old</p> <p>PR</p> <p>QPD 4 per day</p> |
| CLOZARIL 25 MG TABLET | T3 | <p>ST</p> <p>AL At least 18 yrs old</p> <p>PR</p> <p>QPD 18 per day</p> |
| CLOZARIL 50 MG TABLET | T3 | <p>ST</p> <p>AL At least 18 yrs old</p> <p>PR</p> <p>QPD 3 per day</p> |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|---|
| FANAPT TITRATION PACK | T3 | <ul style="list-style-type: none"> QL 8 / rx ST AL At least 18 yrs old PR |
| FANAPT (1 MG TABLET, 2 MG TABLET, 4 MG TABLET, 6 MG TABLET, 8 MG TABLET, 10 MG TABLET, 12 MG TABLET) | T3 | <ul style="list-style-type: none"> ST AL At least 18 yrs old PR QPD 2 per day |
| FAZACLO (12.5 MG ODT, 25 MG ODT, 150 MG ODT, 200 MG ODT) | T3 | <ul style="list-style-type: none"> AL At least 18 yrs old PR QPD 3 per day |
| FAZACLO 100 MG ODT | T3 | <ul style="list-style-type: none"> AL At least 18 yrs old PR QPD 9 per day |
| GEODON (20 MG CAPSULE, 40 MG CAPSULE, 60 MG CAPSULE, 80 MG CAPSULE) | T3 | <ul style="list-style-type: none"> ST AL At least 18 yrs old PR QPD 2 per day |
| GEODON 20 MG/ML VIAL | T3 | <ul style="list-style-type: none"> ST PR |
| INVEGA ER 1.5 MG TABLET | T3 | <ul style="list-style-type: none"> ST AL At least 12 yrs old PR QPD 8 per day |
| INVEGA ER 3 MG TABLET | T3 | <ul style="list-style-type: none"> ST AL At least 12 yrs old PR QPD 4 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--------------------------------|------|--|
| INVEGA ER 6 MG TABLET | T3 | <p>ST</p> <p>AL At least 12 yrs old</p> <p>PR</p> <p>QPD 2 per day</p> |
| INVEGA ER 9 MG TABLET | T3 | <p>ST</p> <p>AL At least 12 yrs old</p> <p>PR</p> <p>QPD 1 per day</p> |
| INVEGA SUSTENNA 117 MG/0.75 ML | T3 | <p>AL At least 18 yrs old</p> <p>PR</p> <p>PA</p> <p>QPD 0.034 per day</p> |
| INVEGA SUSTENNA 156 MG/ML SYRG | T3 | <p>AL At least 18 yrs old</p> <p>PR</p> <p>PA</p> <p>QPD 0.04 per day</p> |
| INVEGA SUSTENNA 234 MG/1.5 ML | T3 | <p>AL At least 18 yrs old</p> <p>PR</p> <p>PA</p> <p>QPD 0.057 per day</p> |
| INVEGA SUSTENNA 39 MG/0.25 ML | T3 | <p>AL At least 18 yrs old</p> <p>PR</p> <p>PA</p> <p>QPD 0.012 per day</p> |
| INVEGA SUSTENNA 78 MG/0.5 ML | T3 | <p>AL At least 18 yrs old</p> <p>PR</p> <p>PA</p> <p>QPD 0.02 per day</p> |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|--|
| INVEGA TRINZA 273 MG/0.875 ML | T3 | <p>AL At least 18 yrs old</p> <p>PR</p> <p>PA</p> <p>QPD 0.034 per day</p> |
| INVEGA TRINZA 410 MG/1.315 ML | T3 | <p>AL At least 18 yrs old</p> <p>PR</p> <p>PA</p> <p>QPD 0.057 per day</p> |
| INVEGA TRINZA 546 MG/1.75 ML | T3 | <p>AL At least 18 yrs old</p> <p>PR</p> <p>PA</p> <p>QPD 0.067 per day</p> |
| INVEGA TRINZA 819 MG/2.625 ML | T3 | <p>AL At least 18 yrs old</p> <p>PR</p> <p>PA</p> <p>QPD 0.1 per day</p> |
| LATUDA | T3 | <p>AL At least 10 yrs old</p> <p>PR</p> <p>QPD 1 per day</p> |
| NUPLAZID (10 MG TABLET, 34 MG CAPSULE) | T4 | <p>NPS Non-Preferred Specialty Drug</p> <p>PA</p> <p>QPD 1 per day</p> |
| <i>olanzapine (2.5 mg tablet, 5 mg tablet)</i> | T1 | <p>PR</p> <p>QPD 6 per day</p> |
| <i>olanzapine 10 mg tablet</i> | T1 | <p>PR</p> <p>QPD 3 per day</p> |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--------------------------------------|------|---|
| <i>olanzapine 15 mg tablet</i> | T1 | PR QPD 2 per day |
| <i>olanzapine 20 mg tablet</i> | T1 | PR QPD 1 per day |
| <i>olanzapine 7.5 mg tablet</i> | T1 | PR QPD 4 per day |
| <i>olanzapine 10 mg vial</i> | T1 | PR |
| <i>olanzapine odt 10 mg tablet</i> | T1 | PR QPD 3 per day |
| <i>olanzapine odt 15 mg tablet</i> | T1 | PR QPD 2 per day |
| <i>olanzapine odt 20 mg tablet</i> | T1 | PR QPD 1 per day |
| <i>olanzapine odt 5 mg tablet</i> | T1 | PR QPD 6 per day |
| <i>paliperidone er 1.5 mg tablet</i> | T1 | AL At least 12 yrs old PR QPD 8 per day |
| <i>paliperidone er 3 mg tablet</i> | T1 | AL At least 12 yrs old PR QPD 4 per day |
| <i>paliperidone er 6 mg tablet</i> | T1 | AL At least 12 yrs old PR QPD 2 per day |
| <i>paliperidone er 9 mg tablet</i> | T1 | AL At least 12 yrs old PR QPD 1 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|--|
| PERSERIS | T3 | <p>AL At least 18 yrs old</p> <p>PR</p> <p>PA</p> <p>QPD 0.034 per day</p> |
| <i>quetiapine fumarate (25 mg tab, 50 mg tab)</i> | T1 | <p>AL At least 10 yrs old</p> <p>PR</p> <p>QPD 6 per day</p> |
| <i>quetiapine fumarate 100 mg tab</i> | T1 | <p>AL At least 10 yrs old</p> <p>PR</p> <p>QPD 3 per day</p> |
| <i>quetiapine fumarate 200 mg tab</i> | T1 | <p>AL At least 10 yrs old</p> <p>PR</p> <p>QPD 1.5 per day</p> |
| <i>quetiapine fumarate 300 mg tab</i> | T1 | <p>AL At least 10 yrs old</p> <p>PR</p> <p>QPD 1 per day</p> |
| <i>quetiapine fumarate 400 mg tab</i> | T1 | <p>AL At least 10 yrs old</p> <p>PR</p> <p>QPD 2 per day</p> |
| <i>quetiapine er 150 mg tablet</i> | T1 | <p>AL At least 10 yrs old</p> <p>PR</p> <p>PA</p> <p>QPD 5 per day</p> |
| <i>quetiapine er 200 mg tablet</i> | T1 | <p>AL At least 10 yrs old</p> <p>PR</p> <p>PA</p> <p>QPD 4 per day</p> |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|--|
| <i>quetiapine er 50 mg tablet</i> | T1 | <p>AL At least 10 yrs old</p> <p>PR</p> <p>PA</p> <p>QPD 6 per day</p> |
| <i>quetiapine fumarate er (er 300 mg tablet, er 400 mg tablet)</i> | T1 | <p>AL At least 10 yrs old</p> <p>PR</p> <p>PA</p> <p>QPD 2 per day</p> |
| REXULTI | T3 | <p>AL At least 18 yrs old</p> <p>PR</p> <p>PA</p> <p>QPD 1 per day</p> |
| RISPERDAL CONSTA | T3 | <p>AL At least 18 yrs old</p> <p>PR</p> <p>PA</p> <p>QPD 0.1 per day</p> |
| <i>risperidone 1 mg/ml solution</i> | T1 | <p>AL At least 5 yrs old</p> <p>PR</p> <p>QPD 16 per day</p> |
| <i>risperidone (0.25 mg tablet, 0.5 mg tablet, 1 mg tablet, 2 mg tablet)</i> | T1 | <p>AL At least 5 yrs old</p> <p>PR</p> <p>QPD 8 per day</p> |
| <i>risperidone 3 mg tablet</i> | T1 | <p>AL At least 5 yrs old</p> <p>PR</p> <p>QPD 5 per day</p> |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|--|
| <i>risperidone 4 mg tablet</i> | T1 | <p>AL At least 5 yrs old</p> <p>PR</p> <p>QPD 4 per day</p> |
| <i>risperidone 3 mg odt</i> | T1 | <p>AL At least 5 yrs old</p> <p>PR</p> <p>QPD 5 per day</p> |
| <i>risperidone 4 mg odt</i> | T1 | <p>AL At least 5 yrs old</p> <p>PR</p> <p>QPD 4 per day</p> |
| <i>risperidone odt (0.25 mg odt, 0.5 mg odt, 1 mg odt, 2 mg odt)</i> | T1 | <p>AL At least 5 yrs old</p> <p>PR</p> <p>QPD 8 per day</p> |
| SEROQUEL XR SAMPLE KIT | T3 | <p>AL At least 10 yrs old</p> |
| VERSACLOZ | T3 | <p>AL At least 18 yrs old</p> <p>PR</p> <p>QPD 20 per day</p> |
| VRAYLAR (1.5 MG CAPSULE, 1.5 MG-3 MG PACK, 3 MG CAPSULE, 4.5 MG CAPSULE, 6 MG CAPSULE) | T3 | <p>ST</p> <p>AL At least 18 yrs old</p> <p>PR</p> <p>QPD 1 per day</p> |
| <i>ziprasidone hcl</i> | T1 | <p>AL At least 18 yrs old</p> <p>PR</p> <p>QPD 2 per day</p> |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|--|
| <i>ziprasidone mesylate</i> | T1 | PR |
| ZYPREXA RELPREVV | T3 | AL At least 18 yrs old PR PA QPD 0.08 per day |
| ZYPREXA ZYDIS 10 MG TABLET | T3 | ST AL At least 13 yrs old PR QPD 3 per day |
| ZYPREXA ZYDIS 15 MG TABLET | T3 | ST AL At least 13 yrs old PR QPD 2 per day |
| ZYPREXA ZYDIS 20 MG TABLET | T3 | ST AL At least 13 yrs old PR QPD 1 per day |
| ZYPREXA ZYDIS 5 MG TABLET | T3 | ST AL At least 13 yrs old PR QPD 6 per day |
| BUTYROPHENONES | | |
| HALDOL DECANOATE 100 | T3 | PR |
| HALDOL DECANOATE 50 | T3 | PR |
| <i>haloperidol (0.5 mg tablet, 2 mg tablet, 5 mg tablet, 10 mg tablet, 20 mg tablet)</i> | T1 | PR |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|---|
| <i>haloperidol 1 mg tablet</i> | T1 | PR LCG |
| <i>haloperidol decanoate (dec 50 mg/ml vial, dec 100 mg/ml amp, dec 100 mg/ml vial, dec 250 mg/5 ml vl, dec 500 mg/5 ml vl, decan 50 mg/ml amp)</i> | T1 | PR |
| <i>haloperidol decanoate 100</i> | T1 | PR |
| <i>haloperidol lactate (2 mg/ml conc, 10 mg/5 ml cup)</i> | T1 | PR |
| <i>haloperidol lac 5 mg/ml syring</i> | T1 | PR |
| PHENOTHIAZINES | | |
| <i>chlorpromazine hcl (10 mg tablet, 25 mg tablet, 30 mg/ml conc, 50 mg tablet, 100 mg tablet, 100 mg/ml conc, 200 mg tablet)</i> | T1 | PR |
| <i>fluphenazine decanoate</i> | T1 | PR |
| <i>fluphenazine hcl (1 mg tablet, 2.5 mg tablet, 2.5 mg/5 ml elix, 5 mg tablet, 5 mg/ml conc, 10 mg tablet)</i> | T1 | PR |
| <i>fluphenazine 2.5 mg/ml vial</i> | T1 | PR |
| <i>perphenazine</i> | T1 | AL At least 12 yrs old PR |
| <i>thioridazine hcl</i> | T1 | PR |
| <i>trifluoperazine hcl</i> | T1 | PR |
| THIOXANTHENES | | |
| <i>thiothixene</i> | T1 | PR |
| ANTIRETROVIRALS | | |
| HIV ENTRY AND FUSION INHIBITORS | | |
| FUZEON | T4 | NPS Non-Preferred Specialty Drug PR QPD 2 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|--|
| RUKOBIA | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #e53935; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="background-color: #1a3d4d; color: white; padding: 2px 5px; margin-top: 2px;">PR</div> |
| SELZENTRY (20 MG/ML ORAL SOLN, 25 MG TABLET, 75 MG TABLET, 150 MG TABLET, 300 MG TABLET) | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #e53935; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="background-color: #1a3d4d; color: white; padding: 2px 5px; margin-top: 2px;">PR</div> |
| HIV INTEGRASE INHIBITOR ANTIRETROVIRALS | | |
| DOVATO | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #e53935; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="background-color: #1a3d4d; color: white; padding: 2px 5px; margin-top: 2px;">PR</div> <div style="background-color: #3498db; color: white; padding: 2px 5px; margin-top: 2px;">QPD</div> <div style="margin-left: 5px;">1 per day</div> |
| ISENTRESS (25 MG TABLET CHEW, 100 MG POWDER PACKET, 100 MG TABLET CHEW, 400 MG TABLET) | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #e53935; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="background-color: #1a3d4d; color: white; padding: 2px 5px; margin-top: 2px;">PR</div> |
| ISENTRESS HD | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #e53935; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="background-color: #1a3d4d; color: white; padding: 2px 5px; margin-top: 2px;">PR</div> |
| JULUCA | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #e53935; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="background-color: #1a3d4d; color: white; padding: 2px 5px; margin-top: 2px;">PR</div> <div style="background-color: #3498db; color: white; padding: 2px 5px; margin-top: 2px;">QPD</div> <div style="margin-left: 5px;">1 per day</div> |
| TIVICAY | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #e53935; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="background-color: #1a3d4d; color: white; padding: 2px 5px; margin-top: 2px;">PR</div> |
| TIVICAY PD | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #e53935; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="background-color: #1a3d4d; color: white; padding: 2px 5px; margin-top: 2px;">PR</div> |
| VOCABRIA | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #e53935; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="background-color: #1a3d4d; color: white; padding: 2px 5px; margin-top: 2px;">PR</div> <div style="background-color: #8e6c3d; color: white; padding: 2px 5px; margin-top: 2px;">PA</div> <div style="background-color: #3498db; color: white; padding: 2px 5px; margin-top: 2px;">QPD</div> <div style="margin-left: 5px;">1 per day</div> |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|--|
| HIV NONNUCLEOSIDE REV.TRANScrip. INHIB. | | |
| DELSTRIGO | T4 | NPS Non-Preferred Specialty Drug PR |
| EDURANT | T4 | NPS Non-Preferred Specialty Drug PR |
| <i>efavirenz (50 mg capsule, 200 mg capsule, 600 mg tablet)</i> | T4 | PR PS |
| <i>efavirenz-lamivu-tenofovir disoproxil fumarate</i> | T4 | PS |
| <i>etravirine</i> | T4 | PR PS |
| INTELENCE | T4 | NPS Non-Preferred Specialty Drug PR |
| <i>nevirapine (50 mg/5 ml susp, 200 mg tablet)</i> | T4 | PR PS |
| <i>nevirapine er</i> | T4 | PR PS |
| PIFELTRO | T4 | NPS Non-Preferred Specialty Drug PR |
| RESCRIPTOR | T4 | NPS Non-Preferred Specialty Drug PR |
| SUSTIVA (50 MG CAPSULE, 200 MG CAPSULE, 600 MG TABLET) | T4 | NPS Non-Preferred Specialty Drug PR |
| SYMFI | T4 | NPS Non-Preferred Specialty Drug PR |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|--|
| SYMFI LO | T4 | NPS Non-Preferred Specialty Drug PR |
| VIRAMUNE (50 MG/5 ML SUSP, 200 MG TABLET) | T4 | NPS Non-Preferred Specialty Drug PR |
| VIRAMUNE XR | T4 | NPS Non-Preferred Specialty Drug PR |
| HIV NUCLEOSIDE, NUCLEOTIDE RT INHIBITORS | | |
| <i>abacavir (20 mg/ml solution, 300 mg tablet)</i> | T4 | PR PS |
| <i>abacavir-lamivudine</i> | T4 | PR PS |
| <i>abacavir-lamivudine-zidovudine</i> | T4 | PR PS |
| ATRIPLA | T4 | ST NPS Non-Preferred Specialty Drug PR |
| BIKTARVY | T4 | NPS Non-Preferred Specialty Drug PR |
| CIMDUO | T4 | ST NPS Non-Preferred Specialty Drug PR |
| COMBIVIR | T4 | NPS Non-Preferred Specialty Drug PR |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|---|
| COMPLERA | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #6b8e23; color: white; padding: 2px 5px; margin-bottom: 2px;">ST</div> <div style="background-color: #e74c3c; color: white; padding: 2px 5px; margin-bottom: 2px;">NPS</div> <div style="background-color: #2980b9; color: white; padding: 2px 5px; margin-bottom: 2px;">PR</div> </div> Non-Preferred Specialty Drug |
| DESCOVY | T0 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #e74c3c; color: white; padding: 2px 5px; margin-bottom: 2px;">NPS</div> <div style="background-color: #2980b9; color: white; padding: 2px 5px; margin-bottom: 2px;">PR</div> <div style="background-color: #3498db; color: white; padding: 2px 5px; margin-bottom: 2px;">HCR</div> <div style="background-color: #2980b9; color: white; padding: 2px 5px; margin-bottom: 2px;">QPD</div> </div> Non-Preferred Specialty Drug 1 per day |
| <i>didanosine</i> | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #2980b9; color: white; padding: 2px 5px; margin-bottom: 2px;">PR</div> <div style="background-color: #e91e63; color: white; padding: 2px 5px;">PS</div> </div> |
| <i>efavirenz-emtricitenofovir disop</i> | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #6b8e23; color: white; padding: 2px 5px; margin-bottom: 2px;">ST</div> <div style="background-color: #2980b9; color: white; padding: 2px 5px; margin-bottom: 2px;">PR</div> <div style="background-color: #e91e63; color: white; padding: 2px 5px;">PS</div> </div> |
| <i>emtricitabine</i> | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #e74c3c; color: white; padding: 2px 5px; margin-bottom: 2px;">NPS</div> <div style="background-color: #2980b9; color: white; padding: 2px 5px;">PR</div> </div> Non-Preferred Specialty Drug |
| <i>emtricitabine-tenofovir disop (100-150mg, 133-200mg, 167-250mg)</i> | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #2980b9; color: white; padding: 2px 5px; margin-bottom: 2px;">PR</div> <div style="background-color: #e91e63; color: white; padding: 2px 5px;">PS</div> </div> |
| <i>emtricitabine-tenofovir 200-300mg</i> | T0 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #2980b9; color: white; padding: 2px 5px; margin-bottom: 2px;">PR</div> <div style="background-color: #3498db; color: white; padding: 2px 5px; margin-bottom: 2px;">HCR</div> <div style="background-color: #e91e63; color: white; padding: 2px 5px;">PS</div> </div> |
| EMTRIVA (10 MG/ML SOLUTION, 200 MG CAPSULE) | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #e74c3c; color: white; padding: 2px 5px; margin-bottom: 2px;">NPS</div> <div style="background-color: #2980b9; color: white; padding: 2px 5px;">PR</div> </div> Non-Preferred Specialty Drug |
| EPZICOM | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #e74c3c; color: white; padding: 2px 5px; margin-bottom: 2px;">NPS</div> <div style="background-color: #2980b9; color: white; padding: 2px 5px;">PR</div> </div> Non-Preferred Specialty Drug |
| GENVOYA | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #e74c3c; color: white; padding: 2px 5px; margin-bottom: 2px;">NPS</div> <div style="background-color: #2980b9; color: white; padding: 2px 5px;">PR</div> </div> Non-Preferred Specialty Drug |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|---|
| <i>lamivudine (150 mg tablet, 300 mg tablet)</i> | T4 | PR PS |
| <i>lamivudine-zidovudine</i> | T4 | PR PS |
| ODEFSEY | T4 | NPS Non-Preferred Specialty Drug PR |
| RETROVIR (10 MG/ML SYRUP, 100 MG CAPSULE) | T4 | NPS Non-Preferred Specialty Drug PR |
| <i>stavudine</i> | T4 | PR PS |
| STRIBILD | T4 | NPS Non-Preferred Specialty Drug PR |
| TEMIXYS | T4 | NPS Non-Preferred Specialty Drug PR QPD 1 per day |
| <i>tenofovir disoproxil fumarate</i> | T4 | PR PS |
| TRIUMEQ | T4 | NPS Non-Preferred Specialty Drug PR |
| TRIZIVIR | T4 | NPS Non-Preferred Specialty Drug PR |
| TRUVADA | T4 | NPS Non-Preferred Specialty Drug PR |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|--|
| VIDEX | T4 | NPS Non-Preferred Specialty Drug PR |
| VIDEX EC | T4 | NPS Non-Preferred Specialty Drug PR |
| VIREAD (150 MG TABLET, 200 MG TABLET, 250 MG TABLET, 300 MG TABLET, POWDER) | T4 | NPS Non-Preferred Specialty Drug PR |
| ZIAGEN (20 MG/ML SOLUTION, 300 MG TABLET) | T4 | NPS Non-Preferred Specialty Drug PR |
| <i>zidovudine (50 mg/5 ml syrup, 100 mg capsule)</i> | T4 | PR PS |
| HIV PROTEASE INHIBITOR ANTIRETROVIRALS | | |
| APTIVUS (100 MG/ML SOLUTION, 250 MG CAPSULE) | T4 | NPS Non-Preferred Specialty Drug PR |
| <i>atazanavir sulfate</i> | T4 | PR PS |
| CRIXIVAN | T4 | NPS Non-Preferred Specialty Drug PR |
| EVOTAZ | T4 | NPS Non-Preferred Specialty Drug PR |
| <i>fosamprenavir calcium</i> | T4 | PR PS |
| INVIRASE | T4 | NPS Non-Preferred Specialty Drug PR |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|---|
| KALETRA (80 MG-20 MG/ML SOLN, 100-25 MG TABLET, 200-50 MG TABLET) | T4 | NPS PR Non-Preferred Specialty Drug |
| LEXIVA (50 MG/ML SUSPENSION, 700 MG TABLET) | T4 | NPS PR Non-Preferred Specialty Drug |
| <i>lopinavir-ritonavir (lopinavir-ritonavir 80-20mg/ml, lopinavir-ritonavir 100-25mg tb, lopinavir-ritonavir 200-50mg tb)</i> | T4 | PR PS |
| NORVIR (80 MG/ML SOLUTION, 100 MG POWDER PACKET, 100 MG TABLET) | T4 | NPS PR Non-Preferred Specialty Drug |
| PREZCOBIX | T4 | NPS PR Non-Preferred Specialty Drug |
| PREZISTA (75 MG TABLET, 100 MG/ML SUSPENSION, 150 MG TABLET, 600 MG TABLET, 800 MG TABLET) | T4 | NPS PR Non-Preferred Specialty Drug |
| REYATAZ (50 MG POWDER PACKET, 150 MG CAPSULE, 200 MG CAPSULE, 300 MG CAPSULE) | T4 | NPS PR Non-Preferred Specialty Drug |
| <i>ritonavir</i> | T4 | PR PS |
| SYMTUZA | T4 | NPS PR Non-Preferred Specialty Drug |
| VIRACEPT | T4 | NPS PR Non-Preferred Specialty Drug |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|--|
| ANTITHROMBOTIC AGENTS | | |
| ANTITHROMBOTIC AGENTS, MISCELLANEOUS | | |
| CABLIVI (11 MG KIT, 11 MG VIAL) | T4 | NPS Non-Preferred Specialty Drug |
| PLATELET-AGGREGATION INHIBITORS | | |
| BRILINTA | T2 | PR QPD 2 per day |
| <i>cilostazol</i> | T1 | PR QPD 2 per day |
| <i>clopidogrel</i> | T1 | PR QPD 1 per day |
| EFFIENT | T3 | PR QPD 1 per day |
| <i>prasugrel hcl</i> | T1 | PR QPD 1 per day |
| ZONTIVITY | T3 | PA QPD 1 per day |
| PLATELET-REDUCING AGENTS | | |
| AGRYLIN | T3 | QPD 4 per day |
| <i>anagrelide hcl</i> | T1 | QPD 4 per day |
| ANTITOXINS, IMMUNE GLOB, TOXOIDS, VACCINES | | |
| ALLERGENIC EXTRACTS (THERAPEUTIC) | | |
| ODACTRA | T3 | PA QPD 1 per day |
| ORALAIR 300 IR SUBLINGUAL TAB | T4 | NPS Non-Preferred Specialty Drug PA |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|--|
| PALFORZIA (3 MG 1), 12 MG 3)) | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QPD</div> <div>1.5 per day</div> </div> </div> |
| PALFORZIA (40 MG (LEVEL 5), 120 MG (LEVEL 7), 200 MG (LEVEL 9), 300 MG (MAINTENANCE)) | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QL</div> <div>31 / 30 days</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #804000; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">PA</div> </div> </div> |
| PALFORZIA (80 MG 6), 160 MG 8), 240 MG 10)) | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QPD</div> <div>2 per day</div> </div> </div> |
| PALFORZIA 6 MG (LEVEL 2) | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QPD</div> <div>3 per day</div> </div> </div> |
| PALFORZIA INITIAL DOSE PACK | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QPD</div> <div>0.434 per day</div> </div> </div> |
| PALFORZIA (20 MG 4), 300 MG 11)) | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QL</div> <div>15 / 30 days</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #804000; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">PA</div> </div> </div> |
| ANTIULCER AGENTS AND ACID SUPPRESSANTS | | |
| ANTIULCER AGENTS AND ACID SUPPRESS.,MISC | | |
| TALICIA | T3 | <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QPD</div> <div>12 per day</div> </div> |
| HISTAMINE H2-ANTAGONISTS | | |
| <i>cimetidine (300 mg tablet, 300 mg/5 ml soln, 400 mg tablet, 400 mg/6.67 ml soln, 800 mg tablet)</i> | T1 | |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|----------------------------|
| <i>famotidine 40 mg/5 ml susp</i> | T3 | HCG |
| <i>famotidine 40 mg tablet</i> | T1 | |
| <i>nizatidine 150 mg capsule</i> | T1 | QPD 2 per day |
| <i>nizatidine 300 mg capsule</i> | T1 | |
| <i>nizatidine 15 mg/ml solution</i> | T3 | HCG |
| PEPCID 40 MG TABLET | T3 | |
| <i>ranitidine hcl (15 mg/ml syrup, 150 mg/10 ml syrup, 300 mg capsule, 300 mg tablet)</i> | T1 | |
| PROSTAGLANDINS | | |
| CYTOTEC | T3 | |
| <i>misoprostol</i> | T1 | |
| PROTECTANTS | | |
| CARAFATE 1 GM/10 ML SUSP | T3 | |
| <i>sucrafate (1 gm tablet, 1 gm/10 ml susp)</i> | T1 | |
| PROTON-PUMP INHIBITORS | | |
| ACIPHEX SPRINKLE | T3 | ST QPD 1 per day |
| DEXILANT | T2 | ST QPD 1 per day |
| <i>esomeprazole magnesium (dr 10 mg packet, dr 40 mg packet)</i> | T1 | QPD 1 per day HCG |
| <i>esomeprazole strontium</i> | T3 | ST QPD 1 per day HCG |
| <i>lansoprazole (dr 30 mg capsule, odt 30 mg tablet)</i> | T1 | QPD 1 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|--|
| NEXIUM (DR 2.5 MG PACKET, DR 5 MG PACKET, DR 10 MG PACKET, DR 40 MG PACKET) | T3 | ST QPD 1 per day |
| OMECLAMOX-PAK | T3 | QL 80 / 365 days |
| <i>omeprazole (dr 10 mg capsule, dr 40 mg capsule)</i> | T1 | QPD 1 per day |
| <i>pantoprazole 40 mg suspension</i> | T1 | QPD 1 per day |
| <i>pantoprazole sod dr 20 mg tab</i> | T1 | QPD 1 per day LCG |
| <i>pantoprazole sod dr 40 mg tab</i> | T1 | QPD 2 per day LCG |
| PRILOSEC | T3 | ST |
| PROTONIX 40 MG SUSPENSION | T3 | ST QPD 1 per day |
| <i>rabeprazole sod dr 20 mg tab</i> | T1 | QPD 2 per day |
| ANTIVIRALS (SYSTEMIC) | | |
| ADAMANTANE ANTIVIRALS | | |
| FLUMADINE | T3 | |
| <i>rimantadine hcl</i> | T1 | |
| ANTIVIRALS, MISCELLANEOUS | | |
| PREVYMIS (240 MG TABLET, 480 MG TABLET) | T4 | AL At least 18 yrs old NPS Non-Preferred Specialty Drug PA |
| XOFLUZA (20 MG TAB (40 MG), 40 MG TAB (80 MG)) | T3 | QL 2 / fill |
| XOFLUZA (40 MG TABLET, 80 MG TABLET) | T3 | QL 1/ fill |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|---|
| INTERFERON ANTIVIRALS | | |
| INTRON A (10 MILLION UNITS VIL, 18 MILLION UNIT/3 ML, 18 MILLION UNITS VIL, 25 MILLION UNIT/2.5ML, 50 MILLION UNITS VIL) | T4 | NPS PA Non-Preferred Specialty Drug |
| PEGASYS (180 MCG/0.5 ML SYRINGE, 180 MCG/ML VIAL) | T4 | NPS PA Non-Preferred Specialty Drug |
| PEGASYS PROCLICK | T4 | NPS PA Non-Preferred Specialty Drug |
| PEGINTRON | T4 | NPS PA Non-Preferred Specialty Drug |
| SYLATRON | T4 | NPS PA Non-Preferred Specialty Drug |
| NEURAMINIDASE INHIBITOR ANTIVIRALS | | |
| <i>oseltamivir phosphate (30 mg capsule, 45 mg capsule, 75 mg capsule)</i> | T1 | QL 20 / 365 days |
| <i>oseltamivir 6 mg/ml suspension</i> | T1 | QL 180 / 30 days |
| RELENZA | T3 | QL 40 / 365 days |
| NUCLEOSIDE AND NUCLEOTIDE ANTIVIRALS | | |
| <i>acyclovir (200 mg capsule, 200 mg/5 ml susp, 400 mg tablet, 800 mg tablet)</i> | T1 | |
| <i>adefovir dipivoxil</i> | T4 | NPS Non-Preferred Specialty Drug |
| BARACLUDE 0.05 MG/ML SOLUTION | T4 | NPS PA QPD 20 per day Non-Preferred Specialty Drug |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|--|
| BARACLUDE (0.5 MG TABLET, 1 MG TABLET) | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> Non-Preferred Specialty Drug </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> 1 per day </div> </div> |
| <i>entecavir</i> | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> Non-Preferred Specialty Drug </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> 1 per day </div> </div> |
| <i>famciclovir</i> | T1 | |
| HEPSERA | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> Non-Preferred Specialty Drug </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> 1 per day </div> </div> |
| RIBASPHERE 200 MG CAPSULE | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> Non-Preferred Specialty Drug </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> 6 per day </div> </div> |
| RIBASPHERE 600 MG TABLET | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> Non-Preferred Specialty Drug </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> 2 per day </div> </div> |
| RIBASPHERE RIBAPAK | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> Non-Preferred Specialty Drug </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> 2 per day </div> </div> |
| <i>ribavirin (200 mg capsule, 200 mg tablet)</i> | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> Non-Preferred Specialty Drug </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> 6 per day </div> </div> |
| SITAVIG | T3 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #660099; color: white; padding: 2px 5px; margin-right: 5px;">QL</div> 2 / fill </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #990066; color: white; padding: 2px 5px; margin-right: 5px;">AL</div> At least 18 yrs old </div> <div style="display: flex; align-items: center;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> </div> |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|---|
| <i>valacyclovir</i> | T1 | |
| VALCYTE 50 MG/ML SOLUTION | T3 | |
| VALCYTE 450 MG TABLET | T3 | QPD 4 per day |
| <i>valganciclovir hcl 50 mg/ml</i> | T1 | |
| <i>valganciclovir 450 mg tablet</i> | T1 | QPD 4 per day |
| VEMLIDY | T4 | AL At least 18 yrs old NPS Non-Preferred Specialty Drug PA QPD 1 per day |
| ANXIOLYTICS, SEDATIVES AND HYPNOTICS | | |
| ANXIOLYTICS, SEDATIVES, AND HYPNOTICS, MISC | | |
| BELSOMRA | T3 | ST |
| <i>bupirone hcl</i> | T1 | |
| DAYVIGO | T3 | ST QPD 1 per day |
| EDLUAR | T3 | ST QPD 1 per day |
| <i>eszopiclone (1 mg tablet, 2 mg tablet)</i> | T1 | QPD 1 per day |
| <i>eszopiclone 3 mg tablet</i> | T1 | AL Up to 65 yrs old QPD 1 per day |
| HETLIOZ | T4 | NPS Non-Preferred Specialty Drug PA QPD 1 per day |
| HETLIOZ LQ | T4 | NPS Non-Preferred Specialty Drug PA QPD 5 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|-------------------------|
| <i>hydroxyzine hcl (10 mg/5 ml soln, 10 mg/5 ml syrup, hcl 10 mg tablet, hcl 25 mg tablet, 50 mg/25 ml syrup, hcl 50 mg tablet)</i> | T1 | AL At least 2 yrs old |
| <i>hydroxyzine pam 100 mg cap</i> | T1 | |
| <i>hydroxyzine pamoate (25 mg cap, 50 mg cap)</i> | T1 | AL At least 2 yrs old |
| INTERMEZZO | T3 | ST QPD 1 per day |
| <i>meprobamate</i> | T1 | |
| <i>ramelteon</i> | T1 | QPD 1 per day |
| ROZEREM | T3 | ST QPD 1 per day |
| VISTARIL | T3 | AL At least 2 yrs old |
| <i>zaleplon</i> | T1 | QPD 1 per day |
| <i>zolpidem tartrate (5 mg tablet, 10 mg tablet)</i> | T1 | QPD 1 per day |
| <i>zolpidem tartrate (1.75 mg tab, 3.5 mg tablet)</i> | T3 | QPD 1 per day HCG |
| <i>zolpidem tartrate er</i> | T1 | QPD 1 per day |
| ZOLPIMIST | T3 | PA QPD 0.257 per day |
| BARBITURATES (ANXIOLYTIC, SEDATIVE/HYP) | | |
| <i>phenobarbital (15 mg tablet, 16.2 mg tablet, 20 mg/5 ml elix, 20 mg/5 ml soln, 30 mg tablet, 32.4 mg tablet, 60 mg tablet, 64.8 mg tablet, 97.2 mg tablet, 100 mg tablet)</i> | T1 | |
| SECONAL SODIUM | T3 | |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|-----------------------|
| BENZODIAZEPINES (ANXIOLYTIC, SEDATIV/HYP) | | |
| <i>alprazolam (0.25 mg tablet, 0.5 mg tablet, 1 mg tablet)</i> | T1 | QPD 4 per day |
| <i>alprazolam 2 mg tablet</i> | T1 | QPD 5 per day |
| <i>alprazolam er (er 0.5 mg tablet, er 1 mg tablet)</i> | T1 | QPD 1 per day |
| <i>alprazolam er 2 mg tablet</i> | T1 | QPD 5 per day |
| <i>alprazolam er 3 mg tablet</i> | T1 | QPD 3 per day |
| ALPRAZOLAM INTENSOL | T3 | QPD 10 per day |
| <i>alprazolam odt (odt 0.25 mg tab, odt 0.5 mg tab, odt 1 mg tab)</i> | T1 | QPD 4 per day |
| <i>alprazolam odt 2 mg tab</i> | T1 | QPD 5 per day |
| <i>alprazolam xr (0.5 mg tablet, 1 mg tablet)</i> | T1 | QPD 1 per day |
| <i>alprazolam xr 2 mg tablet</i> | T1 | QPD 5 per day |
| <i>alprazolam xr 3 mg tablet</i> | T1 | QPD 3 per day |
| <i>chlordiazepoxide 10 mg capsule</i> | T1 | QPD 30 per day |
| <i>chlordiazepoxide 25 mg capsule</i> | T1 | QPD 12 per day |
| <i>chlordiazepoxide 5 mg capsule</i> | T1 | QPD 4 per day |
| <i>clorazepate 15 mg tablet</i> | T1 | QPD 6 per day |
| <i>clorazepate 3.75 mg tablet</i> | T1 | QPD 24 per day |
| <i>clorazepate 7.5 mg tablet</i> | T1 | QPD 12 per day |
| DIASTAT | T3 | QPD 0.07 per day |
| DIASTAT ACUDIAL | T3 | QPD 0.07 per day |
| <i>diazepam (2.5 mg rectal gel sys, 10 mg rectal gel syst, 20 mg rectal gel syst)</i> | T1 | QPD 0.07 per day |
| <i>diazepam (2 mg tablet, 5 mg tablet, 5 mg/5 ml solution, 5 mg/ml oral conc, 10 mg tablet)</i> | T1 | |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|------------------------|
| DORAL | T3 | QPD 1 per day |
| <i>estazolam</i> | T1 | QPD 1 per day |
| <i>flurazepam hcl</i> | T1 | QPD 1 per day |
| HALCION | T3 | QPD 2 per day |
| <i>lorazepam (2 mg tablet, 2 mg/ml oral concent)</i> | T1 | QPD 5 per day |
| <i>lorazepam (0.5 mg tablet, 1 mg tablet)</i> | T1 | QPD 3 per day |
| LORAZEPAM INTENSOL | T1 | QPD 5 per day |
| <i>midazolam hcl 2 mg/ml syrup</i> | T1 | |
| <i>oxazepam</i> | T1 | QPD 4 per day |
| <i>quazepam</i> | T1 | QPD 1 per day |
| <i>temazepam</i> | T1 | QPD 1 per day |
| TRANXENE T-TAB | T3 | QPD 12 per day |
| <i>triazolam 0.125 mg tablet</i> | T1 | QPD 1 per day |
| <i>triazolam 0.25 mg tablet</i> | T1 | QPD 2 per day |
| VALTOCO | T3 | QL 10 / 30 days |
| AUTONOMIC DRUGS | | |
| PARASYMPATHOMIMETIC (CHOLINERGIC AGENTS) | | |
| ARICEPT | T3 | AL At least 40 yrs old |
| <i>bethanechol chloride</i> | T1 | |
| <i>cevimeline hcl</i> | T1 | |
| <i>donepezil hcl</i> | T1 | AL At least 40 yrs old |
| <i>donepezil hcl odt</i> | T1 | AL At least 40 yrs old |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|------------------------|
| EVOXAC | T3 | |
| EXELON | T3 | AL At least 40 yrs old |
| <i>galantamine er</i> | T1 | AL At least 40 yrs old |
| <i>galantamine hbr</i> | T1 | AL At least 40 yrs old |
| <i>galantamine hydrobromide</i> | T1 | AL At least 40 yrs old |
| <i>guanidine hcl</i> | T1 | |
| MESTINON (60 MG TABLET, 60 MG/5 ML SOLUTION, 180 MG TIMESPAN) | T3 | |
| <i>pilocarpine hcl (5 mg tablet, 7.5 mg tablet)</i> | T1 | |
| <i>pyridostigmine br 30 mg tablet</i> | T1 | HCG |
| <i>pyridostigmine bromide (60 mg/5 ml soln, br 60 mg tablet)</i> | T1 | |
| <i>pyridostigmine bromide er</i> | T3 | HCG |
| RAZADYNE | T3 | AL At least 40 yrs old |
| RAZADYNE ER | T3 | AL At least 40 yrs old |
| <i>rivastigmine (1.5 mg capsule, 3 mg capsule, 4.5 mg capsule, 4.6 mg/24hr patch, 6 mg capsule, 9.5 mg/24hr patch, 13.3 mg/24hr ptch)</i> | T1 | AL At least 40 yrs old |
| SALAGEN | T3 | |
| URECHOLINE | T3 | |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|-----------------------------|
| BETA-3-ADRENERGIC AGONISTS | | |
| SELECTIVE BETA-3-ADRENERGIC AGONISTS | | |
| MYRBETRIQ ER 8 MG/ML SUSP | T2 | QPD 10 per day |
| MYRBETRIQ (ER 25 MG TABLET, ER 50 MG TABLET) | T2 | QPD 1 per day |
| BETA-ADRENERGIC AGONISTS | | |
| SELECTIVE BETA-2-ADRENERGIC AGONISTS | | |
| <i>albuterol sulfate (2.5 mg/0.5 ml sol, sul 2.5 mg/3 ml soln, 5 mg/ml solution, 100 mg/20 ml soln)</i> | T1 | PR QPD 18 per day LCG |
| <i>albuterol sulfate (sulf 2 mg/5 ml syrup, sulfate er 4 mg tab, sulfate er 8 mg tab)</i> | T1 | PR |
| <i>albuterol sulfate (2 mg tab, 4 mg tab)</i> | T1 | PR LCG |
| <i>albuterol sulfate (0.63 mg/3 ml sol, 1.25 mg/3 ml sol)</i> | T1 | PR QPD 18 per day |
| <i>albuterol sulfate hfa</i> | T1 | PR QPD 1.5 per day |
| ARCAPTA NEOHALER | T3 | ST PR QPD 1 per day |
| <i>arformoterol tartrate</i> | T1 | PR QPD 4 per day |
| BROVANA | T3 | PR QPD 4 per day |
| <i>formoterol fumarate</i> | T1 | QL 120 / 30 days PR |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|---|
| <i>levalbuterol concentrate</i> | T1 | PR |
| <i>levalbuterol hcl</i> | T1 | PR |
| <i>metaproterenol sulfate</i> | T1 | PR |
| PERFOROMIST | T3 | QL 120 / 30 days PR |
| SEREVENT DISKUS | T2 | PR QPD 2 per day |
| STRIVERDI RESPIMAT | T2 | PR QPD 0.144 per day |
| <i>terbutaline sulfate (2.5 mg tab, 5 mg tab)</i> | T3 | PR HCG |
| <i>terbutaline sulf 1 mg/ml vial</i> | T1 | PR |
| XOPENEX | T3 | PR |
| XOPENEX CONCENTRATE | T3 | PR |
| BLOOD FORMATION, COAGULATION, THROMBOSIS | | |
| BLOOD FORM.,COAG,THROMBOSIS AGENTS MISC. | | |
| OXBRYTA | T4 | NPS Non-Preferred Specialty Drug PA QPD 3 per day |
| TAVALISSE | T4 | NPS Non-Preferred Specialty Drug PA |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|---|
| HEMATOPOIETIC AGENTS | | |
| ARANESP (10 MCG/0.4 ML SYRINGE, 25 MCG/0.42 ML SYRINGE, 25 MCG/ML VIAL, 40 MCG/0.4 ML SYRINGE, 40 MCG/ML VIAL, 60 MCG/0.3 ML SYRINGE, 60 MCG/ML VIAL, 100 MCG/0.5 ML SYRINGE, 100 MCG/ML VIAL, 150 MCG/0.3 ML SYRINGE, 200 MCG/0.4 ML SYRINGE, 200 MCG/ML VIAL, 300 MCG/0.6 ML SYRINGE, 500 MCG/1 ML SYRINGE) | T4 | PS PA |
| DOPTELET | T4 | NPS Non-Preferred Specialty Drug PA |
| EPOGEN | T4 | NPS Non-Preferred Specialty Drug PA |
| FULPHILA | T4 | NPS Non-Preferred Specialty Drug PA |
| GRANIX (300 MCG/0.5 ML SAFE SYR, 300 MCG/0.5 ML SYRINGE, 300 MCG/ML VIAL, 480 MCG/0.8 ML SAFE SYR, 480 MCG/0.8 ML SYRINGE, 480 MCG/1.6 ML VIAL) | T4 | NPS Non-Preferred Specialty Drug PA |
| LEUKINE | T4 | NPS Non-Preferred Specialty Drug PA |
| MIRCERA | T4 | NPS Non-Preferred Specialty Drug PA |
| MOZOBIL | T4 | NPS Non-Preferred Specialty Drug PA |
| MULPLETA | T4 | NPS Non-Preferred Specialty Drug PA QPD 1 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|--|
| NEULASTA | T4 | PS PA |
| NEULASTA ONPRO | T4 | PS PA |
| NEUPOGEN (300 MCG/0.5 ML SYR, 300 MCG/ML VIAL, 480 MCG/0.8 ML SYR, 480 MCG/1.6 ML VIAL) | T4 | PS PA |
| NIVESTYM (300 MCG/0.5 ML SYRING, 300 MCG/ML VIAL, 480 MCG/0.8 ML SYRING, 480 MCG/1.6 ML VIAL) | T4 | PS PA |
| NYVEPRIA | T4 | PS PA |
| PROCRIT | T4 | NPS Non-Preferred Specialty Drug PA |
| PROMACTA (12.5 MG SUSPEN PACKET, 12.5 MG TABLET, 25 MG SUSPENSION PCKT, 25 MG TABLET, 50 MG TABLET, 75 MG TABLET) | T4 | NPS Non-Preferred Specialty Drug PA |
| RETACRIT | T4 | PS PA |
| UDENYCA | T4 | NPS Non-Preferred Specialty Drug PA |
| ZARXIO | T4 | NPS Non-Preferred Specialty Drug PA |
| ZIEXTENZO | T4 | NPS Non-Preferred Specialty Drug PA |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|-----------------------|
| HEMORRHOLOGIC AGENTS | | |
| <i>pentoxifylline</i> | T1 | |
| CALCIUM-CHANNEL BLOCKING AGENTS | | |
| CALCIUM-CHANNEL BLOCKING AGENTS, MISC. | | |
| CALAN | T3 | QPD 3 per day |
| CALAN SR | T3 | QPD 1 per day |
| CARDIZEM | T3 | QPD 4 per day |
| CARDIZEM CD (300 MG CAPSULE, 360 MG CAPSULE) | T3 | QPD 1 per day |
| CARDIZEM CD 120 MG CAPSULE | T3 | QPD 4 per day |
| CARDIZEM CD 180 MG CAPSULE | T3 | QPD 3 per day |
| CARDIZEM CD 240 MG CAPSULE | T3 | QPD 2 per day |
| CARTIA XT 120 MG CAPSULE | T1 | PR QPD 4 per day |
| CARTIA XT 180 MG CAPSULE | T1 | PR QPD 3 per day |
| CARTIA XT 240 MG CAPSULE | T1 | PR QPD 2 per day |
| CARTIA XT 300 MG CAPSULE | T1 | PR QPD 1 per day |
| DILT XR 120 MG CAPSULE | T3 | PR QPD 4 per day |
| DILT-XR (180 MG CAPSULE, 240 MG CAPSULE) | T1 | PR |
| <i>diltiazem 12hr er</i> | T1 | PR |
| <i>diltiazem 24hr er (24hr er 240 mg cap, 24hr er 300 mg cap, 24hr er 360 mg cap, 24hr er 420 mg cap)</i> | T1 | PR |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|-----------------------|
| <i>diltiazem 24hr er 120 mg cap</i> | T1 | PR QPD 4 per day |
| <i>diltiazem 24hr er 180 mg cap</i> | T1 | PR QPD 3 per day |
| <i>diltiazem 24h er(cd) 120 mg cp</i> | T1 | PR QPD 4 per day |
| <i>diltiazem 24h er(cd) 180 mg cp</i> | T1 | PR QPD 3 per day |
| <i>diltiazem 24h er(cd) 240 mg cp</i> | T1 | PR QPD 2 per day |
| <i>diltiazem 24hr er (cd) (24h 300 mg cp, 24h 360 mg cp)</i> | T1 | PR QPD 1 per day |
| <i>diltiazem 24h er(la) 180 mg tb</i> | T1 | PR QPD 3 per day |
| <i>diltiazem 24h er(la) 240 mg tb</i> | T1 | PR QPD 2 per day |
| <i>diltiazem 24hr er (la) (24h 300 mg tb, 24h 360 mg tb, 24h 420 mg tb)</i> | T1 | PR QPD 1 per day |
| <i>diltiazem 24h er(xr) 120 mg cp</i> | T1 | PR QPD 4 per day |
| <i>diltiazem 24h er(xr) 180 mg cp</i> | T1 | PR QPD 3 per day |
| <i>diltiazem 24h er(xr) 240 mg cp</i> | T1 | PR |
| <i>diltiazem 90 mg tablet</i> | T1 | PR |
| <i>diltiazem hcl (30 mg tablet, 60 mg tablet, 120 mg tablet)</i> | T1 | PR QPD 4 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|-----------------------|
| MATZIM LA (300 MG TABLET, 360 MG TABLET, 420 MG TABLET) | T1 | PR QPD 1 per day |
| MATZIM LA 180 MG TABLET | T1 | PR QPD 3 per day |
| MATZIM LA 240 MG TABLET | T1 | PR QPD 2 per day |
| TAZTIA XT (240 MG CAPSULE, 300 MG CAPSULE, 360 MG CAPSULE) | T1 | PR |
| TAZTIA XT 120 MG CAPSULE | T1 | PR QPD 4 per day |
| TAZTIA XT 180 MG CAPSULE | T1 | PR QPD 3 per day |
| TIADYLT ER (ER 240 MG CAPSULE, ER 300 MG CAPSULE, ER 360 MG CAPSULE, ER 420 MG CAPSULE) | T1 | PR |
| TIADYLT ER 120 MG CAPSULE | T1 | PR QPD 4 per day |
| TIADYLT ER 180 MG CAPSULE | T1 | PR QPD 3 per day |
| TIAZAC (ER 240 MG CAPSULE, ER 300 MG CAPSULE, ER 360 MG CAPSULE, ER 420 MG CAPSULE) | T3 | |
| TIAZAC ER 120 MG CAPSULE | T3 | QPD 4 per day |
| TIAZAC ER 180 MG CAPSULE | T3 | QPD 3 per day |
| <i>verapamil er (er 120 mg capsule, er 120 mg tablet, er 180 mg capsule, er 180 mg tablet, er 240 mg capsule, er 240 mg tablet)</i> | T1 | PR QPD 1 per day |
| <i>verapamil er pm (er 200 mg capsule, er 300 mg capsule)</i> | T1 | PR QPD 1 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|----------------------------|
| <i>verapamil 360 mg cap pellet</i> | T3 | PR QPD 1 per day HCG |
| <i>verapamil 40 mg tablet</i> | T1 | PR |
| <i>verapamil hcl (80 mg tablet, 120 mg tablet)</i> | T1 | PR QPD 3 per day |
| <i>verapamil sr</i> | T1 | PR QPD 1 per day |
| VERELAN | T3 | QPD 1 per day |
| VERELAN PM (200 MG CAP PELLETT, 300 MG CAP PELLETT) | T3 | QPD 1 per day |
| DIHYDROPYRIDINES | | |
| ADALAT CC 30 MG TABLET | T3 | QPD 1 per day |
| ADALAT CC 60 MG TABLET | T3 | QPD 2 per day |
| ADALAT CC 90 MG TABLET | T3 | |
| <i>amlodipine besylate</i> | T1 | PR QPD 1 per day LCG |
| <i>amlodipine besylate-benazepril</i> | T1 | PR QPD 1 per day |
| <i>amlodipine-olmesartan</i> | T1 | PR QPD 1 per day |
| <i>amlodipine-valsartan (5-320 mg, 10-160 mg, 10-320 mg)</i> | T1 | PR QPD 1 per day |
| <i>amlodipine-valsartan 5-160 mg</i> | T1 | PR QPD 2 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|----------------------------|
| <i>amlodipine-valsartan-hctz</i> | T1 | PR QPD 1 per day |
| <i>felodipine er</i> | T1 | PR QPD 1 per day |
| <i>isradipine 2.5 mg capsule</i> | T1 | PR QPD 2.0 per day |
| <i>isradipine 5 mg capsule</i> | T1 | PR QPD 4.0 per day |
| <i>nicardipine 20 mg capsule</i> | T1 | PR HCG |
| <i>nicardipine 30 mg capsule</i> | T3 | PR HCG |
| <i>nifedipine</i> | T1 | PR QPD 4 per day |
| <i>nifedipine er (er 30 mg tablet, er 90 mg tablet)</i> | T1 | PR QPD 1 per day |
| <i>nifedipine er 60 mg tablet</i> | T1 | PR QPD 2 per day |
| <i>nimodipine</i> | T1 | PR |
| <i>nisoldipine</i> | T3 | PR QPD 1 per day HCG |
| NYMALIZE (30 MG/10 ML SOLUTION, 60 MG/10 ML SOLUTION, 60 MG/20 ML SOLUTION) | T3 | QPD 120 per day |
| NYMALIZE (30 MG/5 ML ORAL SYRNG, 60 MG/10 ML ORAL SYRN) | T3 | QPD 60 per day |
| PROCARDIA | T3 | QPD 4 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|---|
| PROCARDIA XL (30 MG TABLET, 90 MG TABLET) | T3 | QPD 1 per day |
| PROCARDIA XL 60 MG TABLET | T3 | QPD 2 per day |
| SULAR | T3 | QPD 1 per day |
| CARDIAC DRUGS | | |
| CARDIAC DRUGS, MISCELLANEOUS | | |
| CORLANOR 5 MG/5 ML ORAL SOLN | T3 | PA QPD 15 per day |
| CORLANOR (5 MG TABLET, 7.5 MG TABLET) | T3 | PA QPD 2 per day |
| <i>ranolazine er</i> | T1 | QPD 2 per day |
| VYNDAMAX | T4 | NPS Non-Preferred Specialty Drug PA QPD 1 per day |
| VYNDAQEL | T4 | NPS Non-Preferred Specialty Drug PA QPD 4 per day |
| CARDIOTONIC AGENTS | | |
| DIGITEK | T1 | |
| DIGOX | T1 | |
| <i>digoxin 0.05 mg/ml solution</i> | T3 | HCG |
| <i>digoxin (0.125 mg tablet, 0.25 mg tablet, 125 mcg tablet, 250 mcg tablet)</i> | T1 | |
| LANOXIN (62.5 MCG TABLET, 125 MCG TABLET, 187.5 MCG TABLET, 250 MCG TABLET) | T3 | |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|----------------------------|
| CARDIOVASCULAR DRUGS | | |
| ALPHA-ADRENERGIC BLOCKING AGENTS | | |
| CARDURA | T3 | |
| CARDURA XL | T3 | ST QPD 1 per day |
| <i>doxazosin mesylate</i> | T1 | PR |
| MINIPRESS | T3 | |
| <i>prazosin hcl</i> | T1 | PR |
| <i>terazosin hcl</i> | T1 | PR |
| BETA-ADRENERGIC BLOCKING AGENTS | | |
| <i>acebutolol hcl</i> | T1 | PR |
| <i>atenolol (25 mg tablet, 50 mg tablet)</i> | T1 | PR LCG |
| <i>atenolol 100 mg tablet</i> | T1 | PR |
| <i>atenolol-chlorthalidone</i> | T1 | PR |
| BETAPACE | T3 | PR |
| BETAPACE AF | T3 | PR |
| <i>betaxolol hcl (10 mg tablet, 20 mg tablet)</i> | T1 | PR |
| <i>bisoprolol fumarate</i> | T1 | PR |
| <i>bisoprolol-hydrochlorothiazide</i> | T1 | PR LCG |
| <i>carvedilol</i> | T1 | PR LCG |
| <i>carvedilol er (er 10 mg capsule, er 20 mg capsule, er 40 mg capsule)</i> | T3 | PR QPD 2 per day HCG |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|----------------------------------|
| <i>carvedilol er 80 mg capsule</i> | T3 | PR QPD 1 per day HCG |
| CORGARD | T3 | PR |
| DUTOPROL | T3 | |
| HEMANGEOL | T4 | NPS Non-Preferred Specialty Drug |
| <i>labetalol hcl (100 mg tablet, 200 mg tablet, 300 mg tablet)</i> | T1 | PR |
| LOPRESSOR (50 MG TABLET, 100 MG TABLET) | T3 | PR |
| LOPRESSOR HCT | T3 | |
| <i>metoprolol succinate</i> | T1 | PR |
| <i>metoprolol 5 mg/5 ml carpuject</i> | T1 | PR |
| <i>metoprolol tartrate (25 mg tab, 50 mg tab, 100 mg tab)</i> | T1 | PR LCG |
| <i>metoprolol tartrate (37.5 mg tb, 75 mg tab)</i> | T1 | PR |
| <i>metoprolol-hydrochlorothiazide</i> | T1 | PR |
| <i>nadolol</i> | T1 | PR |
| <i>nadolol-bendroflumethiazide</i> | T3 | PR HCG |
| <i>pindolol</i> | T1 | PR |
| <i>propranolol hcl (10 mg tablet, 20 mg tablet, 20 mg/5 ml soln, 40 mg tablet, 40 mg/5 ml soln, 60 mg tablet, 80 mg tablet)</i> | T1 | PR |
| <i>propranolol hcl er</i> | T1 | PR |
| <i>propranolol-hydrochlorothiazid</i> | T1 | PR |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|--|
| SORINE | T1 | PR |
| <i>sotalol</i> | T1 | PR |
| SOTALOL AF | T1 | PR |
| SOTYLIZE | T3 | |
| TENORETIC 100 | T3 | |
| TENORETIC 50 | T3 | |
| <i>timolol maleate (5 mg tablet, 10 mg tablet, 20 mg tablet)</i> | T1 | PR |
| ZIAC | T3 | |
| CENTRAL NERVOUS SYSTEM AGENTS | | |
| ANTIMANIC AGENTS | | |
| <i>lithium</i> | T1 | |
| <i>lithium carbonate (150 mg cap, 300 mg cap, 300 mg tab, 600 mg cap)</i> | T1 | |
| <i>lithium carbonate er</i> | T1 | |
| LITHOBID | T3 | |
| CENTRAL NERVOUS SYSTEM AGENTS, MISC. | | |
| <i>acamprosate calcium</i> | T1 | |
| <i>atomoxetine hcl</i> | T1 | AL At least 6 yrs old QPD 2 per day |
| <i>carbidopa</i> | T1 | |
| EXSERVAN | T3 | PA |
| <i>guanfacine hcl er</i> | T1 | QPD 1 per day |
| LODOSYN | T3 | |
| <i>memantine hcl 2 mg/ml solution</i> | T1 | QL 360 / 30 days AL At least 40 yrs old |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|---|
| <i>memantine 5-10 mg titration pk</i> | T1 | AL At least 40 yrs old |
| <i>memantine hcl 10 mg tablet</i> | T1 | AL At least 40 yrs old QPD 2 per day |
| <i>memantine hcl 5 mg tablet</i> | T1 | AL At least 40 yrs old QPD 3 per day |
| <i>memantine hcl er</i> | T1 | AL At least 40 yrs old |
| NAMENDA (5 MG TABLET, 5-10 MG TITRATION PK, 10 MG TABLET) | T3 | AL At least 40 yrs old |
| NAMENDA XR (7 MG CAPSULE, 14 MG CAPSULE, 21 MG CAPSULE, 28 MG CAPSULE, TITRATION PACK) | T3 | AL At least 40 yrs old |
| NAMZARIC (7 MG-10 MG CAPSULE, 14 MG-10 MG CAPSULE, 21 MG-10 MG CAPSULE, 28 MG-10 MG CAPSULE, TITRATION PACK) | T3 | ST AL At least 40 yrs old |
| NOURIANZ | T4 | NPS Non-Preferred Specialty Drug PA QPD 1 per day |
| NUDEXTA | T2 | PA |
| QELBREE (ER 150 MG CAPSULE, ER 200 MG CAPSULE) | T3 | ST QPD 2 per day |
| QELBREE ER 100 MG CAPSULE | T3 | ST QPD 1 per day |
| <i>riluzole</i> | T1 | |
| TIGLUTIK | T3 | PA |
| VYLEESI | T4 | GL Female NPS Non-Preferred Specialty Drug PA QPD 0.08 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|---|
| XYREM | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #e91e63; color: white; padding: 2px 5px; margin-bottom: 2px;">NPS</div> <div style="background-color: #795548; color: white; padding: 2px 5px; margin-bottom: 2px;">PA</div> <div style="background-color: #2196f3; color: white; padding: 2px 5px;">QPD</div> </div> Non-Preferred Specialty Drug 18 per day |
| XYWAV | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #e91e63; color: white; padding: 2px 5px; margin-bottom: 2px;">NPS</div> <div style="background-color: #795548; color: white; padding: 2px 5px; margin-bottom: 2px;">PA</div> <div style="background-color: #2196f3; color: white; padding: 2px 5px;">QPD</div> </div> Non-Preferred Specialty Drug 18 per day |
| FIBROMYALGIA AGENTS | | |
| SAVELLA (12.5 MG TABLET, 25 MG TABLET, 50 MG TABLET, 100 MG TABLET, TITRATION PACK) | T3 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #795548; color: white; padding: 2px 5px; margin-bottom: 2px;">ST</div> <div style="background-color: #2196f3; color: white; padding: 2px 5px;">QPD</div> </div> 2 per day |
| OPIATE ANTAGONISTS | | |
| KLOXXADO | T3 | <div style="background-color: #795548; color: white; padding: 2px 5px;">ST</div> |
| <i>naloxone hcl (0.4 mg/ml carpject, 0.4 mg/ml vial, 2 mg/2 ml syringe, 4 mg/10 ml vial)</i> | T1 | |
| <i>naltrexone hcl</i> | T1 | |
| NARCAN | T2 | <div style="background-color: #9c27b0; color: white; padding: 2px 5px;">QL</div> 2 / 30 days |
| VIVITROL | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #e91e63; color: white; padding: 2px 5px; margin-bottom: 2px;">NPS</div> <div style="background-color: #795548; color: white; padding: 2px 5px;">PA</div> </div> Non-Preferred Specialty Drug |
| VESICULAR MONOAMINE TRANSPORT2 INHIBITOR | | |
| AUSTEDO | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #9c27b0; color: white; padding: 2px 5px; margin-bottom: 2px;">AL</div> <div style="background-color: #e91e63; color: white; padding: 2px 5px; margin-bottom: 2px;">NPS</div> <div style="background-color: #795548; color: white; padding: 2px 5px; margin-bottom: 2px;">PA</div> <div style="background-color: #2196f3; color: white; padding: 2px 5px;">QPD</div> </div> At least 18 yrs old Non-Preferred Specialty Drug 4 per day |
| INGREZZA (60 MG CAPSULE, 80 MG CAPSULE) | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #9c27b0; color: white; padding: 2px 5px; margin-bottom: 2px;">AL</div> <div style="background-color: #e91e63; color: white; padding: 2px 5px; margin-bottom: 2px;">NPS</div> <div style="background-color: #795548; color: white; padding: 2px 5px; margin-bottom: 2px;">PA</div> <div style="background-color: #2196f3; color: white; padding: 2px 5px;">QPD</div> </div> At least 18 yrs old Non-Preferred Specialty Drug 1 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|--|
| INGREZZA 40 MG CAPSULE | T4 | <p>AL At least 18 yrs old</p> <p>NPS Non-Preferred Specialty Drug</p> <p>PA</p> <p>QPD 2 per day</p> |
| INGREZZA INITIATION PACK | T4 | <p>AL At least 18 yrs old</p> <p>NPS Non-Preferred Specialty Drug</p> <p>PA</p> <p>QPD 1 per day</p> |
| <i>tetrabenazine</i> | T4 | <p>NPS Non-Preferred Specialty Drug</p> <p>PA</p> |
| XENAZINE | T4 | <p>NPS Non-Preferred Specialty Drug</p> <p>PA</p> |
| CEPHALOSPORIN ANTIBIOTICS | | |
| 1ST GENERATION CEPHALOSPORIN ANTIBIOTICS | | |
| <i>cefadroxil (1 gm tablet, 250 mg/5 ml susp, 500 mg capsule, 500 mg/5 ml susp)</i> | T1 | |
| <i>cephalexin (125 mg/5 ml susp, 250 mg capsule, 250 mg tablet, 250 mg/5 ml susp, 500 mg capsule, 500 mg tablet, 750 mg capsule)</i> | T1 | |
| KEFLEX | T3 | |
| 2ND GENERATION CEPHALOSPORIN ANTIBIOTICS | | |
| <i>cefaclor (125 mg/5 ml susp, 250 mg capsule, 250 mg/5 ml susp, 375 mg/5 ml suspen, 500 mg capsule)</i> | T1 | |
| <i>cefaclor er</i> | T1 | QL 20 / 30 days |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|-----------------------|
| <i>cefprozil (125 mg/5 ml susp, 250 mg tablet, 250 mg/5 ml susp, 500 mg tablet)</i> | T1 | |
| <i>cefuroxime</i> | T1 | |
| 3RD GENERATION CEPHALOSPORIN ANTIBIOTICS | | |
| <i>cefdinir (125 mg/5 ml susp, 250 mg/5 ml susp, 300 mg capsule)</i> | T1 | |
| <i>cefditoren pivoxil</i> | T1 | |
| <i>cefixime 400 mg capsule</i> | T1 | |
| <i>cefixime (100 mg/5 ml susp, 200 mg/5 ml susp)</i> | T1 | QL 1200 / 90 days |
| <i>cefpodoxime proxetil (50 mg/5 ml susp, 100 mg tablet, 100 mg/5 ml susp, 200 mg tablet)</i> | T1 | |
| <i>ceftriaxone (1 gm add-vant vial, 1 gm piggyback, 1 gm-d5w bag, 2 gm add vial, 2 gm piggyback, 2 gm-d5w bag)</i> | T1 | |
| <i>ceftriaxone (1 gm vial, 2 gm vial, 10 gm vial, 100 gram bulk bag, 250 mg vial, 500 mg vial)</i> | T1 | |
| SPECTRACEF | T3 | |
| SUPRAX (100 MG TABLET CHEWABLE, 200 MG TABLET CHEWABLE, 400 MG CAPSULE, 500 MG/5 ML SUSPENSION) | T3 | |
| SUPRAX (100 MG/5 ML SUSPENSION, 200 MG/5 ML SUSPENSION) | T3 | QL 1200 / 90 days |
| CORTICOSTEROIDS (RESPIRATORY TRACT) | | |
| ORALLY INHALED PREPARATIONS (STEROIDS) | | |
| ADVAIR DISKUS | T2 | PR QPD 2 per day |
| ADVAIR HFA | T2 | PR QPD 0.4 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|-------------------------------|
| ARNUIITY ELLIPTA 100 MCG INH | T2 | PR QPD 2 per day |
| ARNUIITY ELLIPTA 200 MCG INH | T2 | PR QPD 1 per day |
| ARNUIITY ELLIPTA 50 MCG INH | T2 | PR QPD 4 per day |
| BREO ELLIPTA | T2 | PR QPD 2 per day |
| BREZTRI AEROSPHERE | T2 | PR QPD 0.36 per day |
| <i>budesonide (0.25 mg/2 ml susp, 0.5 mg/2 ml susp)</i> | T1 | QL 120 / 30 days PR |
| <i>budesonide 1 mg/2 ml inh susp</i> | T3 | QL 120 / 30 days PR HCG |
| FLOVENT 250 MCG DISKUS | T2 | PR QPD 8 per day |
| FLOVENT DISKUS (50 MCG, 100 MCG) | T2 | PR QPD 4 per day |
| FLOVENT HFA (HFA 110 MCG INHALER, HFA 220 MCG INHALER) | T2 | PR QPD 0.8 per day |
| FLOVENT HFA 44 MCG INHALER | T2 | PR QPD 0.767 per day |
| <i>fluticasone-salmeterol (55-14, 113-14, 232-14)</i> | T1 | PR QPD 0.04 per day |
| <i>fluticasone-salmeterol (100-50, 250-50, 500-50)</i> | T1 | PR QPD 2 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|--|
| PULMICORT FLEXHALER | T2 | <div style="display: flex; align-items: center;"> <div style="background-color: #003366; color: white; padding: 2px 5px; border-radius: 3px;">PR</div> <div style="margin-left: 5px;">0.07 per day</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #0070C0; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> </div> |
| SYMBICORT | T2 | <div style="display: flex; align-items: center;"> <div style="background-color: #003366; color: white; padding: 2px 5px; border-radius: 3px;">PR</div> <div style="margin-left: 5px;">0.4 per day</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #0070C0; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> </div> |
| TRELEGY ELLIPTA | T2 | <div style="display: flex; align-items: center;"> <div style="background-color: #003366; color: white; padding: 2px 5px; border-radius: 3px;">PR</div> <div style="margin-left: 5px;">2 per day</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #0070C0; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> </div> |
| WIXELA INHUB | T1 | <div style="display: flex; align-items: center;"> <div style="background-color: #003366; color: white; padding: 2px 5px; border-radius: 3px;">PR</div> <div style="margin-left: 5px;">2 per day</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #0070C0; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> </div> |
| CYSTIC FIBROSIS (CFTR) MODULATORS | | |
| CYSTIC FIBROSIS (CFTR) CORRECTORS | | |
| SYMDEKO | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #C00000; color: white; padding: 2px 5px; border-radius: 3px;">NPS</div> <div style="margin-left: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #806040; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #0070C0; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> <div style="margin-left: 5px;">2 per day</div> </div> |
| TRIKAFTA | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #C00000; color: white; padding: 2px 5px; border-radius: 3px;">NPS</div> <div style="margin-left: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #806040; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #0070C0; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> <div style="margin-left: 5px;">3 per day</div> </div> |
| CYSTIC FIBROSIS (CFTR) POTENTIATORS | | |
| KALYDECO (25 MG GRANULES PACKET, 50 MG GRANULES PACKET, 75 MG GRANULES PACKET, 150 MG TABLET) | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #C00000; color: white; padding: 2px 5px; border-radius: 3px;">NPS</div> <div style="margin-left: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #806040; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #0070C0; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> <div style="margin-left: 5px;">2 per day</div> </div> |
| ORKAMBI (100-125 MG GRANULE PKT, 150-188 MG GRANULE PKT) | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #C00000; color: white; padding: 2px 5px; border-radius: 3px;">NPS</div> <div style="margin-left: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #806040; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #0070C0; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> <div style="margin-left: 5px;">2 per day</div> </div> |
| ORKAMBI (100 MG TABLET, 200 MG TABLET) | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #C00000; color: white; padding: 2px 5px; border-radius: 3px;">NPS</div> <div style="margin-left: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #806040; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #0070C0; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> <div style="margin-left: 5px;">4 per day</div> </div> |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|-----------------------|
| DEPIGMENTING AND PIGMENTING AGENTS | | |
| PIGMENTING AGENTS | | |
| <i>methoxsalen</i> | T1 | |
| OXSORALEN-ULTRA | T3 | |
| DEVICES | | |
| <i>1st tier unifine pentips</i> | T2 | PR |
| <i>1st tier unifine pentips plus</i> | T2 | PR |
| <i>1st tier unilet comfortouch</i> | T2 | PR |
| 2-in-1 lancet device | T2 | PR |
| <i>abouttime pen needle</i> | T2 | PR |
| <i>accu-chek (lancet kit, lancets)</i> | T2 | PR |
| <i>accu-chek fastclix lancet drum</i> | T2 | PR |
| <i>accu-chek fastclix lancing dev</i> | T2 | PR |
| <i>accu-chek safe-t-pro</i> | T2 | PR |
| <i>accu-chek safe-t-pro plus</i> | T2 | PR |
| <i>accu-chek softclix (lancet kit, lancets)</i> | T2 | PR |
| <i>acti-lance</i> | T2 | PR |
| <i>adjustable lancing device</i> | T2 | PR |
| <i>advanced lancing device</i> | T2 | PR |
| <i>advanced travel lancets</i> | T2 | PR |
| <i>alternate site lancets</i> | T2 | PR |
| <i>assure haemolance plus (18g, 21g, 25g, 28g, blade)</i> | T2 | PR |
| <i>assure id duo-shield</i> | T2 | PR |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|-----------------------|
| <i>assure id insulin safety (syr 0.5ml 31gx15/64", syr 1 ml 31gx15/64")</i> | T2 | PR |
| <i>assure id pen needle</i> | T2 | PR |
| <i>assure lance</i> | T2 | PR |
| <i>assure lance plus</i> | T2 | PR |
| <i>auto-lancet mini</i> | T2 | PR |
| <i>autolet impression</i> | T2 | PR |
| <i>autolet lancing device</i> | T2 | PR |
| <i>autolet plus</i> | T2 | PR |
| <i>autosield duo pen needle</i> | T2 | PR |
| <i>bd microtainer lancets</i> | T2 | PR |
| <i>bd ultra-fine</i> | T2 | PR |
| <i>bd ultra-fine ii</i> | T2 | PR |
| <i>blunt needle (bd needle 18gx1-1/2", needle)</i> | T3 | |
| <i>butterfly touch lancet</i> | T2 | PR |
| <i>carefine pen needle</i> | T2 | PR |
| <i>carelance ult lancing device</i> | T2 | PR |
| <i>careone (lancing device, thin lancet, ultra thin lancet)</i> | T2 | PR |
| <i>caresens ultra thin 30g lancet</i> | T2 | PR |
| <i>caresens prem lancing device</i> | T2 | PR |
| <i>caretouch insulin syringe (syr 1 ml 28gx5/16", syr 1 ml 29gx5/16")</i> | T2 | PR |
| <i>caretouch lancing device</i> | T2 | PR |
| <i>caretouch pen needle</i> | T2 | PR |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|-----------------------|
| <i>caretouch safety lancets</i> | T2 | PR |
| <i>caretouch twist lancet</i> | T2 | PR |
| <i>clickfine</i> | T2 | PR |
| <i>coaguhek lancets</i> | T2 | PR |
| <i>color lancets</i> | T2 | PR |
| <i>comfort ez pen needle (pen 4mm 32g, pen 5mm 31g, pen 5mm 33g, pen 6mm 31g, pen 6mm 33g, pen 8mm 31g, pen 8mm 33g)</i> | T2 | PR |
| <i>comfort lancets</i> | T2 | PR |
| <i>comfort touch pen needle</i> | T2 | PR |
| <i>comfort touch plus safety lanc</i> | T2 | PR |
| <i>comfort touch ult thin lancet</i> | T2 | PR |
| <i>contour solution</i> | T2 | |
| <i>contour (, system)</i> | T2 | PR |
| <i>contour next</i> | T2 | PR |
| <i>contour next control solution (1 sol, 2 sol)</i> | T2 | |
| <i>contour next ez</i> | T2 | PR |
| <i>contour next glucose meter</i> | T2 | PR |
| <i>contour next link</i> | T2 | PR |
| <i>contour next link 2.4 meter kit (ndc: 00193626201)</i> | T2 | PR |
| <i>contour next link 2.4 meter kit (ndc: 43169048501)</i> | T3 | PR |
| <i>contour next one meter (ndc: 00193781801)</i> | T2 | PR |
| <i>contour next one meter (ndc: 01937081801)</i> | T3 | PR |
| <i>dexcom</i> | T2 | AL At least 2 yrs old |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|--|
| <i>dexcom g4 ((ped) receiver kit, receiver kit, receiver-share (ped), receiver-share kit, transmitter kit)</i> | T2 | AL At least 2 yrs old |
| <i>dexcom g5 (receiver kit, transmitter kit)</i> | T2 | AL At least 2 yrs old |
| <i>dexcom g5-g4 sensor</i> | T2 | AL At least 2 yrs old |
| <i>dexcom g6 (receiver, sensor, transmitter)</i> | T2 | AL At least 2 yrs old |
| <i>droplet genteel lancing device</i> | T2 | PR |
| <i>droplet insulin syringe (0.5 ml 29gx12.5mm(1/2), 0.5 ml 30gx12.5mm(1/2), ins 0.5ml 30gx6mm(1/2), ins 0.5ml 30gx8mm(1/2), ins 0.5ml 31gx6mm(1/2), ins 0.5ml 31gx8mm(1/2), ins syr 0.3 ml 30gx6mm, ins syr 1 ml 30gx6mm)</i> | T2 | PR |
| <i>droplet lancets</i> | T2 | PR |
| <i>droplet lancing device</i> | T2 | PR |
| <i>droplet micron pen needle</i> | T2 | PR |
| <i>droplet pen needle</i> | T2 | PR |
| <i>dropsafe pen needle</i> | T2 | PR |
| DUROLANE | T4 | NPS Non-Preferred Specialty Drug PA |
| <i>e-z ject lancets</i> | T2 | PR |
| <i>e-zject lancets</i> | T2 | PR |
| <i>easy comfort insulin syringe (0.5 ml 32gx5/16", 1 ml 32gx5/16")</i> | T2 | PR |
| <i>easy comfort pen needle (pen ndl 5mm, pen ndl 6mm)</i> | T2 | PR |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|-----------------------|
| <i>easy touch (button 30g lancets, pull-top 26g lancet, pull-top 28g lancet, pull-top 30g lancet, pull-top 32g lancet, safety 21g lancets, safety 23g lancets, safety 26g lancets, safety 28g lancets, safety 30g lancets, safety 32g lancets, twist 26g lancets, twist 28g lancets, twist 30g lancets, twist 32g lancets, twist 33g lancets)</i> | T2 | PR |
| <i>easy touch fliplok ndl 25gx5/8</i> | T3 | |
| <i>easy touch lancing device</i> | T2 | PR |
| <i>easy touch pen needle</i> | T2 | PR |
| <i>easy touch safety pen needle (easy touch pen ndl 29g 5mm, easy touch pen ndl 30g 5mm, easytouch pen ndl 30g 6mm)</i> | T2 | PR |
| <i>easypoint needle 25g x 1"</i> | T3 | |
| <i>eclipse needle (needle 21gx1", needle 22gx1", needle 23gx1", needle 25gx1", needle 25gx5/8", needle 27gx1/2", needles 21gx1.5")</i> | T3 | |
| <i>embrace 30g lancets</i> | T2 | PR |
| <i>embrace lancing device</i> | T2 | PR |
| EPISIL | T3 | |
| EUFLEXXA | T4 | PS PA |
| <i>eversense sensor-holder</i> | T3 | |
| <i>exel hypo needle 30gx0.5"</i> | T3 | |
| <i>exel mti drawing needle</i> | T1 | |
| <i>ez smart lancets</i> | T2 | PR |
| <i>ez-lets</i> | T2 | PR |
| <i>fifty50 safety seal lancets</i> | T2 | PR |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|--|
| <i>filter aspirator needle</i> | T3 | |
| <i>filter needle</i> | T1 | |
| <i>filter needle 5 micron</i> | T3 | |
| <i>fine 30 universal lancets</i> | T2 | PR |
| <i>fingerstix</i> | T2 | PR |
| <i>fora lancets</i> | T2 | PR |
| <i>fora lancing device</i> | T2 | PR |
| <i>foracare lancets</i> | T2 | PR |
| <i>freestyle lancets</i> | T2 | PR |
| <i>freestyle unistik 2</i> | T2 | PR |
| GEL-ONE | T4 | NPS Non-Preferred Specialty Drug PA |
| <i>genteel vacuum lancing device</i> | T2 | PR |
| GENVISC 850 | T4 | NPS Non-Preferred Specialty Drug PA |
| <i>glucocom</i> | T2 | PR |
| <i>glucocom lancets</i> | T2 | PR |
| <i>gojji lancets</i> | T2 | PR |
| <i>gojji lancing device</i> | T2 | PR |
| <i>healthwise pen needle</i> | T2 | PR |
| <i>healthy accents autolet</i> | T2 | PR |
| <i>healthy accents unifine pentip (pentip 4mm 32g, pentip 5mm 31g, pentip 6mm 31g, pentip 8mm 31g, pentip 12mm 29g)</i> | T2 | PR |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|---|
| <i>healthy accents unilet lancet</i> | T2 | PR |
| HYALGAN (20 MG/2 ML SYRINGE, 20 MG/2 ML VIAL) | T4 | NPS PA Non-Preferred Specialty Drug |
| HYLATOPICPLUS (CREAM, EMOLLIENT FOAM, LOTION) | T3 | |
| HYMOVIS | T4 | NPS PA Non-Preferred Specialty Drug |
| <i>hypodermic needle (hypo needle, polypropyl hub, hypodermic needle, alum hub, monoject hypo ndl 27gx1-1/2", monoject hypo needle 18x1a, monoject hypo needle 19x1, monoject hypo needle 19x1-1/2, monoject hypo needle 20x1, monoject hypo needle 20x1-1/2, monoject hypo needle 21x1, monoject hypo needle 21x1-1/2, monoject hypodermic needle)</i> | T3 | |
| <i>hypolance</i> | T2 | PR |
| <i>incontrol lancing device</i> | T2 | PR |
| <i>incontrol pen needle (pen needle 4mm 32g, pen needle 6mm 31g, pen needle 8mm 31g, pen needle 12mm 29g)</i> | T2 | PR |
| <i>incontrol pen needle 5mm 31g</i> | T2 | PR |
| <i>incontrol super thin lancets</i> | T2 | PR |
| <i>incontrol ultra thin lancets</i> | T2 | PR |
| <i>insulin pen needle</i> | T2 | PR |
| <i>insupen</i> | T2 | PR |
| <i>integra precisionglide needle</i> | T3 | |
| <i>invacare lancets</i> | T2 | PR |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|-----------------------|
| <i>lancets (26g, 26g x 1.8mm, 28g, 28g x 1.8mm, assure comfort 28g, 30g, assure comfort 30g, bd 33g, cvs thin 26g, dario 100 sterile, e-zject thin, kroger, meijer, preferred plus, preferred plus thin, pub 28g, relion thin 26g, sm 21g, ultra fine 28g)</i> | T2 | PR |
| <i>lancets thin</i> | T2 | PR |
| <i>lancets ultra thin</i> | T2 | PR |
| <i>lancing device (autolet impression dev, cvs device, device, fifty50 device, ge device, gs device and lancets, invacare device, kro device, kroger device, live better advanced, meijer device, ra health care device, relion device, value plus device)</i> | T2 | PR |
| <i>lancing system</i> | T2 | PR |
| <i>lanzo</i> | T2 | PR |
| <i>latex gloves</i> | T1 | |
| LIDOTREX 2% WOUND GEL | T3 | |
| <i>lite touch (pen needle 29g, 31gx1/4" pen needle, pen needle 31g)</i> | T2 | PR |
| <i>lite touch (28g lancets, 30g lancets, 33g lancets, lancing pen)</i> | T2 | PR |
| <i>maxicomfort ii pen needle</i> | T2 | PR |
| <i>maxicomfort safety pen needle</i> | T2 | PR |
| <i>medisense thin lancets</i> | T2 | PR |
| <i>medlance plus</i> | T2 | PR |
| <i>medlance plus special blade</i> | T2 | PR |
| <i>micro thin lancet</i> | T2 | PR |
| <i>micro thin lancets</i> | T2 | PR |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|--|
| <i>microdot insulin pen needle</i> | T2 | PR |
| <i>microlet</i> | T2 | PR |
| <i>microlet 2</i> | T2 | PR |
| <i>microlet next lancing device</i> | T2 | PR |
| <i>microtainer lancets</i> | T2 | PR |
| <i>mini lancing device</i> | T2 | PR |
| <i>mini ultra-thin ii</i> | T2 | PR |
| <i>monoject enfit syringe (1 ml syringe, 3 ml syringe, 6 ml syringe, 35 ml syringe, 60 ml syringe)</i> | T1 | |
| <i>monolet lancets</i> | T2 | PR |
| <i>monolet thin lancets</i> | T2 | PR |
| MONOVISC | T4 | NPS Non-Preferred Specialty Drug PA |
| <i>multi-lancet</i> | T2 | PR |
| <i>myglucohealth lancets</i> | T2 | PR |
| <i>nano 2nd gen pen needle</i> | T2 | PR |
| <i>needle (needle 18gx1 1/2", needle 30gx1/2")</i> | T3 | |
| <i>reli on 31g x 1/4" needles</i> | T2 | PR |
| <i>nova safety lancets</i> | T2 | PR |
| <i>nova sureflex</i> | T2 | PR |
| <i>novofine 32</i> | T2 | PR |
| <i>novofine autocover</i> | T2 | PR |
| <i>novofine plus</i> | T2 | PR |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|--|
| <i>novotwist</i> | T2 | PR |
| NUMOISYN LOZENGE | T3 | |
| NUVAIL | T3 | |
| <i>omnipod dash 5 pack pod</i> | T2 | QPD 1 per day |
| <i>on call lancet</i> | T2 | PR |
| <i>on call lancing device</i> | T2 | PR |
| <i>on call plus lancet</i> | T2 | PR |
| <i>on call plus lancing device</i> | T2 | PR |
| <i>on-the-go</i> | T2 | PR |
| <i>onetouch delica (30g lancets, 33g lancets, lancing dev)</i> | T2 | PR |
| <i>onetouch delica plus lanc dev</i> | T2 | PR |
| <i>onetouch delica plus lancet</i> | T2 | PR |
| <i>onetouch delica safety lancet</i> | T2 | PR |
| <i>onetouch lancets</i> | T2 | PR |
| <i>onetouch suresoft</i> | T2 | PR |
| ORTHOVISC | T4 | NPS Non-Preferred Specialty Drug PA |
| PAIN EASE MEDIUM STREAM SPRAY | T3 | |
| PAIN EASE MIST SPRAY | T3 | |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|-----------------------|
| <i>pen needle (fifty50 pen 31g x 3/16" needle, fifty50 pen 31g x 5/16" needle, fifty50 pen needle 32g x 1/4", fifty50 pen needle 32g x 5/32", gs pen needle 31g x 1/4", gs pen needle 31g x 5/16", gs pen needle 31g x 5mm, gs pen needle 31g x 6mm, gs pen needle 31g x 8mm, gs pen needle 32g x 4mm, gs pen needle 32g x 6mm, kro pen needle 4mm x 32g, kro pen needle 4mm x 33g, kro pen needle 5mm x 31g, kro pen needle 6mm x 31g, kro pen needle 8mm x 31g, ms pen needle 6mm 31g, pen needle 4mm 32g, pen needle 5mm 31g, pen needle 6mm 31g, pen needle 8mm 31g, pen needle 12mm 29g, pen needle 29g 12mm, pen needle 30g x 8mm, pen needle 31g 5mm, pen needle 31g 6mm, pen needle 31g 8mm, pen needle 31g x 1/4", pen needle 31g x 3/16", pen needle 31g x 5/16", pen needle 31g x 8mm, pen needle 32g 4mm, pen needle 32g x 5/32", pen needle 33g 4mm, pub pen 12mm 29g needles, pub pen needle 6mm 31g, relion mini pen 31g x 1/4" ndl, relion pen 29g needle, relion pen needle 29gx1/2", relion pen needle 31gx1/4", relion pen needle 31gx5/16", relion pen needle 32gx5/32", today's hlth pn needle 6mm 31g)</i> | T2 | PR |
| <i>relion pen needle 31g 6mm</i> | T2 | PR |
| <i>pen needles (pen 6mm 31g, pen 8mm 31g, pen 12mm 29g)</i> | T2 | PR |
| <i>pentips</i> | T2 | PR |
| <i>pip 28g lancet</i> | T2 | PR |
| <i>pip 30g lancet</i> | T2 | PR |
| <i>pip pen needle</i> | T2 | PR |
| <i>poly hub needle 30gx1/2"</i> | T3 | |
| <i>precision xtr b-ketone strip</i> | T3 | |
| <i>pressure activated lancets</i> | T2 | PR |
| <i>prevent dropsafe pen needle</i> | T2 | PR |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|-----------------------|
| <i>prodigy lancets</i> | T2 | PR |
| <i>prodigy lancing device</i> | T2 | PR |
| <i>prodigy twist top lancet</i> | T2 | PR |
| <i>pure comfort 30g safety lancet</i> | T2 | PR |
| <i>push button safety lancets</i> | T2 | PR |
| <i>readylance safety lancets</i> | T2 | PR |
| REGENECARE | T3 | |
| <i>reliamed</i> | T2 | PR |
| <i>reliamed mini lancing device</i> | T2 | PR |
| <i>reliamed safety seal lancets</i> | T2 | PR |
| <i>relion pen needles</i> | T2 | PR |
| <i>relion thin</i> | T2 | PR |
| <i>rightest gd500</i> | T2 | PR |
| <i>rightest gl300 lancets</i> | T2 | PR |
| <i>safety lancets (21g, 28g)</i> | T2 | PR |
| <i>safety pen needle</i> | T2 | PR |
| <i>safetyglide insulin syringe (safetyglid ins 1 ml, saftygld ins 0.3 ml, saftygld ins 0.5 ml)</i> | T2 | PR |
| <i>safetyglide needle</i> | T3 | |
| <i>securesafe pen needle</i> | T2 | PR |
| SILVASORB GEL | T3 | |
| SILVRSTAT | T3 | |
| <i>single-let</i> | T2 | PR |
| <i>smart sense</i> | T2 | PR |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|--|
| <i>smart sense lancets</i> | T2 | PR |
| <i>smartdiabetes vantage</i> | T2 | PR |
| <i>smartest lancet</i> | T2 | PR |
| <i>soft touch</i> | T2 | PR |
| <i>solus v2 28g lancets</i> | T2 | PR |
| <i>solus v2 lancets</i> | T2 | PR |
| <i>solus v2 lancing device</i> | T2 | PR |
| SPRAY AND STRETCH | T3 | |
| <i>sterilance tl</i> | T2 | PR |
| SUPARTZ FX | T4 | NPS Non-Preferred Specialty Drug PA |
| <i>super thin lancets</i> | T2 | PR |
| <i>sure comfort (pen ndl 29gx1/2", 30g pen needle, 31g pen needle, pen ndl 31gx3/16", pen ndl 32gx1/4", pen ndl 32gx5/32")</i> | T2 | PR |
| <i>sure comfort lancets</i> | T2 | PR |
| <i>sure comfort lancing pen</i> | T2 | PR |
| <i>sure comfort safety pen needle</i> | T2 | PR |
| <i>sure-fine pen needles</i> | T2 | PR |
| <i>sure-lance</i> | T2 | PR |
| <i>sure-pen</i> | T2 | PR |
| <i>sure-touch</i> | T2 | PR |
| <i>sureflex</i> | T2 | PR |
| SYNVISC | T4 | PS PA |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|--|
| SYNVISC-ONE | T4 | PS PA |
| <i>techlite insulin syringe (0.3 ml 30gx12mm (1/2), 0.5 ml 29gx12mm (1/2), 0.5 ml 30gx12mm (1/2), 0.5 ml 30gx8mm (1/2), 0.5 ml 31gx6mm (1/2), 0.5 ml 31gx8mm (1/2))</i> | T2 | PR |
| <i>techlite lancets</i> | T2 | PR |
| <i>techlite pen needle</i> | T2 | PR |
| <i>telcare ultra thin 30g lancets</i> | T2 | PR |
| <i>thin lancets</i> | T2 | PR |
| <i>topcare clickfine</i> | T2 | PR |
| <i>topcare universal1 lancet</i> | T2 | PR |
| <i>topcare universal1 thin lancet</i> | T2 | PR |
| TRIVISC | T4 | NPS Non-Preferred Specialty Drug PA |
| <i>true comfort pen needle (pen ndl 31g 8mm, pen ndl 32g 5mm)</i> | T2 | PR |
| <i>true comfort pro ins syringe (cmfrt 0.5ml 5/16", comfort 1ml 5/16")</i> | T2 | PR |
| <i>truedraw</i> | T2 | PR |
| <i>trueplus lancet</i> | T2 | PR |
| <i>trueplus lancets</i> | T2 | PR |
| <i>trueplus pen needle</i> | T2 | PR |
| <i>twist lancets</i> | T2 | PR |
| <i>ulti-lance (auto-ad, automatic)</i> | T2 | PR |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|-----------------------|
| <i>ulticare pen needle</i> | T2 | PR |
| <i>ulticare safety pen needle</i> | T2 | PR |
| <i>ulticare tb safety 1ml 27gx5/8</i> | T3 | |
| <i>ultiguard safepack-pen needle</i> | T2 | PR |
| <i>ultilet basic</i> | T2 | PR |
| <i>ultilet classic</i> | T2 | PR |
| <i>ultilet lancets</i> | T2 | PR |
| <i>ultilet pen needle</i> | T2 | PR |
| <i>ultilet safety</i> | T2 | PR |
| <i>ultra fine lancets</i> | T2 | PR |
| <i>ultra flo 0.3ml 30g 1/2" (1/2)</i> | T2 | PR |
| <i>ultra flo pen needle</i> | T2 | PR |
| <i>ultra thin</i> | T2 | PR |
| <i>ultra thin lancet</i> | T2 | PR |
| <i>ultra thin lancets (28g lancets, 30g lancets, cvs 30g lancets, 33g lancets, live better lancet, relion 30g lancets, walgreens lancets)</i> | T2 | PR |
| <i>ultra thin plus</i> | T2 | PR |
| <i>ultra thin plus lancets</i> | T2 | PR |
| <i>ultra-care lancets</i> | T2 | PR |
| <i>ultra-fine micro pen needle</i> | T2 | PR |
| <i>ultra-fine mini pen needle</i> | T2 | PR |
| <i>ultra-fine nano pen needle</i> | T2 | PR |
| <i>ultra-fine original pen needle</i> | T2 | PR |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|-----------------------|
| <i>ultra-fine short pen needle</i> | T2 | PR |
| <i>ultra-thin ii (pen ndl 29gx1/2", pen ndl 31gx5/16)</i> | T2 | PR |
| <i>ultra-thin ii (28g, 30g)</i> | T2 | PR |
| <i>ultracare pen needle</i> | T2 | PR |
| <i>ultralance</i> | T2 | PR |
| <i>ultratlc lancets</i> | T2 | PR |
| <i>unifine pen needle</i> | T2 | PR |
| <i>unifine pentips</i> | T2 | PR |
| <i>unifine pentips maxflow</i> | T2 | PR |
| <i>pv unifine pentip plus 31gx8mm</i> | T2 | PR |
| <i>unifine pentips plus (careone pentp 29gx1/2", careone pentp 31gx1/4", careone pntp 31gx3/16", careone pntp 31gx5/16", careone pntp 32gx5/32", heb pntp plus 31gx3/16, heb pntp plus 32gx5/32, pentips plus 29gx1/2", pentips plus 31gx1/4", pentips plus 31gx3/16", pentips plus 31gx5/16", pentips plus 32gx5/32", pentips plus 33gx5/32", pub pntp plus 31gx3/16, pv pentip plus 31gx5mm, pv pentip plus 31gx6mm, pv pentip plus 32gx4mm, pv pentip plus 33gx4mm, shopko pentips 4mm 32g, shopko pentips 5mm 31g, shopko pentips 8mm 31g, shopko pntips 12mm 29g, wm pentip plus 4mm 32g, wm pentip plus 5mm 31g, wm pentip plus 6mm 31g, wm pentip plus 8mm 31g)</i> | T2 | PR |
| <i>unifine pentips plus maxflow</i> | T2 | PR |
| <i>unifine safecontrol</i> | T2 | PR |
| <i>unilet comfortouch</i> | T2 | PR |
| <i>unilet excelite</i> | T2 | PR |
| <i>unilet excelite ii</i> | T2 | PR |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|-----------------------|
| <i>unilet gp lancet</i> | T2 | PR |
| <i>unilet lancet</i> | T2 | PR |
| <i>unilet lancets</i> | T2 | PR |
| <i>unistik 2</i> | T2 | PR |
| <i>unistik 2 extra</i> | T2 | PR |
| <i>unistik 3 (3 1.8 mm lancing devic, 3 comfort lancet, 3 gentle 30g lancets, 3 gentle on-the-go 30g, 3 normal 23g lancets, 3 safety 21g lancets)</i> | T2 | PR |
| <i>unistik 3 comfort</i> | T2 | PR |
| <i>unistik 3 extra</i> | T2 | PR |
| <i>unistik 3 neonatal</i> | T2 | PR |
| <i>unistik comfort</i> | T2 | PR |
| <i>unistik czt</i> | T2 | PR |
| <i>unistik extra</i> | T2 | PR |
| <i>unistik pro</i> | T2 | PR |
| <i>unistik safety</i> | T2 | PR |
| <i>unistik touch</i> | T2 | PR |
| <i>universal 1</i> | T2 | PR |
| <i>vanishpoint insulin syringe</i> | T2 | PR |
| <i>verifine pen needle</i> | T2 | PR |
| <i>vivaguard lancet</i> | T2 | PR |
| <i>vivaguard lancing device</i> | T2 | PR |
| <i>yale needle</i> | T3 | |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|--|
| DIAGNOSTIC AGENTS | | |
| ADRENOCORTICAL INSUFFICIENCY | | |
| ACTHAR | T4 | <div style="display: inline-block; background-color: #c00000; color: white; padding: 2px 5px; border-radius: 3px;">NPS</div> Non-Preferred Specialty Drug <div style="display: inline-block; background-color: #804000; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> |
| DIABETES MELLITUS | | |
| <i>contour next test strip (ndc: 00193727735)</i> | T2 | <div style="display: inline-block; background-color: #003366; color: white; padding: 2px 5px; border-radius: 3px;">PR</div> <div style="display: inline-block; background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> 10 per day |
| <i>contour next test strip (ndc: 00193727870)</i> | T2 | <div style="display: inline-block; background-color: #003366; color: white; padding: 2px 5px; border-radius: 3px;">PR</div> <div style="display: inline-block; background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> 10 per day |
| <i>contour next test strip (ndc: 00193730850)</i> | T3 | <div style="display: inline-block; background-color: #003366; color: white; padding: 2px 5px; border-radius: 3px;">PR</div> <div style="display: inline-block; background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> 10 per day |
| <i>contour next test strip (ndc: 00193731025)</i> | T2 | <div style="display: inline-block; background-color: #003366; color: white; padding: 2px 5px; border-radius: 3px;">PR</div> <div style="display: inline-block; background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> 10 per day |
| <i>contour next test strip (ndc: 00193731150)</i> | T2 | <div style="display: inline-block; background-color: #003366; color: white; padding: 2px 5px; border-radius: 3px;">PR</div> <div style="display: inline-block; background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> 10 per day |
| <i>contour next test strip (ndc: 00193731221)</i> | T2 | <div style="display: inline-block; background-color: #003366; color: white; padding: 2px 5px; border-radius: 3px;">PR</div> <div style="display: inline-block; background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> 10 per day |
| <i>contour next test strip (ndc: 00193731310)</i> | T3 | <div style="display: inline-block; background-color: #003366; color: white; padding: 2px 5px; border-radius: 3px;">PR</div> <div style="display: inline-block; background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> 10 per day |
| <i>contour next test strip (ndc: 01937027735)</i> | T3 | <div style="display: inline-block; background-color: #003366; color: white; padding: 2px 5px; border-radius: 3px;">PR</div> <div style="display: inline-block; background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> 10 per day |
| <i>contour next test strip (ndc: 01937027870)</i> | T3 | <div style="display: inline-block; background-color: #003366; color: white; padding: 2px 5px; border-radius: 3px;">PR</div> <div style="display: inline-block; background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> 10 per day |
| <i>contour next test strip (ndc: 01937030850)</i> | T3 | <div style="display: inline-block; background-color: #003366; color: white; padding: 2px 5px; border-radius: 3px;">PR</div> <div style="display: inline-block; background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> 10 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|--|
| <i>contour next test strip (ndc: 01937031310)</i> | T3 | PR QPD 10 per day |
| <i>contour test strip</i> | T2 | PR QPD 10 per day |
| PITUITARY FUNCTION | | |
| MACRILEN | T4 | NPS Non-Preferred Specialty Drug PA |
| THYROID FUNCTION | | |
| THYROGEN | T4 | NPS Non-Preferred Specialty Drug PA |
| URINE AND FECES CONTENTS | | |
| <i>azo</i> | T3 | |
| <i>chek-stix</i> | T3 | QPD 6.66 per day |
| <i>chemstrip 10 md</i> | T3 | |
| <i>chemstrip 10 with sg</i> | T3 | |
| <i>chemstrip 2 gp</i> | T3 | |
| <i>chemstrip 50b</i> | T3 | |
| <i>chemstrip 7</i> | T3 | |
| <i>chemstrip 9</i> | T3 | |
| <i>combistix reagent</i> | T3 | |
| <i>hema-combistix</i> | T3 | |
| <i>ictotest</i> | T3 | |
| <i>keto-diastix reagent</i> | T3 | |
| <i>labstix reagent</i> | T3 | |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|-----------------------|
| <i>multistix</i> | T3 | |
| <i>multistix 10 sg</i> | T3 | |
| <i>multistix 5</i> | T3 | |
| <i>multistix 7</i> | T3 | |
| <i>multistix 8 sg</i> | T3 | |
| <i>multistix 9</i> | T3 | |
| <i>multistix 9 sg</i> | T3 | |
| <i>uristix 4</i> | T3 | |
| <i>uristix reagent</i> | T3 | |
| DIURETICS | | |
| LOOP DIURETICS | | |
| <i>bumetanide (1 mg tablet, 2 mg tablet)</i> | T3 | HCG |
| <i>bumetanide 0.5 mg tablet</i> | T1 | |
| EDECRIN | T3 | |
| <i>ethacrynic acid</i> | T3 | HCG |
| <i>furosemide (10 mg/ml solution, 20 mg tablet, 40 mg tablet, 40 mg/5 ml soln, 80 mg tablet)</i> | T1 | |
| <i>torseamide</i> | T1 | |
| POTASSIUM-SPARING DIURETICS | | |
| <i>amiloride hcl</i> | T1 | |
| <i>amiloride-hydrochlorothiazide</i> | T1 | |
| DYRENIUM | T3 | PA |
| MAXZIDE | T3 | |
| MAXZIDE-25 MG | T3 | |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|---|
| <i>triamterene</i> | T1 | PA |
| <i>triamterene-hydrochlorothiazid (37.5-25 mg cp, 37.5-25 mg tb, 75-50 mg tab)</i> | T1 | |
| THIAZIDE DIURETICS | | |
| DIURIL | T3 | |
| <i>hydrochlorothiazide (12.5 mg cp, 12.5 mg tb, 50 mg tab)</i> | T1 | |
| <i>hydrochlorothiazide 25 mg tab</i> | T1 | LCG |
| MICROZIDE | T3 | |
| THIAZIDE-LIKE DIURETICS | | |
| <i>chlorthalidone</i> | T1 | |
| <i>indapamide</i> | T1 | |
| <i>metolazone</i> | T1 | |
| VASOPRESSIN ANTAGONISTS | | |
| JYNARQUE 15 MG TABLET | T4 | NPS Non-Preferred Specialty Drug PA QPD 1 per day |
| JYNARQUE (15 MG-15 MG TABLET, 30 MG TABLET, 30 MG-15 MG TABLET, 45 MG-15 MG TABLET, 60 MG-30 MG TABLET, 90 MG-30 MG TABLET) | T4 | NPS Non-Preferred Specialty Drug PA QPD 2 per day |
| SAMSCA 15 MG TABLET | T4 | NPS Non-Preferred Specialty Drug PA QPD 1 per day |
| SAMSCA 30 MG TABLET | T4 | NPS Non-Preferred Specialty Drug PA QPD 2 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|---|
| <i>tolvaptan 15 mg tablet</i> | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #d62728; color: white; padding: 2px 5px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8c564b; color: white; padding: 2px 5px; margin-bottom: 2px;">PA</div> <div style="background-color: #1f77b4; color: white; padding: 2px 5px;">QPD</div> </div> Non-Preferred Specialty Drug 1 per day |
| <i>tolvaptan 30 mg tablet</i> | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #d62728; color: white; padding: 2px 5px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8c564b; color: white; padding: 2px 5px; margin-bottom: 2px;">PA</div> <div style="background-color: #1f77b4; color: white; padding: 2px 5px;">QPD</div> </div> Non-Preferred Specialty Drug 2 per day |
| DOPAMINE RECEPTOR AGONISTS | | |
| ERGOT-DERIV. DOPAMINE RECEPTOR AGONISTS | | |
| <i>bromocriptine mesylate (2.5 mg tablet, 5 mg capsule)</i> | T3 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #ffc107; padding: 2px 5px;">HCG</div> </div> |
| <i>cabergoline</i> | T1 | |
| CYCLOSET | T3 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #1f77b4; color: white; padding: 2px 5px; margin-bottom: 2px;">PR</div> <div style="background-color: #8c564b; color: white; padding: 2px 5px; margin-bottom: 2px;">PA</div> <div style="background-color: #1f77b4; color: white; padding: 2px 5px;">QPD</div> </div> 6 per day |
| PARLODEL (2.5 MG TABLET, 5 MG CAPSULE) | T3 | |
| NONERGOT-DERIV.DOPAMINE RECEPTOR AGONIST | | |
| APOKYN | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #d62728; color: white; padding: 2px 5px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8c564b; color: white; padding: 2px 5px; margin-bottom: 2px;">PA</div> <div style="background-color: #1f77b4; color: white; padding: 2px 5px;">QPD</div> </div> Non-Preferred Specialty Drug 2 per day |
| KYNMOBI (10 MG FILM, 15 MG FILM, 20 MG FILM, 25 MG FILM, 30 MG FILM) | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #d62728; color: white; padding: 2px 5px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8c564b; color: white; padding: 2px 5px; margin-bottom: 2px;">PA</div> <div style="background-color: #1f77b4; color: white; padding: 2px 5px;">QPD</div> </div> Non-Preferred Specialty Drug 5 per day |
| KYNMOBI TITRATION KIT | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #6b8e23; color: white; padding: 2px 5px; margin-bottom: 2px;">QL</div> <div style="background-color: #d62728; color: white; padding: 2px 5px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8c564b; color: white; padding: 2px 5px;">PA</div> </div> 10 / 30 days Non-Preferred Specialty Drug |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|----------------------------------|
| MIRAPEX | T3 | |
| MIRAPEX ER | T3 | |
| NEUPRO | T3 | PA |
| <i>pramipexole dihydrochloride</i> | T1 | |
| <i>pramipexole er</i> | T1 | PA |
| REQUIP XL | T3 | |
| <i>ropinirole er</i> | T1 | |
| <i>ropinirole hcl</i> | T1 | |
| ELECTROLYTIC, CALORIC, AND WATER BALANCE | | |
| ACIDIFYING AGENTS | | |
| K-PHOS ORIGINAL | T3 | |
| ALKALINIZING AGENTS | | |
| <i>potassium citrate er</i> | T1 | |
| UROCIT-K | T3 | |
| AMMONIA DETOXICANTS | | |
| BUPHENYL 500 MG TABLET | T4 | NPS Non-Preferred Specialty Drug |
| CARBAGLU | T4 | NPS Non-Preferred Specialty Drug |
| CONSTULOSE | T1 | |
| ENULOSE | T1 | |
| GENERLAC | T1 | |
| KRISTALOSE | T1 | |
| <i>lactulose 10 gm packet</i> | T3 | HCG |
| <i>lactulose (10 gm/15 ml solution, 20 gm/30 ml solution)</i> | T1 | |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|--|
| RAVICTI | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #e53935; color: white; padding: 2px 5px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8b4513; color: white; padding: 2px 5px; margin-bottom: 2px;">PA</div> <div style="background-color: #3498db; color: white; padding: 2px 5px;">QPD</div> </div> Non-Preferred Specialty Drug 20 per day |
| <i>sodium phenylbutyrate 500mg tb</i> | T4 | <div style="background-color: #e53935; color: white; padding: 2px 5px; display: inline-block;">NPS</div> Non-Preferred Specialty Drug |
| CALORIC AGENTS | | |
| DOJOLVI | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #e53935; color: white; padding: 2px 5px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8b4513; color: white; padding: 2px 5px;">PA</div> </div> Non-Preferred Specialty Drug |
| REPLACEMENT PREPARATIONS | | |
| EFFER-K (10 TABLET EFF, 20 TABLET EFF) | T3 | |
| EFFER-K 25 MEQ TABLET EFF | T1 | |
| KLOR-CON | T1 | |
| KLOR-CON 10 | T1 | |
| KLOR-CON 8 | T1 | |
| KLOR-CON M10 | T1 | |
| KLOR-CON M15 | T3 | |
| KLOR-CON M20 | T1 | |
| KLOR-CON-EF | T1 | |
| <i>potassium cl 20 meq packet</i> | T3 | <div style="background-color: #f1c40f; padding: 2px 5px; display: inline-block;">HCG</div> |
| <i>potassium chloride (er 8 meq capsule, er 8 meq tablet, 10% (20 meq/15ml), 10% (40 meq/30ml), er 10 meq capsule, er 10 meq tablet, er 15 meq tablet, 20% (40 meq/15ml), er 20 meq tablet)</i> | T1 | |
| <i>sodium chloride 0.9% ampule</i> | T1 | |
| <i>sodium chloride 0.45% soln</i> | T1 | |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|---|
| URICOSURIC AGENTS | | |
| <i>probenecid</i> | T1 | QPD 4 per day |
| <i>probenecid-colchicine</i> | T1 | QPD 2 per day |
| ENZYMES | | |
| ALDURAZYME | T4 | NPS Non-Preferred Specialty Drug PA |
| CEREZYME | T4 | NPS Non-Preferred Specialty Drug PA |
| ELAPRASE | T4 | NPS Non-Preferred Specialty Drug PA |
| ELELYSO | T4 | PS PA |
| FABRAZYME | T4 | NPS Non-Preferred Specialty Drug PA |
| LUMIZYME | T4 | NPS Non-Preferred Specialty Drug PA |
| NAGLAZYME | T4 | NPS Non-Preferred Specialty Drug PA |
| PALYNZIQ (10 MG/0.5 ML SYRINGE, 20 MG/ML SYRINGE) | T4 | NPS Non-Preferred Specialty Drug PA QPD 2 per day |
| PALYNZIQ 2.5 MG/0.5 ML SYRINGE | T4 | NPS Non-Preferred Specialty Drug PA QPD 8 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|-------------------------------------|------|--|
| STRENSIQ | T4 | PS PA |
| SUCRAID | T4 | NPS Non-Preferred Specialty Drug PA |
| VPRIV | T4 | NPS Non-Preferred Specialty Drug PA |
| XIAFLEX | T4 | NPS Non-Preferred Specialty Drug PA |
| ESTROGENS AND ANTIESTROGENS | | |
| ESTROGEN AGONIST-ANTAGONISTS | | |
| <i>clomiphene citrate</i> | T1 | GL Female PA |
| EVISTA | T3 | QPD 1 per day |
| FARESTON | T3 | PR |
| OSPHENA | T3 | QPD 1.0 per day |
| <i>raloxifene hcl</i> | T0 | PR HCR |
| SEROPHENE | T1 | GL Female PA |
| SOLTAMOX | T3 | PR |
| <i>tamoxifen citrate</i> | T0 | PR HCR |
| <i>toremifene citrate</i> | T1 | PR |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|-------------------------------------|
| ESTROGENS | | |
| ACTIVELLA 0.5-0.1 MG TABLET | T3 | GL Female QPD 1 per day |
| ACTIVELLA 1 MG-0.5 MG TABLET | T3 | GL Female QPD 1 per day |
| ALORA | T3 | ST GL Female QPD 0.29 per day |
| AMABELZ | T1 | GL Female QPD 1 per day |
| ANGELIQ | T3 | GL Female QPD 1 per day |
| BIJUVA | T3 | GL Female QPD 1 per day |
| CLIMARA PRO | T2 | GL Female QPD 0.15 per day |
| COMBIPATCH | T3 | GL Female QPD 0.29 per day |
| DEPO-ESTRADIOL | T3 | GL Female |
| DIVIGEL (0.25 MG GEL PACKET, 0.5 MG GEL PACKET, 0.75 MG GEL PACKET, 1 MG GEL PACKET) | T3 | GL Female QPD 1 per day |
| DIVIGEL 1.25 MG GEL PACKET | T3 | GL Female QPD 1.25 per day |
| DOTTI | T1 | GL Female QPD 0.29 per day |
| DUAVEE | T2 | |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|--------------------------------------|
| ELESTRIN | T3 | GL Female QPD 1.73 per day |
| <i>estradiol 0.01% cream</i> | T1 | GL Female QPD 4 per day |
| <i>estradiol (0.5 mg tablet, 1 mg tablet)</i> | T1 | GL Female QPD 1 per day LCG |
| <i>estradiol 10 mcg vaginal insrt</i> | T1 | GL Female QPD 0.643 per day |
| <i>estradiol 2 mg tablet</i> | T1 | GL Female QPD 1 per day |
| <i>estradiol (once weekly) (0.025 mg patch(1/wk), 0.0375mg patch(1/wk), 0.05 mg patch (1/wk), 0.06 mg patch (1/wk), 0.1 mg patch (1/wk))</i> | T1 | GL Female QPD 0.15 per day |
| <i>estradiol 0.075 mg patch(1/wk)</i> | T3 | GL Female QPD 0.15 per day HCG |
| <i>estradiol (twice weekly)</i> | T1 | GL Female QPD 0.29 per day |
| <i>estradiol valerate</i> | T3 | GL Female HCG |
| <i>estradiol-norethindrone acetat</i> | T1 | GL Female QPD 1 per day |
| ESTRING | T3 | QL 90 days GL Female |
| ESTROGEL | T3 | GL Female QPD 1.667 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|--------------------------------------|
| EVAMIST | T2 | GL Female QPD 0.54 per day |
| FEMHRT | T3 | GL Female QPD 1 per day |
| FEMRING | T3 | ST GL Female QPD 0.02 per day |
| FYAVOLV | T0 | GL Female HCR QPD 1 per day |
| IMVEXXY (4 MCG MAINTENANCE PACK, 4 MCG STARTER PACK, 10 MCG MAINTENANCE PAK, 10 MCG STARTER PACK) | T2 | QPD 1 per day |
| JINTELI | T0 | GL Female HCR QPD 1 per day |
| LOPREEZA | T1 | GL Female QPD 1 per day |
| LYLLANA | T1 | GL Female QPD 0.29 per day HCG |
| MENEST | T3 | GL Female QPD 1 per day |
| MENOSTAR | T3 | ST GL Female QPD 0.15 per day |
| MIMVEY | T1 | GL Female QPD 1 per day HCG |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|-------------------------------------|
| MIMVEY LO | T3 | HCG |
| MINIVELLE | T3 | ST GL Female QPD 0.29 per day |
| <i>norethindron-ethinyl estradiol (norethin-eth 1 mg-5 mcg, norethind-eth 0.5-2.5)</i> | T0 | HCR QPD 1 per day |
| PREFEST | T3 | GL Female QPD 1 per day |
| PREMARIN VAGINAL CREAM-APPL | T2 | GL Female QPD 2 per day |
| PREMARIN (0.3 MG TABLET, 0.45 MG TABLET, 0.625 MG TABLET, 0.9 MG TABLET, 1.25 MG TABLET) | T2 | GL Female QPD 1 per day |
| PREMARIN 25 MG VIAL | T2 | |
| PREMPHASE | T2 | GL Female QPD 1 per day |
| PREMPRO | T2 | GL Female QPD 1 per day |
| YUVAFEM | T1 | GL Female QPD 0.643 per day |
| EYE, EAR, NOSE AND THROAT (EENT) PREPS. | | |
| ANTIALLERGIC AGENTS | | |
| ALOMIDE | T3 | QL 10 / fill |
| <i>azelastine hcl 0.05% drops</i> | T1 | QPD 0.267 per day |
| <i>azelastine hcl (0.1% (137 mcg) sphy, 0.15% nasal spray)</i> | T1 | QPD 2 per day |
| <i>azelastine-fluticasone</i> | T1 | ST QPD 0.8 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|--|
| <i>bepotastine besilate</i> | T1 | QPD 0.334 per day |
| DYMISTA | T2 | QPD 0.8 per day |
| <i>epinastine hcl</i> | T1 | QPD 0.286 per day |
| <i>ketotifen fumarate</i> | T1 | QPD 0.167 per day |
| <i>olopatadine 665 mcg nasal spray</i> | T1 | QL 31 / 30 days |
| PATANASE | T3 | QL 31 / 30 days |
| EENT DRUGS, MISCELLANEOUS | | |
| <i>apraclonidine hcl</i> | T1 | QPD 0.8 per day |
| CYSTADROPS | T4 | NPS Non-Preferred Specialty Drug PA QPD 0.72 per day |
| CYSTARAN | T4 | NPS Non-Preferred Specialty Drug PA QPD 1 per day |
| DEBACTEROL SWABSTICK | T3 | |
| EYLEA 2 MG/0.05 ML SYRINGE | T4 | NPS Non-Preferred Specialty Drug PA QPD 0.04 per day |
| EYLEA 2 MG/0.05 ML VIAL | T4 | NPS Non-Preferred Specialty Drug PA QPD 0.04 per day |
| IOPIDINE | T3 | QPD 0.8 per day |
| <i>ipratropium bromide (0.03% spray, 0.06% spray)</i> | T1 | QPD 2 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|---|
| LUCENTIS (0.3 MG/0.05 ML SYRING, 0.3 MG/0.05 ML VIAL, 0.5 MG/0.05 ML SYRING, 0.5 MG/0.05 ML VIAL) | T4 | <div style="display: flex; flex-direction: column; gap: 5px;"> <div style="background-color: #e91e63; color: white; padding: 2px 5px; border-radius: 3px;">NPS</div> <div style="background-color: #795548; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> <div style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> </div> Non-Preferred Specialty Drug 0.04 per day |
| OXERVATE | T4 | <div style="display: flex; flex-direction: column; gap: 5px;"> <div style="background-color: #e91e63; color: white; padding: 2px 5px; border-radius: 3px;">NPS</div> <div style="background-color: #795548; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> <div style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> </div> Non-Preferred Specialty Drug 1 per day |
| LOCAL ANESTHETICS (EENT) | | |
| AKTEN | T3 | |
| ALCAINE | T3 | |
| <i>proparacaine hcl</i> | T1 | |
| TETCAINE | T1 | |
| <i>tetracaine hcl (eye drop, steri-unit sol)</i> | T1 | |
| MYDRIATICS | | |
| <i>atropine sulfate (drops, ointment)</i> | T1 | |
| VASOCONSTRICTORS | | |
| ADRENALIN CHLORIDE | T3 | <div style="background-color: #795548; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> |
| <i>phenylephrine hcl (2.5% drop, 10% drops)</i> | T1 | |
| UPNEEQ | T3 | <div style="display: flex; flex-direction: column; gap: 5px;"> <div style="background-color: #9c27b0; color: white; padding: 2px 5px; border-radius: 3px;">AL</div> <div style="background-color: #795548; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> <div style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> </div> At least 18 yrs old 1 per day |
| VISINE TOTALITY | T3 | |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|------------------------------|
| FIRST GENERATION ANTIHISTAMINES | | |
| ETHANOLAMINE DERIVATIVES | | |
| <i>carbinoxamine 4 mg/5 ml liquid</i> | T1 | AL At least 2 yrs old |
| <i>carbinoxamine maleate 4 mg tab</i> | T1 | AL At least 6 yrs old |
| <i>carbinoxamine maleate 6 mg tab</i> | T1 | AL At least 6 yrs old HCG |
| <i>clemastine fumarate (0.5 mg/5 ml syrup, fum 2.68 mg tab)</i> | T1 | AL At least 6 yrs old |
| <i>diphenhydramine 50 mg/ml crpjt</i> | T1 | |
| <i>diphenhydramine hcl (50 mg/ml syrng, 50 mg/ml vial)</i> | T1 | |
| <i>diphenhydramine-0.9% nacl</i> | T1 | |
| KARBINAL ER | T3 | AL At least 2 yrs old |
| RYVENT | T3 | ST HCG |
| FIRST GEN. ANTIHIST. DERIVATIVES, MISC. | | |
| <i>cyproheptadine hcl (2 mg/5 ml soln, 2 mg/5 ml syrup, 4 mg tablet, 4 mg/10 ml syrps)</i> | T1 | AL At least 2 yrs old |
| PHENOTHIAZINE DERIVATIVES | | |
| PHENADOZ | T1 | AL At least 2 yrs old |
| <i>promethazine hcl (6.25 mg/5 ml soln, 6.25 mg/5 ml syrps, 12.5 mg suppos, 12.5 mg tablet, 25 mg suppository, 50 mg suppository, 50 mg tablet)</i> | T1 | AL At least 2 yrs old |
| <i>promethazine 25 mg tablet</i> | T1 | AL At least 2 yrs old LCG |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|---|
| <i>promethazine hcl (25 mg/ml ampul, 25 mg/ml vial, 50 mg/ml ampul, 50 mg/ml vial)</i> | T1 | AL At least 2 yrs old |
| <i>promethazine hcl-0.9% nacl</i> | T1 | |
| <i>promethazine vc</i> | T1 | |
| <i>promethazine-phenylephrine</i> | T1 | |
| PROMETHEGAN | T1 | AL At least 2 yrs old |
| PROPYLAMINE DERIVATIVES | | |
| ABATUSS DMX | T1 | AL At least 2 yrs old |
| ALLER-CHLOR | T1 | |
| CONEX SOLUTION | T3 | |
| <i>dexchlorpheniramine maleate</i> | T3 | AL At least 2 yrs old HCG |
| RESPA A.R. | T3 | |
| RYCLORA | T3 | AL At least 2 yrs old |
| GASTROINTESTINAL DRUGS | | |
| ANTI-INFLAMMATORY AGENTS (GI DRUGS) | | |
| <i>alosetron hcl</i> | T1 | GL Female AL At least 18 yrs old |
| APRISO | T2 | |
| <i>balsalazide disodium</i> | T1 | |
| COLAZAL | T3 | |
| LOTRONEX | T3 | GL Female AL At least 18 yrs old PA |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|--|
| <i>mesalamine 4 gm/60 ml kit</i> | T3 | HCG |
| <i>mesalamine (dr 1.2 gm tablet, 4 gm/60 ml enema, 1,000 mg supp)</i> | T1 | |
| <i>mesalamine dr</i> | T1 | |
| <i>mesalamine er</i> | T1 | |
| PENTASA | T3 | |
| ROWASA (4 GM/60 ML ENEMA, 4 GM/60 ML ENEMA KIT) | T3 | |
| SFROWASA | T3 | |
| ANTIDIARRHEA AGENTS | | |
| <i>diphenoxylate-atropine (diphenoxylat-atrop 2.5-0.025/5, diphenoxylate-atrop 2.5-0.025)</i> | T1 | |
| LOMOTIL | T3 | |
| MYTESI | T4 | NPS Non-Preferred Specialty Drug |
| <i>opium tincture</i> | T1 | QPD 5 per day |
| <i>paregoric</i> | T1 | |
| XERMELO | T4 | AL At least 18 yrs old NPS Non-Preferred Specialty Drug PA |
| CATHARTICS AND LAXATIVES | | |
| CLENPIQ | T3 | QPD 11 per day |
| COLYTE WITH FLAVOR PACKETS | T3 | |
| GAVILYTE-C | T0 | HCR |
| GAVILYTE-G | T0 | HCR |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|----------------------------------|
| GAVILYTE-N | T0 | HCR HCG |
| HYDROCIL INSTANT POWDER | T3 | |
| KONSYL ORIGINAL FIBER POWDER | T3 | |
| <i>peg 3350-electrolyte (3350 electrolyte soln, 3350-electrolyte solution)</i> | T0 | HCR |
| <i>peg-3350 and electrolytes</i> | T0 | HCR |
| PEG-PREP | T1 | |
| <i>peg3350-sod sul-nacl-kcl-asb-c</i> | T0 | HCR |
| PREPOPIK | T3 | QL 2 / fill |
| SUPREP | T3 | QL 354 / fill |
| SUTAB | T3 | QPD 0.8 per day |
| TRILYTE WITH FLAVOR PACKETS | T0 | HCR |
| CHOLELITHOLYTIC AGENTS | | |
| ACTIGALL | T3 | |
| CHENODAL | T4 | NPS Non-Preferred Specialty Drug |
| URSO | T3 | |
| URSO FORTE | T3 | |
| <i>ursodiol (250 mg tablet, 300 mg capsule, 500 mg tablet)</i> | T1 | |
| DIGESTANTS | | |
| CREON | T2 | |
| ENZADYNE | T3 | |
| ZENPEP | T2 | |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|--|
| GI DRUGS, MISCELLANEOUS | | |
| BYLVAY (200 MCG PELLETT, 400 MCG CAPSULE) | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; border-radius: 3px;">NPS</div> <div style="margin-left: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> <div style="margin-left: 5px;">2.0 per day</div> </div> </div> |
| BYLVAY 1,200 MCG CAPSULE | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; border-radius: 3px;">NPS</div> <div style="margin-left: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> <div style="margin-left: 5px;">5.0 per day</div> </div> </div> |
| BYLVAY 600 MCG PELLETT | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; border-radius: 3px;">NPS</div> <div style="margin-left: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> <div style="margin-left: 5px;">10.0 per day</div> </div> </div> |
| CHOLBAM 250 MG CAPSULE | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; border-radius: 3px;">NPS</div> <div style="margin-left: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> <div style="margin-left: 5px;">7 per day</div> </div> </div> |
| CHOLBAM 50 MG CAPSULE | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; border-radius: 3px;">NPS</div> <div style="margin-left: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> <div style="margin-left: 5px;">4 per day</div> </div> </div> |
| ENDARI | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; border-radius: 3px;">NPS</div> <div style="margin-left: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> <div style="margin-left: 5px;">6 per day</div> </div> </div> |
| ENTYVIO | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #660099; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">2/ 30 days</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; border-radius: 3px;">NPS</div> <div style="margin-left: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #804000; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div> </div> |
| GATTEX | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; border-radius: 3px;">NPS</div> <div style="margin-left: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> <div style="margin-left: 5px;">1 per day</div> </div> </div> |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|--|
| HUMIRA(CF) PEDI CROHN 80-40 MG | T4 | <div style="display: flex; flex-direction: column; gap: 5px;"> <div style="background-color: #f08080; padding: 2px 5px; border-radius: 3px;">PS</div> <div style="background-color: #8b4513; padding: 2px 5px; border-radius: 3px;">PA</div> <div style="background-color: #0070c0; padding: 2px 5px; border-radius: 3px;">QPD</div> <div style="background-color: #add8e6; padding: 2px 5px; border-radius: 3px;">PS1</div> </div> 0.22 per day Preferred 1st line |
| LINZESS | T2 | <div style="display: flex; flex-direction: column; gap: 5px;"> <div style="background-color: #8b4513; padding: 2px 5px; border-radius: 3px;">ST</div> <div style="background-color: #c0392b; padding: 2px 5px; border-radius: 3px;">AL</div> <div style="background-color: #0070c0; padding: 2px 5px; border-radius: 3px;">QPD</div> </div> At least 18 yrs old 1 per day |
| OCALIVA | T4 | <div style="display: flex; flex-direction: column; gap: 5px;"> <div style="background-color: #c0392b; padding: 2px 5px; border-radius: 3px;">NPS</div> <div style="background-color: #8b4513; padding: 2px 5px; border-radius: 3px;">PA</div> <div style="background-color: #0070c0; padding: 2px 5px; border-radius: 3px;">QPD</div> </div> Non-Preferred Specialty Drug 1 per day |
| SYMPROIC | T2 | <div style="display: flex; flex-direction: column; gap: 5px;"> <div style="background-color: #c0392b; padding: 2px 5px; border-radius: 3px;">AL</div> <div style="background-color: #8b4513; padding: 2px 5px; border-radius: 3px;">PA</div> <div style="background-color: #0070c0; padding: 2px 5px; border-radius: 3px;">QPD</div> </div> At least 18 yrs old 1 per day |
| VIBERZI | T2 | <div style="display: flex; flex-direction: column; gap: 5px;"> <div style="background-color: #8b4513; padding: 2px 5px; border-radius: 3px;">PA</div> <div style="background-color: #0070c0; padding: 2px 5px; border-radius: 3px;">QPD</div> </div> 2 per day |
| XENICAL | T3 | <div style="background-color: #8b4513; padding: 2px 5px; border-radius: 3px;">PA</div> |
| PROKINETIC AGENTS | | |
| GIMOTI | T4 | <div style="display: flex; flex-direction: column; gap: 5px;"> <div style="background-color: #c0392b; padding: 2px 5px; border-radius: 3px;">AL</div> <div style="background-color: #c0392b; padding: 2px 5px; border-radius: 3px;">NPS</div> <div style="background-color: #8b4513; padding: 2px 5px; border-radius: 3px;">PA</div> <div style="background-color: #0070c0; padding: 2px 5px; border-radius: 3px;">QPD</div> </div> At least 18 yrs old Non-Preferred Specialty Drug 0.334 per day |
| <i>metoclopramide hcl (5 mg tablet, 5 mg/5 ml soln, 10 mg tablet, 10 mg/10 ml sol)</i> | T1 | <div style="background-color: #8b4513; padding: 2px 5px; border-radius: 3px;">LCG</div> |
| <i>metoclopramide hcl odt</i> | T1 | |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|---|
| MOTEGRITY | T3 | AL At least 18 yrs old PA QPD 1 per day |
| REGLAN | T3 | |
| ZELNORM | T3 | AL Up to 65 yrs old PA QPD 2 per day |
| GENITOURINARY SMOOTH MUSCLE RELAXANTS | | |
| ANTIMUSCARINICS | | |
| <i>darifenacin er</i> | T1 | QPD 1 per day |
| DETROL | T3 | QPD 2 per day |
| DETROL LA | T3 | QPD 1 per day |
| DITROPAN XL 10 MG TABLET | T3 | QPD 2 per day |
| DITROPAN XL 5 MG TABLET | T3 | QPD 1 per day |
| ENABLEX | T3 | PA QPD 1 per day |
| <i>flavoxate hcl</i> | T1 | |
| GELNIQUE (GEL PUMP, GEL SACHET) | T3 | ST QPD 1 per day |
| <i>oxybutynin 5 mg/5 ml syrup</i> | T1 | QPD 20 per day |
| <i>oxybutynin 5 mg tablet</i> | T1 | QPD 4 per day |
| <i>oxybutynin chloride er (er 10 mg tablet, er 15 mg tablet)</i> | T1 | QPD 2 per day |
| <i>oxybutynin cl er 5 mg tablet</i> | T1 | QPD 1 per day |
| <i>solifenacin succinate</i> | T1 | QPD 1 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|---|
| <i>tolterodine tartrate</i> | T1 | QPD 2 per day |
| <i>tolterodine tartrate er</i> | T1 | QPD 1 per day |
| TOVIAZ | T3 | QPD 1 per day |
| <i>trospium chloride</i> | T1 | QPD 2 per day |
| <i>trospium chloride er</i> | T1 | QPD 1 per day |
| GOLD COMPOUNDS | | |
| RIDAURA | T3 | |
| GONADOTROPINS AND ANTIGONADOTROPINS | | |
| ANTIGONADTROPINS | | |
| CETROTIDE | T4 | GL Female PS PA |
| <i>ganirelix acetate</i> | T4 | GL Female NPS Non-Preferred Specialty Drug PA |
| ORGOVYX | T4 | PS PA |
| ORIAHNN | T2 | AL At least 18 yrs old PA QPD 2 per day |
| ORLISSA 150 MG TABLET | T2 | AL At least 18 yrs old PA QPD 1 per day |
| ORLISSA 200 MG TABLET | T2 | AL At least 18 yrs old PA QPD 2 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|--|
| GONADOTROPINS | | |
| <i>chorionic gonad 10,000 unit vl</i> | T4 | NPS Non-Preferred Specialty Drug PA |
| ELIGARD | T4 | NPS Non-Preferred Specialty Drug PA |
| FOLLISTIM AQ | T4 | NPS Non-Preferred Specialty Drug PA |
| GONAL-F | T4 | PS PA |
| GONAL-F RFF | T4 | GL Female PS PA |
| GONAL-F RFF REDI-JECT | T4 | GL Female PS PA |
| <i>leuprolide 2wk 1 mg/0.2 ml kit</i> | T4 | NPS Non-Preferred Specialty Drug PA |
| <i>leuprolide acetate (14 mg/2.8 ml kt, 14 mg/2.8 ml vl)</i> | T4 | NPS Non-Preferred Specialty Drug PA |
| LUPRON DEPOT (DEPOT-4 MONTH KIT, DEPOT 7.5 MG KIT, DEPOT 11.25 MG 3MO KIT, DEPOT 22.5 MG 3MO KIT, DEPOT 45 MG 6MO KIT) | T4 | NPS Non-Preferred Specialty Drug PA |
| LUPRON DEPOT 3.75 MG KIT | T4 | NPS Non-Preferred Specialty Drug PA |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|---|
| LUPRON DEPO 11.25MG (LUPANETA) | T4 | NPS Non-Preferred Specialty Drug PA |
| LUPRON DEPOT 3.75MG (LUPANETA) | T4 | NPS Non-Preferred Specialty Drug PA |
| LUPRON DEPOT-PED (7.5 MG KIT, 11.25 MG 3MO, 11.25 MG KIT, 15 MG KIT, 30 MG 3MO KIT) | T4 | NPS Non-Preferred Specialty Drug PA |
| MENOPUR | T4 | GL Female NPS Non-Preferred Specialty Drug PA |
| NOVAREL | T4 | NPS Non-Preferred Specialty Drug PA |
| OVIDREL | T4 | PS PA |
| PREGNYL | T4 | NPS Non-Preferred Specialty Drug PA |
| SUPPRELIN LA | T4 | NPS Non-Preferred Specialty Drug PA |
| SYNAREL | T4 | NPS Non-Preferred Specialty Drug PA |
| VANTAS | T4 | NPS Non-Preferred Specialty Drug PA |
| ZOLADEX | T4 | NPS Non-Preferred Specialty Drug PA |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|---------------------------|
| HCV ANTIVIRALS | | |
| HCV POLYMERASE INHIBITOR ANTIVIRALS | | |
| EPCLUSA | T4 | PS PA QPD 1 per day |
| HARVONI (33.75-150 MG PELLETT PK, 45-200 MG TABLET, 90-400 MG TABLET) | T4 | PS PA QPD 1 per day |
| HARVONI 45-200 MG PELLETT PACKET | T4 | PS PA QPD 2 per day |
| <i>ledipasvir-sofosbuvir</i> | T4 | PS PA QPD 1 per day |
| <i>sofosbuvir-velpatasvir</i> | T4 | PS PA QPD 1 per day |
| SOVALDI 200 MG PELLETT PACKET | T4 | PS PA QPD 2 per day |
| SOVALDI (150 MG PELLETT PACKET, 200 MG TABLET, 400 MG TABLET) | T4 | PS PA QPD 1 per day |
| VOSEVI | T4 | PS PA QPD 1 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|---|
| HCV PROTEASE INHIBITOR ANTIVIRALS | | |
| MAVYRET | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #f08080; padding: 2px; margin-bottom: 2px;">PS</div> <div style="background-color: #8b4513; color: white; padding: 2px; margin-bottom: 2px;">PA</div> <div style="background-color: #4169e1; color: white; padding: 2px;">QPD</div> </div> 3 per day |
| HCV REPLICATION COMPLEX INHIBITORS | | |
| VIEKIRA PAK | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #dc143c; color: white; padding: 2px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8b4513; color: white; padding: 2px; margin-bottom: 2px;">PA</div> <div style="background-color: #4169e1; color: white; padding: 2px;">QPD</div> </div> Non-Preferred Specialty Drug 4 per day |
| ZEPATIER | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #dc143c; color: white; padding: 2px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8b4513; color: white; padding: 2px; margin-bottom: 2px;">PA</div> <div style="background-color: #4169e1; color: white; padding: 2px;">QPD</div> </div> Non-Preferred Specialty Drug 1 per day |
| HEAVY METAL ANTAGONISTS | | |
| CHEMET | T3 | |
| CUPRIMINE | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #dc143c; color: white; padding: 2px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8b4513; color: white; padding: 2px;">PA</div> </div> Non-Preferred Specialty Drug |
| D-PENAMINE | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #dc143c; color: white; padding: 2px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8b4513; color: white; padding: 2px;">PA</div> </div> Non-Preferred Specialty Drug |
| <i>deferasirox (90 mg granule pkt, 90 mg tablet, 125 mg tb for susp, 180 mg granule pkt, 180 mg tablet, 250 mg tb for susp, 360 mg granule pkt, 360 mg tablet, 500 mg tb for susp)</i> | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #dc143c; color: white; padding: 2px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8b4513; color: white; padding: 2px;">PA</div> </div> Non-Preferred Specialty Drug |
| <i>deferiprone</i> | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #dc143c; color: white; padding: 2px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8b4513; color: white; padding: 2px;">PA</div> </div> Non-Preferred Specialty Drug |
| DEPEN | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #dc143c; color: white; padding: 2px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8b4513; color: white; padding: 2px;">PA</div> </div> Non-Preferred Specialty Drug |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|---|
| EXJADE | T4 | NPS PA Non-Preferred Specialty Drug |
| FERRIPROX (100 MG/ML SOLUTION, 500 MG TABLET, 1,000 MG TABLET) | T4 | NPS PA Non-Preferred Specialty Drug |
| FERRIPROX (2 TIMES A DAY) | T4 | NPS PA Non-Preferred Specialty Drug |
| FERRIPROX (3 TIMES A DAY) | T4 | NPS PA Non-Preferred Specialty Drug |
| GALZIN | T3 | |
| JADENU | T4 | NPS PA Non-Preferred Specialty Drug |
| JADENU SPRINKLE | T4 | NPS PA Non-Preferred Specialty Drug |
| <i>penicillamine (250 mg capsule, 250 mg tablet)</i> | T4 | NPS PA Non-Preferred Specialty Drug |
| <i>trientine hcl</i> | T4 | NPS PA Non-Preferred Specialty Drug |
| WILZIN | T3 | |
| HORMONES AND SYNTHETIC SUBSTITUTES | | |
| ADRENALS | | |
| <i>budesonide ec</i> | T3 | HCG |
| <i>budesonide er</i> | T1 | PA |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|---|
| <i>cortisone acetate</i> | T3 | HCG |
| DECADRON | T1 | |
| DEPO-MEDROL | T3 | |
| <i>dexamethasone (0.5 mg tablet, 0.5 mg/5 ml elx, 0.5 mg/5 ml liq, 0.75 mg tablet, 1 mg tablet, 1.5 mg tablet, 2 mg tablet, 4 mg tablet, 6 mg tablet)</i> | T1 | |
| <i>dexamethasone (6 1.5 mg tab, 10 1.5 mg tb, 13 1.5 mg tb)</i> | T3 | HCG |
| <i>dexamethasone acetate la</i> | T1 | |
| <i>dexamethasone acetate-sod phos</i> | T1 | |
| DEXAMETHASONE INTENSOL | T3 | |
| <i>dexamethasone 10 mg/ml syring</i> | T1 | |
| <i>dexamethasone sodium phosphate (4 mg/ml syringe, 4 mg/ml vial, 10 mg/ml vial, 20 mg/5 ml vial, 100 mg/10 ml vl, 120 mg/30 ml vl)</i> | T1 | |
| <i>dexamethasone-0.9% nacl</i> | T1 | |
| EMFLAZA (6 MG TABLET, 18 MG TABLET, 22.75 MG/ML ORAL SUSP, 30 MG TABLET, 36 MG TABLET) | T4 | AL At least 2 yrs old NPS Non-Preferred Specialty Drug PA |
| ENTOCORT EC | T3 | |
| <i>fludrocortisone acetate</i> | T1 | |
| <i>hydrocortisone (5 mg tablet, 10 mg tablet, 20 mg tablet)</i> | T1 | |
| INTRAROSA | T3 | AL At least 18 yrs old QPD 1 per day |
| KENALOG-10 | T3 | |
| MEDROL (2 MG TABLET, 4 MG DOSEPAK, 4 MG TABLET, 8 MG TABLET, 16 MG TABLET, 32 MG TABLET) | T3 | |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|---|
| <i>methylprednisolone (4 mg dosepk, 4 mg tablet, 8 mg tab, 16 mg tab, 32 mg tab)</i> | T1 | |
| MILLIPRED | T3 | |
| MILLIPRED DP | T3 | |
| ORAPRED ODT | T3 | |
| PEDIAPRED | T3 | |
| <i>prednisolone</i> | T1 | |
| <i>prednisolone sodium phos odt</i> | T1 | |
| <i>prednisolone sodium phosphate (5 mg/5 ml soln, 10 mg/5 ml soln, 15 mg/5 ml soln, 20 mg/5 ml soln, sod ph 25 mg/5 ml)</i> | T1 | |
| <i>prednisone (1 mg tablet, 2.5 mg tablet, 5 mg tab dose pack, 5 mg tablet, 5 mg/5 ml solution, 10 mg tab dose pack, 10 mg tablet, 20 mg tablet, 50 mg tablet)</i> | T1 | |
| PREDNISON INTENSOL | T3 | |
| SOLU-CORTEF (100 MG ACT-O-VIAL, 100 MG VIAL, 250 MG ACT-O-VIAL, 500 MG ACT-O-VIAL, 1,000 MG ACT-O-VL) | T3 | |
| <i>triamcinolone acetonide (40 mg/ml vl, 40mg/ml vl, 200 mg/5 ml, 400 mg/10ml)</i> | T1 | |
| <i>triamcinolone acetonide (50 mg/ml vl, 50mg/5ml vl, 100 mg/2 ml)</i> | T1 | |
| <i>triamcinolone diacetate (40 mg/ml, 80 mg/2ml, 80 mg/ml)</i> | T1 | |
| UCERIS 2 MG RECTAL FOAM | T3 | |
| VERIPRED 20 | T3 | |
| ANDROGENS | | |
| ANDRODERM | T2 | <div style="display: flex; align-items: center; gap: 5px;"> <div style="background-color: #2e8b57; color: white; padding: 2px 5px; border-radius: 3px;">GL</div> Male </div> <div style="display: flex; align-items: center; gap: 5px; margin-top: 5px;"> <div style="background-color: #8b4513; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div> <div style="display: flex; align-items: center; gap: 5px; margin-top: 5px;"> <div style="background-color: #4169e1; color: white; padding: 2px 5px; border-radius: 3px;">QPD</div> 1 per day </div> |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|-----------------------------------|
| ANDROID | T3 | GL Male PA |
| <i>danazol</i> | T1 | |
| <i>estrogen-methyltestosterone</i> | T1 | GL Female |
| METHITEST | T3 | GL Male PA |
| <i>methyltestosterone</i> | T3 | GL Male HCG |
| STRIANT | T3 | GL Male PA |
| <i>testosterone 50 mg/5 gram gel</i> | T1 | QL 300 / 30 days GL Male PA |
| <i>testosterone (1% (50 mg/5 g) pk, 1.62% (2.5 g) pkt, 1.62% gel pump, 1.62%(1.25 g) pkt, 50 mg/5 gram pkt)</i> | T1 | GL Male PA QPD 5 per day |
| <i>testosterone 12.5 mg/1.25 gram</i> | T1 | GL Male PA QPD 10 per day |
| <i>testosterone 1% (25mg/2.5g) pk</i> | T1 | GL Male PA QPD 2.5 per day |
| <i>testosterone cypionate (testosteron 1,000 mg/10 ml, testosteron 2,000 mg/10 ml, testosterone 100 mg/ml, testosterone 200 mg/ml, testosterone 500 mg/2.5 ml, testosterone 500 mg/5 ml, testosterone 1,000 mg/5 ml, testosterone 6,000 mg/30ml)</i> | T1 | GL Male |
| <i>testosterone enanthate</i> | T1 | GL Male |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|-----------------------|------|-----------------------------------|
| TESTRED | T3 | GL Male PA |
| CONTRACEPTIVES | | |
| AFIRMELLE | T0 | GL Female HCR |
| ALTAVERA | T0 | GL Female HCR |
| ALYACEN | T0 | GL Female HCR |
| AMETHIA | T0 | QL 91 days GL Female HCR |
| AMETHIA LO | T0 | QL 91 days GL Female HCR |
| AMETHYST | T0 | GL Female HCR QPD 1 per day |
| APRI | T0 | GL Female HCR |
| ARANELLE | T0 | GL Female HCR |
| ASHLYNA | T0 | QL 91 days GL Female HCR |
| AUBRA | T0 | GL Female HCR |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---------------------|------|-----------------------|
| AUBRA EQ | T0 | GL Female HCR |
| AUROVELA | T0 | GL Female HCR |
| AUROVELA 24 FE | T0 | GL Female HCR |
| AUROVELA FE | T0 | GL Female HCR |
| AVIANE | T0 | GL Female HCR |
| AYUNA | T0 | GL Female HCR |
| AZURETTE | T0 | GL Female HCR |
| BALCOLTRA | T3 | GL Female |
| BALZIVA | T0 | GL Female HCR |
| BEKYREE | T0 | GL Female HCR |
| BLISOVI 24 FE | T0 | GL Female HCR |
| BLISOVI FE | T0 | GL Female HCR |
| BRIELLYN | T0 | GL Female HCR |
| CAMILA | T0 | GL Female HCR |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---------------------|------|---|
| CAMRESE | T0 | <p>QL 91 days</p> <p>GL Female</p> <p>HCR</p> |
| CAMRESE LO | T0 | <p>QL 91 days</p> <p>GL Female</p> <p>HCR</p> |
| CAZIAN | T0 | <p>GL Female</p> <p>HCR</p> |
| CHARLOTTE 24 FE | T0 | <p>GL Female</p> <p>HCR</p> |
| CHATEAL | T0 | <p>GL Female</p> <p>HCR</p> |
| CHATEAL EQ | T0 | <p>GL Female</p> <p>HCR</p> |
| CRYSSELLE | T0 | <p>GL Female</p> <p>HCR</p> |
| CYCLAFEM | T0 | <p>GL Female</p> <p>HCR</p> |
| CYRED | T0 | <p>GL Female</p> <p>HCR</p> |
| CYRED EQ | T0 | <p>GL Female</p> <p>HCR</p> |
| DASETTA | T0 | <p>GL Female</p> <p>HCR</p> |
| DAYSEE | T0 | <p>QL 91 days</p> <p>GL Female</p> <p>HCR</p> |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---------------------------------------|------|-----------------------------------|
| DEBLITANE | T0 | GL Female HCR |
| <i>desogestr-eth estrad eth estra</i> | T0 | GL Female HCR |
| <i>desogestrel-ethinyl estradiol</i> | T0 | GL Female HCR |
| DOLISHALE | T0 | GL Female HCR |
| <i>drospirenone-eth estra-levomef</i> | T0 | GL Female HCR |
| <i>drospirenone-ethinyl estradiol</i> | T0 | GL Female HCR |
| ELINEST | T0 | GL Female HCR |
| ELLA | T0 | GL Female HCR QPD 1 per day |
| ELURYNG | T0 | GL Female HCR |
| EMOQUETTE | T0 | GL Female HCR |
| ENPRESSE | T0 | GL Female HCR |
| ENSKYCE | T0 | GL Female HCR |
| ERRIN | T0 | GL Female HCR |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---------------------------------------|------|--------------------------------|
| ESTARYLLA | T0 | GL Female HCR |
| <i>ethynodiol-ethinyl estradiol</i> | T0 | GL Female HCR |
| <i>etonogestrel-ethinyl estradiol</i> | T0 | GL Female HCR |
| FALMINA | T0 | GL Female HCR |
| FEMYNOR | T0 | GL Female HCR |
| GEMMILY | T0 | GL Female HCR |
| GIANVI | T0 | GL Female HCR |
| HAILEY | T0 | GL Female HCR |
| HAILEY 24 FE | T0 | GL Female HCR |
| HAILEY FE | T0 | GL Female HCR |
| HEATHER | T0 | GL Female HCR |
| ICLEVIA | T0 | QL 91 days GL Female HCR |
| INCASSIA | T0 | GL Female HCR |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---------------------|------|---|
| INTROVALE | T0 | <p>QL 91 days</p> <p>GL Female</p> <p>HCR</p> |
| ISIBLOOM | T0 | <p>GL Female</p> <p>HCR</p> |
| JAIMIESS | T0 | <p>QL 91 days</p> <p>GL Female</p> <p>HCR</p> |
| JASMIEL | T0 | <p>GL Female</p> <p>HCR</p> |
| JENCYCLA | T0 | <p>GL Female</p> <p>HCR</p> |
| JOLESSA | T0 | <p>QL 91 days</p> <p>GL Female</p> <p>HCR</p> |
| JULEBER | T0 | <p>GL Female</p> <p>HCR</p> |
| JUNEL | T0 | <p>GL Female</p> <p>HCR</p> |
| JUNEL FE | T0 | <p>GL Female</p> <p>HCR</p> |
| JUNEL FE 24 | T0 | <p>GL Female</p> <p>HCR</p> |
| KAITLIB FE | T0 | <p>GL Female</p> <p>HCR</p> |
| KALLIGA | T0 | <p>GL Female</p> <p>HCR</p> |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---------------------------------------|------|--------------------------------|
| KARIVA | T0 | GL Female HCR |
| KELNOR 1-35 | T0 | GL Female HCR |
| KELNOR 1-50 | T0 | GL Female HCR |
| KURVELO | T0 | GL Female HCR |
| LARIN | T0 | GL Female HCR |
| LARIN 24 FE | T0 | GL Female HCR |
| LARIN FE | T0 | GL Female HCR |
| LARISSIA | T0 | GL Female HCR |
| LAYOLIS FE | T0 | GL Female HCR |
| LEENA | T0 | GL Female HCR |
| LESSINA | T0 | GL Female HCR |
| LEVONEST | T0 | GL Female HCR |
| <i>levonorg-eth estrad eth estrad</i> | T0 | QL 91 days GL Female HCR |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|-------------------------------------|------|--------------------------------|
| <i>levonorgestrel-eth estradiol</i> | T0 | GL Female HCR |
| LEVORA-28 | T0 | GL Female HCR |
| LILLOW | T0 | GL Female HCR |
| LO-ZUMANDIMINE | T0 | GL Female HCR |
| LOJAIMIESS | T0 | QL 91 days GL Female HCR |
| LORYNA | T0 | GL Female HCR |
| LOW-OGESTREL | T0 | GL Female HCR |
| LUTERA | T0 | GL Female HCR |
| LYLEQ | T0 | GL Female HCR |
| LYZA | T0 | GL Female HCR |
| MARLISSA | T0 | GL Female HCR |
| MELODETTA 24 FE | T0 | GL Female HCR |
| MERZEE | T0 | GL Female HCR |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---------------------------------------|------|-----------------------------------|
| MIBELAS 24 FE | T0 | GL Female HCR |
| MICROGESTIN | T0 | GL Female HCR |
| MICROGESTIN 24 FE | T0 | GL Female HCR |
| MICROGESTIN FE | T0 | GL Female HCR |
| MILI | T0 | GL Female HCR |
| MONO-LINYAH | T0 | GL Female HCR |
| NATAZIA | T2 | GL Female |
| NECON | T0 | GL Female HCR |
| NEXTSTELLIS | T3 | GL Female |
| NIKKI | T0 | GL Female HCR |
| NORA-BE | T0 | GL Female HCR |
| <i>norethin-eth estra-ferrous fum</i> | T0 | GL Female HCR |
| <i>norethin-ee 1.5-0.03 mg(21) tb</i> | T0 | GL Female HCR |
| <i>norethind-eth estrad 1-0.02 mg</i> | T0 | GL Female HCR QPD 1 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|-----------------------|
| <i>norethindrone</i> | T0 | GL Female HCR |
| <i>norethindrone-e.estradiol-iron (1-0.02(21)-75 tab, 1-0.02(24)-75 cap, 1-0.02(24)-75 chw, 1.5-0.03mg(21)-75)</i> | T0 | GL Female HCR |
| <i>norgestimate-ethinyl estradiol</i> | T0 | GL Female HCR |
| NORLYDA | T0 | GL Female HCR |
| NORTREL | T0 | GL Female HCR |
| NUVARING | T2 | GL Female |
| NYLIA | T0 | GL Female HCR |
| NYMYO | T0 | GL Female HCR |
| OCELLA | T0 | GL Female HCR |
| OGESTREL | T0 | GL Female HCR |
| ORSYTHIA | T0 | GL Female HCR |
| PHILITH | T0 | GL Female HCR |
| PIMTREA | T0 | GL Female HCR |
| PIRMELLA | T0 | GL Female HCR |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---------------------|------|--------------------------------|
| PORTIA | T0 | GL Female HCR |
| PREVIFEM | T0 | GL Female HCR |
| RECLIPSEN | T0 | GL Female HCR |
| RIVELSA | T0 | QL 91 days GL Female HCR |
| SETLAKIN | T0 | QL 91 days GL Female HCR |
| SHAROBEL | T0 | GL Female HCR |
| SIMLIYA | T0 | GL Female HCR |
| SIMPESSE | T0 | QL 91 days GL Female HCR |
| SPRINTEC | T0 | GL Female HCR |
| SRONYX | T0 | GL Female HCR |
| SYEDA | T0 | GL Female HCR |
| TARINA 24 FE | T0 | GL Female HCR |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---------------------|------|-----------------------|
| TARINA FE | T0 | GL Female HCR |
| TARINA FE 1-20 EQ | T0 | GL Female HCR |
| TAYSOFY | T0 | GL Female HCR |
| TAYTULLA | T3 | ST GL Female |
| TILIA FE | T0 | GL Female HCR |
| TRI FEMYNOR | T0 | GL Female HCR |
| TRI-ESTARYLLA | T0 | GL Female HCR |
| TRI-LEGEST FE | T0 | GL Female HCR |
| TRI-LINYAH | T0 | GL Female HCR |
| TRI-LO-ESTARYLLA | T0 | GL Female HCR |
| TRI-LO-MARZIA | T0 | GL Female HCR |
| TRI-LO-MILI | T0 | GL Female HCR |
| TRI-LO-SPRINTEC | T0 | GL Female HCR |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---------------------|------|-----------------------|
| TRI-MILI | T0 | GL Female HCR |
| TRI-NYMYO | T0 | GL Female HCR |
| TRI-PREVIFEM | T0 | GL Female HCR |
| TRI-SPRINTEC | T0 | GL Female HCR |
| TRI-VYLIBRA | T0 | GL Female HCR |
| TRI-VYLIBRA LO | T0 | GL Female HCR |
| TRIVORA-28 | T0 | GL Female HCR |
| TULANA | T0 | GL Female HCR |
| TYBLUME | T0 | GL Female HCR |
| TYDEMY | T0 | GL Female HCR |
| VELIVET | T0 | GL Female HCR |
| VESTURA | T0 | GL Female HCR |
| VIENVA | T0 | GL Female HCR |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---------------------|------|---------------------------------------|
| VIORELE | T0 | GL Female HCR |
| VOLNEA | T0 | GL Female HCR |
| VYFEMLA | T0 | GL Female HCR |
| VYLIBRA | T0 | GL Female HCR |
| WERA | T0 | GL Female HCR |
| WYMZYA FE | T0 | GL Female HCR |
| XULANE | T0 | GL Female HCR QPD 0.12 per day |
| ZAFEMY | T0 | GL Female HCR QPD 0.124 per day |
| ZARAH | T0 | GL Female HCR |
| ZOVIA 1-35 | T0 | GL Female HCR |
| ZOVIA 1-35E | T0 | GL Female HCR |
| ZUMANDIMINE | T0 | GL Female HCR |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|---|
| LEPTINS | | |
| MYALEPT | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #e91e63; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #795548; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> |
| PITUITARY | | |
| DDAVP (0.01% NASAL SPRAY, 0.1 MG TABLET, 0.2 MG TABLET, 10 MCG/0.1 ML SOLUTION) | T3 | |
| <i>desmopressin acetate (0.01% solution, acetate 0.1 mg tb, acetate 0.2 mg tb, 10 mcg/0.1 ml spr)</i> | T1 | |
| NOCDURNA | T3 | <div style="display: flex; align-items: center;"> <div style="background-color: #795548; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> <div style="background-color: #2196f3; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>1 per day</div> </div> |
| NORDITROPIN FLEXPRO | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #e91e63; color: white; padding: 2px 5px; margin-right: 5px;">PS</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #795548; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> |
| SEROSTIM | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #e91e63; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #795548; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #2196f3; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>1 per day</div> </div> |
| ZORBTIVE | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #e91e63; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #795548; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #2196f3; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>1 per day</div> </div> |
| PROGESTINS | | |
| AYGESTIN | T3 | <div style="display: flex; align-items: center;"> <div style="background-color: #2e7d32; color: white; padding: 2px 5px; margin-right: 5px;">GL</div> <div>Female</div> </div> |
| CRINONE 4% GEL | T3 | <div style="display: flex; align-items: center;"> <div style="background-color: #2e7d32; color: white; padding: 2px 5px; margin-right: 5px;">GL</div> <div>Female</div> </div> |
| CRINONE 8% GEL | T3 | <div style="display: flex; align-items: center;"> <div style="background-color: #2e7d32; color: white; padding: 2px 5px; margin-right: 5px;">GL</div> <div>Female</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #795548; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #2196f3; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>2.5 per day</div> </div> |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|------------------------|
| <i>hydroxyprogesterone caproate (hydroxyprogest 250 mg/ml vial, hydroxyprogest 1,250 mg/5 ml, hydroxyprogesterone 1.25 g/5ml)</i> | T4 | GL Female PS PA |
| MAKENA 275 MG/1.1 ML AUTOINJECT | T4 | GL Female PS PA |
| MAKENA (250 MG/ML VIAL, 1,250 MG/5 ML VIAL) | T4 | GL Female PS PA |
| <i>medroxyprogesterone acetate (2.5 mg tab, 5 mg tab, 10 mg tab)</i> | T1 | GL Female LCG |
| MEGACE ES | T3 | GL Female |
| <i>megestrol acetate (acet 40 mg/ml susp, acet 400 mg/10 ml, 625 mg/5 ml susp)</i> | T1 | |
| <i>megestrol acetate (20 mg tablet, 40 mg tablet)</i> | T1 | |
| <i>norethindrone ac (lupaneta)</i> | T1 | GL Female |
| <i>norethindrone acetate</i> | T1 | GL Female |
| <i>progesterone (100 mg capsule, 200 mg capsule)</i> | T1 | GL Female |
| <i>progesterone 500 mg/10 ml vial</i> | T1 | GL Female |
| PROVERA | T3 | GL Female |
| HYPOTENSIVE AGENTS | | |
| CENTRAL ALPHA-AGONISTS | | |
| CATAPRES | T3 | |
| <i>clonidine (0.2 mg/day patch, 0.3 mg/day patch)</i> | T3 | QPD 0.4 per day HCG |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|---|
| <i>clonidine 0.1 mg/day patch</i> | T3 | QPD 0.15 per day HCG |
| <i>clonidine hcl (0.1 mg tablet, 0.2 mg tablet, 0.3 mg tablet)</i> | T1 | LCG |
| <i>clonidine hcl er</i> | T3 | QPD 4 per day HCG |
| <i>guanfacine hcl</i> | T1 | |
| KAPVAY | T3 | ST QPD 4 per day |
| <i>methyldopa</i> | T1 | |
| <i>methyldopa-hydrochlorothiazide</i> | T1 | |
| DIRECT VASODILATORS | | |
| BIDIL | T3 | PR QPD 6 per day |
| <i>hydralazine hcl (10 mg tablet, 25 mg tablet, 50 mg tablet, 100 mg tablet)</i> | T1 | PR |
| <i>minoxidil (2.5 mg tablet, 10 mg tablet)</i> | T1 | PR |
| HYPOTENSIVE AGENTS, MISCELLANEOUS | | |
| VECAMYL | T4 | NPS Non-Preferred Specialty Drug PA |
| INSULINS | | |
| INTERMEDIATE-ACTING INSULINS | | |
| HUMULIN 70-30 | T2 | QL 90 days PR SDS Extended Specialty Day Supply |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|-----------------------------|------|--|
| HUMULIN 70/30 KWIKPEN | T2 | <ul style="list-style-type: none"> QL 90 days PR SDS Extended Specialty Day Supply |
| HUMULIN N | T2 | <ul style="list-style-type: none"> QL 90 days PR SDS Extended Specialty Day Supply |
| HUMULIN N KWIKPEN | T2 | <ul style="list-style-type: none"> QL 90 days PR SDS Extended Specialty Day Supply |
| LONG-ACTING INSULINS | | |
| LANTUS | T2 | <ul style="list-style-type: none"> QL 90 days PR SDS Extended Specialty Day Supply |
| LANTUS SOLOSTAR | T2 | <ul style="list-style-type: none"> QL 90 days PR SDS Extended Specialty Day Supply |
| SOLIQUA 100-33 | T2 | <ul style="list-style-type: none"> PR PA QPD 0.6 per day SDS Extended Specialty Day Supply |
| TOUJEO MAX SOLOSTAR | T2 | <ul style="list-style-type: none"> QL 90 days PR SDS Extended Specialty Day Supply |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|-------------------------------|------|--|
| TOUJEO SOLOSTAR | T2 | <ul style="list-style-type: none"> QL 90 days PR SDS Extended Specialty Day Supply |
| XULTOPHY 100-3.6 | T3 | <ul style="list-style-type: none"> PR PA QPD 0.5 per day SDS Extended Specialty Day Supply |
| RAPID-ACTING INSULINS | | |
| AFREZZA | T3 | <ul style="list-style-type: none"> QL 90 days PR PA SDS Extended Specialty Day Supply |
| HUMALOG 100 UNIT/ML CARTRIDGE | T2 | <ul style="list-style-type: none"> QL 90 days PR SDS Extended Specialty Day Supply |
| HUMALOG 100 UNIT/ML VIAL | T2 | <ul style="list-style-type: none"> QL 90 days PR SDS Extended Specialty Day Supply |
| HUMALOG JUNIOR KWIKPEN | T2 | <ul style="list-style-type: none"> QL 90 days PR SDS Extended Specialty Day Supply |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---------------------------|------|--|
| HUMALOG KWIKPEN U-100 | T2 | <p>QL 90 days</p> <p>PR</p> <p>SDS Extended Specialty Day Supply</p> |
| HUMALOG KWIKPEN U-200 | T2 | <p>QL 90 days</p> <p>PR</p> <p>SDS Extended Specialty Day Supply</p> |
| HUMALOG MIX 50-50 | T2 | <p>QL 90 days</p> <p>PR</p> <p>SDS Extended Specialty Day Supply</p> |
| HUMALOG MIX 50-50 KWIKPEN | T2 | <p>QL 90 days</p> <p>PR</p> <p>SDS Extended Specialty Day Supply</p> |
| HUMALOG MIX 75-25 | T2 | <p>QL 90 days</p> <p>PR</p> <p>SDS Extended Specialty Day Supply</p> |
| HUMALOG MIX 75-25 KWIKPEN | T2 | <p>QL 90 days</p> <p>PR</p> <p>SDS Extended Specialty Day Supply</p> |
| LYUMJEV | T2 | <p>QL 90 days</p> <p>PR</p> <p>SDS Extended Specialty Day Supply</p> |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|----------------------------------|------|---|
| LYUMJEV KWIKPEN U-100 | T2 | <ul style="list-style-type: none"> QL 90 days PR SDS Extended Specialty Day Supply |
| LYUMJEV KWIKPEN U-200 | T2 | <ul style="list-style-type: none"> QL 90 days PR SDS Extended Specialty Day Supply |
| SHORT-ACTING INSULINS | | |
| HUMULIN R | T2 | <ul style="list-style-type: none"> QL 90 days PR SDS Extended Specialty Day Supply |
| HUMULIN R U-500 | T2 | <ul style="list-style-type: none"> QL 90 days PR SDS Extended Specialty Day Supply |
| HUMULIN R U-500 KWIKPEN | T2 | <ul style="list-style-type: none"> QL 90 days PR SDS Extended Specialty Day Supply |
| ION-REMOVING AGENTS | | |
| OTHER ION-REMOVING AGENTS | | |
| RADIOGARDASE | T3 | |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|-----------------------|
| PHOSPHATE-REMOVING AGENTS | | |
| AURYXIA | T3 | |
| <i>calcium acetate (667 mg capsule, 667 mg gelcap, 667 mg tablet)</i> | T1 | |
| FOSRENOL (500 MG TABLET CHEW, 750 MG POWDER PACKET, 750 MG TABLET CHEW, 1,000 MG POWDER PACK, 1,000 MG TABLET CHEW) | T3 | |
| <i>lanthanum carb 1,000 mg tb chw</i> | T3 | HCG |
| <i>lanthanum carbonate (500 mg tab chew, 750 mg tab chew)</i> | T1 | |
| PHOSLYRA | T3 | |
| RENVELA (0.8 GM POWDER PACKET, 2.4 GM POWDER PACKET, 800 MG TABLET) | T3 | |
| <i>sevelamer 2.4 gm powder packet</i> | T3 | HCG |
| <i>sevelamer carbonate (0.8 gm powder packet, carbonate 800 mg tab)</i> | T1 | |
| <i>sevelamer hcl</i> | T1 | |
| VELPHORO | T3 | |
| POTASSIUM-REMOVING AGENTS | | |
| KIONEX | T1 | |
| LOKELMA | T3 | QPD 1 per day |
| <i>sodium polystyrene sulfonate (sod polystyren 15 g/60 ml, sodium polystyrene powder)</i> | T1 | |
| SPS (15 GM/60 ML SUSPENSION, 30 GM/120 ML ENEMA SUSP) | T1 | |
| VELTASSA | T3 | QPD 1 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|-----------------------|
| MACROLIDE ANTIBIOTICS | | |
| ERYTHROMYCIN ANTIBIOTICS | | |
| E.E.S. 200 | T3 | |
| E.E.S. 400 | T3 | |
| ERY-TAB | T3 | |
| ERYPED 200 | T3 | |
| ERYPED 400 | T3 | |
| ERYTHROCIN STEARATE | T3 | |
| <i>erythromycin (250 mg filmtab, dr 250 mg cap, dr 250 mg tablet, dr 333 mg tablet, 500 mg filmtab, dr 500 mg tablet)</i> | T1 | |
| <i>erythromycin ethylsuccinate (200 mg/5 ml susp, 400 mg/5 ml susp, es 400 mg tab)</i> | T1 | |
| OTHER MACROLIDE ANTIBIOTICS | | |
| <i>azithromycin (1 gm pwd packet, 100 mg/5 ml susp, 200 mg/5 ml susp, 500 mg tablet, 600 mg tablet)</i> | T1 | |
| <i>azithromycin 250 mg tablet</i> | T1 | QL 6 / 5 days |
| <i>clarithromycin (125 mg/5 ml sus, 250 mg tablet, 250 mg/5 ml sus, 500 mg tablet)</i> | T1 | |
| <i>clarithromycin er</i> | T1 | |
| DIFICID (40 MG/ML SUSPENSION, 200 MG TABLET) | T3 | PA |
| ZITHROMAX 100 MG/5 ML SUSP | T3 | QL 30 / fill |
| ZITHROMAX 200 MG/5 ML SUSP | T3 | QL 60 / fill |
| ZITHROMAX (1 GM POWDER PACKET, 250 MG Z-PAK TABLET) | T3 | |
| ZITHROMAX 250 MG TABLET | T3 | QL 6 / 5 days |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|--|
| ZITHROMAX 500 MG TABLET | T3 | QL 5 / fill |
| ZITHROMAX TRI-PAK | T3 | |
| MISC. BETA-LACTAM ANTIBIOTICS | | |
| CARBAPENEM ANTIBIOTICS | | |
| INVANZ | T3 | |
| MONOBACTAM ANTIBIOTICS | | |
| CAYSTON | T4 | NPS Non-Preferred Specialty Drug PA |
| MISCELLANEOUS THERAPEUTIC AGENTS | | |
| 5-ALPHA-REDUCTASE INHIBITORS | | |
| <i>dutasteride</i> | T1 | GL Male QPD 1 per day |
| <i>dutasteride-tamsulosin</i> | T1 | GL Male QPD 1 per day |
| <i>finasteride 5 mg tablet</i> | T1 | GL Male QPD 1 per day |
| JALYN | T3 | GL Male QPD 1 per day |
| PROSCAR | T3 | GL Male QPD 1 per day |
| ALCOHOL DETERRENTS | | |
| ANTABUSE | T3 | |
| <i>disulfiram</i> | T1 | |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|--|
| ANTIDOTES | | |
| DUODOTE | T3 | |
| <i>leucovorin calcium (5 mg tab, 10 mg tab, 15 mg tab, 25 mg tab)</i> | T1 | |
| <i>pralidoxime chloride</i> | T1 | |
| VISTOGARD | T4 | NPS Non-Preferred Specialty Drug |
| ANTIGOUT AGENTS | | |
| <i>allopurinol 100 mg tablet</i> | T1 | QPD 3 per day LCG |
| <i>allopurinol 300 mg tablet</i> | T1 | QPD 2 per day LCG |
| <i>colchicine 0.6 mg tablet</i> | T1 | QPD 4 per day |
| <i>febuxostat</i> | T1 | ST QPD 1 per day |
| ULORIC | T3 | ST QPD 1 per day |
| ZYLOPRIM 100 MG TABLET | T3 | QPD 3 per day |
| ZYLOPRIM 300 MG TABLET | T3 | QPD 2 per day |
| ANTISENSE OLIGONUCLEOTIDES | | |
| TEGSEDI | T4 | NPS Non-Preferred Specialty Drug PA |
| BONE RESORPTION INHIBITORS | | |
| ACTONEL 150 MG TABLET | T3 | QPD 0.04 per day |
| ACTONEL 35 MG TABLET | T3 | QPD 0.15 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|--|
| ACTONEL 5 MG TABLET | T3 | QPD 1 per day |
| <i>alendronate sod 70 mg/75 ml</i> | T1 | PR QPD 12.5 per day |
| <i>alendronate sodium (35 mg tab, 70 mg tab)</i> | T1 | PR QPD 0.15 per day LCG |
| <i>alendronate sodium (5 mg tablet, 10 mg tab)</i> | T1 | PR QPD 1 per day |
| <i>alendronate sodium 40 mg tab</i> | T1 | PR QPD 0.15 per day |
| ATELVIA | T3 | ST QPD 0.15 per day |
| BINOSTO | T3 | QPD 0.15 per day |
| BONIVA | T3 | QPD 0.04 per day |
| <i>etidronate disodium</i> | T1 | PR |
| FOSAMAX | T3 | QPD 0.15 per day |
| FOSAMAX PLUS D | T3 | QPD 0.15 per day |
| <i>ibandronate sodium 150 mg tab</i> | T1 | PR QPD 0.04 per day |
| PROLIA | T4 | NPS Non-Preferred Specialty Drug PA QPD 0.13 per day |
| <i>risedronate sodium 150 mg tab</i> | T3 | PR QPD 0.04 per day HCG |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|--|
| <i>risedronate sodium 30 mg tab</i> | T1 | PR |
| <i>risedronate sodium 35 mg tab</i> | T1 | PR QPD 0.15 per day |
| <i>risedronate sodium 5 mg tablet</i> | T1 | PR QPD 1 per day |
| <i>risedronate sodium dr</i> | T3 | PR HCG |
| XGEVA | T4 | NPS Non-Preferred Specialty Drug PA QPD 0.07 per day |
| <i>zoledronic acid (4 mg vial, 4 mg/100 ml, 4 mg/5 ml vial, 5 mg/100 ml)</i> | T4 | NPS Non-Preferred Specialty Drug |
| CARBONIC ANHYDRASE INHIBITORS (MISC.) | | |
| KEVEYIS | T4 | NPS Non-Preferred Specialty Drug PA QPD 4 per day |
| COMPLEMENT INHIBITORS | | |
| BERINERT (500 UNIT KIT, 500 UNIT VIAL) | T4 | NPS Non-Preferred Specialty Drug PA |
| CINRYZE | T4 | NPS Non-Preferred Specialty Drug PA |
| EMPAVELI | T4 | NPS Non-Preferred Specialty Drug PA QPD 6 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---------------------|------|--|
| FIRAZYR | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0056b3; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>1.29 per day</div> </div> </div> |
| HAEGARDA | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0056b3; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>1.25 per day</div> </div> </div> |
| <i>icatibant</i> | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0056b3; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>1.29 per day</div> </div> </div> |
| KALBITOR | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> </div> |
| ORLADEYO | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0056b3; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>1 per day</div> </div> </div> |
| RUCONEST | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0056b3; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>0.87 per day</div> </div> </div> |
| SAJAZIR | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0056b3; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>1.29 per day</div> </div> </div> |
| SOLIRIS | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> </div> |
| TAKHZYRO | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0056b3; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>0.144 per day</div> </div> </div> |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|--|
| DISEASE-MODIFYING ANTIRHEUMATIC AGENTS | | |
| ACTEMRA 162 MG/0.9 ML SYRINGE | T4 | <ul style="list-style-type: none"> PS PA QPD 0.15 per day PS2 Preferred 2nd line |
| ACTEMRA 200 MG/10 ML VIAL | T4 | <ul style="list-style-type: none"> PS PA QPD 0.36 per day PS2 Preferred 2nd line |
| ACTEMRA 400 MG/20 ML VIAL | T4 | <ul style="list-style-type: none"> PS PA QPD 1.5 per day PS2 Preferred 2nd line |
| ACTEMRA 80 MG/4 ML VIAL | T4 | <ul style="list-style-type: none"> PS PA QPD 0.15 per day PS2 Preferred 2nd line |
| ACTEMRA ACTPEN | T4 | <ul style="list-style-type: none"> PS PA QPD 0.15 per day PS2 Preferred 2nd line |
| ARAVA | T3 | |
| AVSOLA | T4 | <ul style="list-style-type: none"> QL 10 / 30 days PS PA SDS Extended Specialty Day Supply |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|--|
| CIMZIA (2X200 MG/ML SYRINGE KIT, 200 MG VIAL KIT) | T4 | <ul style="list-style-type: none"> PS PA QPD 0.08 per day PS1 Preferred 1st line |
| CIMZIA 2X200 MG/ML(X3)START KT | T4 | <ul style="list-style-type: none"> QL 3/ fill PS PA PS1 Preferred 1st line |
| ENBREL (25 MG KIT, 25 MG/0.5 ML SYRINGE, 25 MG/0.5 ML VIAL, 50 MG/ML SYRINGE) | T4 | <ul style="list-style-type: none"> NPS Non-Preferred Specialty Drug PA QPD 0.29 per day |
| ENBREL MINI | T4 | <ul style="list-style-type: none"> NPS Non-Preferred Specialty Drug PA QPD 0.15 per day |
| ENBREL SURECLICK | T4 | <ul style="list-style-type: none"> NPS Non-Preferred Specialty Drug PA QPD 0.15 per day |
| HUMIRA (20 MG/0.4 ML SYRINGE, 40 MG/0.8 ML SYRINGE) | T4 | <ul style="list-style-type: none"> PS PA QPD 0.22 per day PS1 Preferred 1st line |
| HUMIRA 10 MG/0.2 ML SYRINGE | T4 | <ul style="list-style-type: none"> PS PA QPD 0.15 per day PS1 Preferred 1st line |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--------------------------------|------|--|
| HUMIRA PEN | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #f08080; padding: 2px; margin-bottom: 2px;">PS</div> <div style="background-color: #8b4513; padding: 2px; margin-bottom: 2px;">PA</div> <div style="background-color: #0070c0; color: white; padding: 2px; margin-bottom: 2px;">QPD</div> <div style="background-color: #add8e6; padding: 2px;">PS1</div> </div> <div style="margin-top: 5px;">0.22 per day Preferred 1st line</div> |
| HUMIRA PEN CROHN'S-UC-HS | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #f08080; padding: 2px; margin-bottom: 2px;">PS</div> <div style="background-color: #8b4513; padding: 2px; margin-bottom: 2px;">PA</div> <div style="background-color: #0070c0; color: white; padding: 2px; margin-bottom: 2px;">QPD</div> <div style="background-color: #add8e6; padding: 2px;">PS1</div> </div> <div style="margin-top: 5px;">0.22 per day Preferred 1st line</div> |
| HUMIRA PEN PSOR-UVEITS-ADOL HS | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #f08080; padding: 2px; margin-bottom: 2px;">PS</div> <div style="background-color: #8b4513; padding: 2px; margin-bottom: 2px;">PA</div> <div style="background-color: #0070c0; color: white; padding: 2px; margin-bottom: 2px;">QPD</div> <div style="background-color: #add8e6; padding: 2px;">PS1</div> </div> <div style="margin-top: 5px;">0.22 per day Preferred 1st line</div> |
| HUMIRA(CF) | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #f08080; padding: 2px; margin-bottom: 2px;">PS</div> <div style="background-color: #8b4513; padding: 2px; margin-bottom: 2px;">PA</div> <div style="background-color: #0070c0; color: white; padding: 2px; margin-bottom: 2px;">QPD</div> <div style="background-color: #add8e6; padding: 2px;">PS1</div> </div> <div style="margin-top: 5px;">0.22 per day Preferred 1st line</div> |
| HUMIRA(CF) PEDI CROHN 80MG/0.8 | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #f08080; padding: 2px; margin-bottom: 2px;">PS</div> <div style="background-color: #8b4513; padding: 2px; margin-bottom: 2px;">PA</div> <div style="background-color: #0070c0; color: white; padding: 2px; margin-bottom: 2px;">QPD</div> <div style="background-color: #add8e6; padding: 2px;">PS1</div> </div> <div style="margin-top: 5px;">0.22 per day Preferred 1st line</div> |
| HUMIRA(CF) PEN | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #f08080; padding: 2px; margin-bottom: 2px;">PS</div> <div style="background-color: #8b4513; padding: 2px; margin-bottom: 2px;">PA</div> <div style="background-color: #0070c0; color: white; padding: 2px; margin-bottom: 2px;">QPD</div> <div style="background-color: #add8e6; padding: 2px;">PS1</div> </div> <div style="margin-top: 5px;">0.22 per day Preferred 1st line</div> |
| HUMIRA(CF) PEN CROHN'S-UC-HS | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #f08080; padding: 2px; margin-bottom: 2px;">PS</div> <div style="background-color: #8b4513; padding: 2px; margin-bottom: 2px;">PA</div> <div style="background-color: #0070c0; color: white; padding: 2px; margin-bottom: 2px;">QPD</div> <div style="background-color: #add8e6; padding: 2px;">PS1</div> </div> <div style="margin-top: 5px;">0.22 per day Preferred 1st line</div> |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|---|
| HUMIRA(CF) PEN PEDIATRIC UC | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #f08080; padding: 2px; margin-bottom: 2px;">PS</div> <div style="background-color: #8b4513; color: white; padding: 2px; margin-bottom: 2px;">PA</div> <div style="background-color: #0070c0; color: white; padding: 2px; margin-bottom: 2px;">QPD</div> </div> 0.22 per day |
| HUMIRA(CF) PEN PSOR-UV-ADOL HS | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #f08080; padding: 2px; margin-bottom: 2px;">PS</div> <div style="background-color: #8b4513; color: white; padding: 2px; margin-bottom: 2px;">PA</div> <div style="background-color: #0070c0; color: white; padding: 2px; margin-bottom: 2px;">QPD</div> <div style="background-color: #add8e6; padding: 2px; margin-bottom: 2px;">PS1</div> </div> 0.22 per day Preferred 1st line |
| INFLECTRA | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #f08080; padding: 2px; margin-bottom: 2px;">PS</div> <div style="background-color: #8b4513; color: white; padding: 2px; margin-bottom: 2px;">PA</div> <div style="background-color: #0070c0; color: white; padding: 2px; margin-bottom: 2px;">QPD</div> <div style="background-color: #696969; color: white; padding: 2px; margin-bottom: 2px;">SDS</div> <div style="background-color: #add8e6; padding: 2px; margin-bottom: 2px;">PS1</div> </div> 0.5 per day Extended Specialty Day Supply Preferred 1st line |
| KEVZARA (150 MG/1.14 ML PEN INJ, 150 MG/1.14 ML SYRINGE, 200 MG/1.14 ML PEN INJ, 200 MG/1.14 ML SYRINGE) | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #dc143c; color: white; padding: 2px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8b4513; color: white; padding: 2px; margin-bottom: 2px;">PA</div> <div style="background-color: #0070c0; color: white; padding: 2px; margin-bottom: 2px;">QPD</div> </div> Non-Preferred Specialty Drug 0.1 per day |
| KINERET | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #dc143c; color: white; padding: 2px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8b4513; color: white; padding: 2px; margin-bottom: 2px;">PA</div> <div style="background-color: #0070c0; color: white; padding: 2px; margin-bottom: 2px;">QPD</div> </div> Non-Preferred Specialty Drug 10 per day |
| <i>leflunomide</i> | T1 | |
| ORENCIA (50 MG/0.4 ML SYRINGE, 87.5 MG/0.7 ML SYRINGE, 125 MG/ML SYRINGE) | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #f08080; padding: 2px; margin-bottom: 2px;">PS</div> <div style="background-color: #8b4513; color: white; padding: 2px; margin-bottom: 2px;">PA</div> <div style="background-color: #0070c0; color: white; padding: 2px; margin-bottom: 2px;">QPD</div> <div style="background-color: #0070c0; color: white; padding: 2px; margin-bottom: 2px;">PS2</div> </div> 0.15 per day Preferred 2nd line |
| ORENCIA 250 MG VIAL | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #f08080; padding: 2px; margin-bottom: 2px;">PS</div> <div style="background-color: #8b4513; color: white; padding: 2px; margin-bottom: 2px;">PA</div> <div style="background-color: #0070c0; color: white; padding: 2px; margin-bottom: 2px;">QPD</div> <div style="background-color: #0070c0; color: white; padding: 2px; margin-bottom: 2px;">PS2</div> </div> 0.15 per day Preferred 2nd line |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|--|
| ORENCIA CLICKJECT | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="margin-bottom: 2px;">PS</div> <div style="margin-bottom: 2px;">PA</div> <div style="margin-bottom: 2px;">QPD 0.15 per day</div> <div>PS2 Preferred 2nd line</div> </div> |
| OTEZLA (28 DAY STARTER PACK, 30 MG TABLET, STARTER PACK) | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="margin-bottom: 2px;">PS</div> <div style="margin-bottom: 2px;">PA</div> <div style="margin-bottom: 2px;">QPD 2 per day</div> <div>PS1 Preferred 1st line</div> </div> |
| RINVOQ | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="margin-bottom: 2px;">PS</div> <div style="margin-bottom: 2px;">PA</div> <div style="margin-bottom: 2px;">QPD 1 per day</div> <div>PS1 Preferred 1st line</div> </div> |
| SIMPONI (50 MG/0.5 ML PEN INJEC, 50 MG/0.5 ML SYRINGE, 100 MG/ML PEN INJECTOR, 100 MG/ML SYRINGE) | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="margin-bottom: 2px;">PS</div> <div style="margin-bottom: 2px;">PA</div> <div style="margin-bottom: 2px;">QPD 0.04 per day</div> <div>PS1 Preferred 1st line</div> </div> |
| SIMPONI ARIA | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="margin-bottom: 2px;">PS</div> <div style="margin-bottom: 2px;">PA</div> <div style="margin-bottom: 2px;">QPD 1.5 per day</div> <div style="margin-bottom: 2px;">SDS Extended Specialty Day Supply</div> <div>PS1 Preferred 1st line</div> </div> |
| XELJANZ 1 MG/ML SOLUTION | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="margin-bottom: 2px;">PS</div> <div style="margin-bottom: 2px;">PA</div> <div>QPD 10 per day</div> </div> |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|--|
| XELJANZ (5 MG TABLET, 10 MG TABLET) | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #f08080; padding: 2px; margin-bottom: 2px;">PS</div> <div style="background-color: #8b4513; padding: 2px; margin-bottom: 2px;">PA</div> <div style="background-color: #0070c0; padding: 2px; margin-bottom: 2px;">QPD</div> <div style="background-color: #add8e6; padding: 2px;">PS1</div> </div> <div style="margin-top: 5px;"> 2 per day Preferred 1st line </div> |
| XELJANZ XR | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #f08080; padding: 2px; margin-bottom: 2px;">PS</div> <div style="background-color: #8b4513; padding: 2px; margin-bottom: 2px;">PA</div> <div style="background-color: #0070c0; padding: 2px; margin-bottom: 2px;">QPD</div> <div style="background-color: #add8e6; padding: 2px;">PS1</div> </div> <div style="margin-top: 5px;"> 1 per day Preferred 1st line </div> |
| IMMUNOMODULATORY AGENTS | | |
| ACTIMMUNE | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #dc143c; padding: 2px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8b4513; padding: 2px; margin-bottom: 2px;">PA</div> </div> <div style="margin-top: 5px;"> Non-Preferred Specialty Drug </div> |
| AUBAGIO | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #dc143c; padding: 2px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8b4513; padding: 2px; margin-bottom: 2px;">PA</div> <div style="background-color: #0070c0; padding: 2px;">QPD</div> </div> <div style="margin-top: 5px;"> Non-Preferred Specialty Drug 1 per day </div> |
| AVONEX (30 MCG VIAL KIT, PREFILLED SYR 30 MCG KT) | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #f08080; padding: 2px; margin-bottom: 2px;">PS</div> <div style="background-color: #8b4513; padding: 2px; margin-bottom: 2px;">PA</div> <div style="background-color: #0070c0; padding: 2px;">QPD</div> </div> <div style="margin-top: 5px;"> 0.15 per day </div> |
| AVONEX PEN 30 MCG/0.5 ML KIT | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #f08080; padding: 2px; margin-bottom: 2px;">PS</div> <div style="background-color: #8b4513; padding: 2px; margin-bottom: 2px;">PA</div> <div style="background-color: #0070c0; padding: 2px;">QPD</div> </div> <div style="margin-top: 5px;"> 0.15 per day </div> |
| BETASERON (0.3 MG KIT, 0.3 MG VIAL) | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #f08080; padding: 2px; margin-bottom: 2px;">PS</div> <div style="background-color: #8b4513; padding: 2px; margin-bottom: 2px;">PA</div> <div style="background-color: #0070c0; padding: 2px;">QPD</div> </div> <div style="margin-top: 5px;"> 0.5 per day </div> |
| COPAXONE 20 MG/ML SYRINGE | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #f08080; padding: 2px; margin-bottom: 2px;">PS</div> <div style="background-color: #8b4513; padding: 2px; margin-bottom: 2px;">PA</div> <div style="background-color: #0070c0; padding: 2px;">QPD</div> </div> <div style="margin-top: 5px;"> 1 per day </div> |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|------------------------------------|------|--|
| COPAXONE 40 MG/ML SYRINGE | T4 | PS PA QPD 0.434 per day |
| <i>dimethyl fumarate</i> | T4 | PS PA QPD 2 per day |
| ENSPRYNG | T4 | NPS Non-Preferred Specialty Drug PA QPD 0.11 per day |
| EXTAVIA (0.3 MG KIT, 0.3 MG VIAL) | T4 | NPS Non-Preferred Specialty Drug PA QPD 0.5 per day |
| GILENYA 0.25 MG CAPSULE | T4 | PS PA QPD 2 per day |
| GILENYA 0.5 MG CAPSULE | T4 | PS PA QPD 1 per day |
| <i>glatiramer 20 mg/ml syringe</i> | T4 | PS PA QPD 1 per day |
| <i>glatiramer 40 mg/ml syringe</i> | T4 | PS PA QPD 0.434 per day |
| GLATOPA 20 MG/ML SYRINGE | T4 | NPS Non-Preferred Specialty Drug PA QPD 1 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---------------------------------|------|---|
| GLATOPA 40 MG/ML SYRINGE | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-bottom: 2px;">NPS</div> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-bottom: 2px;">PA</div> <div style="background-color: #0070c0; color: white; padding: 2px 5px;">QPD</div> </div> Non-Preferred Specialty Drug 0.434 per day |
| KESIMPTA PEN | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #e91e63; color: white; padding: 2px 5px; margin-bottom: 2px;">PS</div> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-bottom: 2px;">PA</div> <div style="background-color: #0070c0; color: white; padding: 2px 5px;">QPD</div> </div> 0.057 per day |
| MAYZENT 0.25 MG STARTER PACK | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #e91e63; color: white; padding: 2px 5px; margin-bottom: 2px;">PS</div> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-bottom: 2px;">PA</div> <div style="background-color: #0070c0; color: white; padding: 2px 5px;">QPD</div> </div> 2.5 per day |
| MAYZENT 0.25 MG TABLET | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; margin-bottom: 2px;">QL</div> <div style="background-color: #e91e63; color: white; padding: 2px 5px; margin-bottom: 2px;">PS</div> <div style="background-color: #804000; color: white; padding: 2px 5px;">PA</div> </div> 120 / 30 days |
| MAYZENT 2 MG TABLET | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #e91e63; color: white; padding: 2px 5px; margin-bottom: 2px;">PS</div> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-bottom: 2px;">PA</div> <div style="background-color: #0070c0; color: white; padding: 2px 5px;">QPD</div> </div> 1 per day |
| PLEGRIDY 125 MCG/0.5 ML SYRINGE | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #e91e63; color: white; padding: 2px 5px; margin-bottom: 2px;">PS</div> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-bottom: 2px;">PA</div> <div style="background-color: #0070c0; color: white; padding: 2px 5px;">QPD</div> </div> 0.04 per day |
| PLEGRIDY SYRINGE STARTER PACK | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; margin-bottom: 2px;">QL</div> <div style="background-color: #e91e63; color: white; padding: 2px 5px; margin-bottom: 2px;">PS</div> <div style="background-color: #804000; color: white; padding: 2px 5px;">PA</div> </div> 1 / lifetime |
| PLEGRIDY 125 MCG/0.5 ML PEN | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #e91e63; color: white; padding: 2px 5px; margin-bottom: 2px;">PS</div> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-bottom: 2px;">PA</div> <div style="background-color: #0070c0; color: white; padding: 2px 5px;">QPD</div> </div> 0.04 per day |
| PLEGRIDY PEN INJ STARTER PACK | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; margin-bottom: 2px;">QL</div> <div style="background-color: #e91e63; color: white; padding: 2px 5px; margin-bottom: 2px;">PS</div> <div style="background-color: #804000; color: white; padding: 2px 5px;">PA</div> </div> 1 / lifetime |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|--|
| PONVORY (14-DAY STARTER PACK, 20 MG TABLET) | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>1 per day</div> </div> </div> |
| REBIF (22 MCG/0.5 ML SYRINGE, 44 MCG/0.5 ML SYRINGE) | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>0.22 per day</div> </div> </div> |
| REBIF TITRATION PACK | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #6a329f; color: white; padding: 2px 5px; margin-right: 5px;">QL</div> <div>4.2 / 365 days</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> </div> |
| REBIF REBIDOSE (22 MCG/0.5 ML, 44 MCG/0.5 ML) | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>0.22 per day</div> </div> </div> |
| REBIF REBIDOSE TITRATION PACK | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #6a329f; color: white; padding: 2px 5px; margin-right: 5px;">QL</div> <div>4.2 / 365 days</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> </div> |
| THALOMID (150 MG CAPSULE, 200 MG CAPSULE) | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>2 per day</div> </div> </div> |
| THALOMID (50 MG CAPSULE, 100 MG CAPSULE) | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>1 per day</div> </div> </div> |
| TYSABRI | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div>Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>0.6 per day</div> </div> </div> |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|---|
| VUMERITY | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #f08080; padding: 2px; margin-bottom: 2px;">PS</div> <div style="background-color: #8b4513; color: white; padding: 2px; margin-bottom: 2px;">PA</div> <div style="background-color: #4169e1; color: white; padding: 2px;">QPD</div> </div> 4 per day |
| IMMUNOSUPPRESSIVE AGENTS | | |
| ASTAGRAF XL 0.5 MG CAPSULE | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #dc143c; color: white; padding: 2px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8b4513; color: white; padding: 2px; margin-bottom: 2px;">PA</div> <div style="background-color: #4169e1; color: white; padding: 2px;">QPD</div> </div> Non-Preferred Specialty Drug 15 per day |
| ASTAGRAF XL 1 MG CAPSULE | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #dc143c; color: white; padding: 2px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8b4513; color: white; padding: 2px; margin-bottom: 2px;">PA</div> <div style="background-color: #4169e1; color: white; padding: 2px;">QPD</div> </div> Non-Preferred Specialty Drug 30 per day |
| ASTAGRAF XL 5 MG CAPSULE | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #dc143c; color: white; padding: 2px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8b4513; color: white; padding: 2px; margin-bottom: 2px;">PA</div> <div style="background-color: #4169e1; color: white; padding: 2px;">QPD</div> </div> Non-Preferred Specialty Drug 6 per day |
| AZASAN | T3 | |
| <i>azathioprine</i> | T1 | <div style="background-color: #191970; color: white; padding: 2px;">PR</div> |
| BENLYSTA (200 MG/ML AUTOINJECT, 200 MG/ML SYRINGE) | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #dc143c; color: white; padding: 2px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8b4513; color: white; padding: 2px; margin-bottom: 2px;">PA</div> </div> Non-Preferred Specialty Drug |
| BENLYSTA 120 MG VIAL | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #dc143c; color: white; padding: 2px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8b4513; color: white; padding: 2px; margin-bottom: 2px;">PA</div> <div style="background-color: #4169e1; color: white; padding: 2px;">QPD</div> </div> Non-Preferred Specialty Drug 0.25 per day |
| BENLYSTA 400 MG VIAL | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #dc143c; color: white; padding: 2px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8b4513; color: white; padding: 2px; margin-bottom: 2px;">PA</div> <div style="background-color: #4169e1; color: white; padding: 2px;">QPD</div> </div> Non-Preferred Specialty Drug 0.334 per day |
| CELLCEPT (200 MG/ML ORAL SUSP, 250 MG CAPSULE, 500 MG TABLET) | T4 | <div style="background-color: #dc143c; color: white; padding: 2px;">NPS</div> Non-Preferred Specialty Drug |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|---|
| <i>cyclosporine (25 mg capsule, 100 mg capsule)</i> | T4 | NPS Non-Preferred Specialty Drug PR |
| <i>cyclosporine modified (25 mg, 50 mg, 100 mg, 100mg/ml)</i> | T4 | NPS Non-Preferred Specialty Drug PR |
| ENVARUSUS XR | T4 | NPS Non-Preferred Specialty Drug PA QPD 1 per day |
| <i>everolimus (0.25 mg tablet, 0.5 mg tablet, 0.75 mg tablet)</i> | T4 | NPS Non-Preferred Specialty Drug PR PA |
| GENGRAF (25 MG CAPSULE, 100 MG/ML SOLUTION) | T4 | NPS Non-Preferred Specialty Drug PR |
| IMURAN | T3 | |
| LUPKYNIS | T4 | NPS Non-Preferred Specialty Drug PA QPD 6 per day |
| MAVENCLAD | T4 | QL 20 / 30 days NPS Non-Preferred Specialty Drug PA |
| <i>mycophenolate mofetil (200 mg/ml susp, 250 mg capsule, 500 mg tablet)</i> | T4 | NPS Non-Preferred Specialty Drug PR |
| <i>mycophenolic acid</i> | T4 | NPS Non-Preferred Specialty Drug PR |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|---|
| MYFORTIC | T4 | NPS Non-Preferred Specialty Drug |
| NEORAL (25 MG GELATIN CAPSULE, 100 MG/ML SOLUTION) | T4 | NPS Non-Preferred Specialty Drug |
| PROGRAF (0.5 MG CAPSULE, 1 MG CAPSULE, 5 MG CAPSULE) | T4 | NPS Non-Preferred Specialty Drug |
| PROGRAF (0.2 MG GRANULE PACKET, 1 MG GRANULE PACKET) | T4 | NPS Non-Preferred Specialty Drug |
| RAPAMUNE (0.5 MG TABLET, 1 MG TABLET, 1 MG/ML ORAL SOLN, 2 MG TABLET) | T4 | NPS Non-Preferred Specialty Drug |
| SANDIMMUNE (25 MG CAPSULE, 100 MG CAPSULE, 100 MG/ML SOLN) | T4 | NPS Non-Preferred Specialty Drug |
| <i>sirolimus (0.5 mg tablet, 1 mg tablet, 1 mg/ml solution, 2 mg tablet)</i> | T4 | NPS Non-Preferred Specialty Drug PR |
| <i>tacrolimus (0.5 mg capsule, 1 mg capsule, 5 mg capsule)</i> | T4 | NPS Non-Preferred Specialty Drug PR |
| ZORTRESS | T4 | NPS Non-Preferred Specialty Drug PA |
| OTHER MISCELLANEOUS THERAPEUTIC AGENTS | | |
| <i>alpha lipoic acid 100 mg cap</i> | T1 | |
| AMPYRA | T4 | NPS Non-Preferred Specialty Drug PA QPD 2 per day |
| ARCALYST | T4 | NPS Non-Preferred Specialty Drug PA |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|-------------------------|------|--|
| CERDELGA | T4 | NPS Non-Preferred Specialty Drug PA |
| CYSTADANE | T4 | NPS Non-Preferred Specialty Drug |
| CYSTAGON 150 MG CAPSULE | T4 | NPS Non-Preferred Specialty Drug PA QPD 13 per day |
| CYSTAGON 50 MG CAPSULE | T4 | NPS Non-Preferred Specialty Drug PA QPD 40 per day |
| <i>dalfampridine er</i> | T4 | NPS Non-Preferred Specialty Drug PA QPD 2 per day |
| DEMSER | T3 | |
| DYSPORT | T4 | PS PA |
| EVRYSDI | T4 | NPS Non-Preferred Specialty Drug PA QPD 6.67 per day |
| FIRDAPSE | T4 | NPS Non-Preferred Specialty Drug PA |
| GALAFOLD | T4 | NPS Non-Preferred Specialty Drug PA |
| ISTURISA 1 MG TABLET | T4 | NPS Non-Preferred Specialty Drug PA QPD 8 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|--|
| ISTURISA 10 MG TABLET | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>6 per day</div> </div> |
| ISTURISA 5 MG TABLET | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>2 per day</div> </div> |
| KUVAN (100 MG POWDER PACKET, 100 MG TABLET, 500 MG POWDER PACKET) | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> |
| <i>levocarnitine 1 g/10 ml soln</i> | T1 | |
| <i>levocarnitine sf</i> | T1 | |
| <i>melatonin-vit b6 3-10 mg tab</i> | T1 | |
| <i>methylene blue powder</i> | T3 | |
| <i>metyrosine</i> | T1 | |
| MIDNITE FOR MENOPAUSE | T3 | |
| MIDNITE MENOPAUSE | T3 | |
| MIDNITE PM | T3 | |
| <i>miglustat</i> | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> |
| <i>nitisinone</i> | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> |
| NITYR | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> |
| ORFADIN (2 MG CAPSULE, 4 MG/ML SUSPENSION, 5 MG CAPSULE, 10 MG CAPSULE, 20 MG CAPSULE) | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|--|
| POTABA | T3 | |
| PROCYSBI DR 25 MG CAPSULE | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>4 per day</div> </div> |
| PROCYSBI DR 75 MG CAPSULE | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>72 per day</div> </div> |
| PROCYSBI (DR 75 MG GRANULE PKT, DR 300 MG GRANULE PKT) | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> |
| REZUROCK | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>1.0 per day</div> </div> |
| RUZURGI | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>1 per day</div> </div> |
| <i>sapropterin dihydrochloride (100 mg powder pkt, 100 mg tablet, 500 mg powder pkt)</i> | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> |
| THIOLA | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> |
| THIOLA EC | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> |
| <i>tiopronin</i> | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|---|
| TYBOST | T4 | NPS Non-Preferred Specialty Drug |
| XURIDEN | T4 | NPS Non-Preferred Specialty Drug |
| ZAVESCA | T4 | NPS Non-Preferred Specialty Drug PA |
| ZOKINVY 50 MG CAPSULE | T4 | NPS Non-Preferred Specialty Drug PA QPD 6 per day |
| ZOKINVY 75 MG CAPSULE | T4 | NPS Non-Preferred Specialty Drug PA QPD 4 per day |
| PROTECTIVE AGENTS | | |
| MESNEX 400 MG TABLET | T4 | NPS Non-Preferred Specialty Drug |
| NONSTEROIDAL ANTI-INFLAMMATORY AGENTS | | |
| CYCLOOXYGENASE-2 (COX-2) INHIBITORS | | |
| <i>celecoxib (50 mg capsule, 200 mg capsule)</i> | T1 | QPD 2 per day |
| <i>celecoxib 100 mg capsule</i> | T1 | QPD 3 per day |
| <i>celecoxib 400 mg capsule</i> | T1 | QPD 1 per day |
| OTHER NONSTEROIDAL ANTI-INFLAM. AGENTS | | |
| ANAPROX DS | T3 | |
| CATAFLAM | T1 | HCG |
| DAYPRO | T3 | |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|-----------------------|
| <i>diclofenac epolamine</i> | T3 | QPD 2 per day HCG |
| <i>diclofenac potassium</i> | T1 | |
| <i>diclofenac 1.5% topical soln</i> | T3 | PA HCG |
| <i>diclofenac sod dr 25 mg tab</i> | T3 | HCG |
| <i>diclofenac sodium (dr 50 mg tab, dr 75 mg tab, ec 25 mg tab, ec 50 mg tab, ec 75 mg tab)</i> | T1 | |
| <i>diclofenac sodium er</i> | T1 | |
| <i>diclofenac sodium-misoprostol</i> | T1 | |
| <i>diflunisal</i> | T1 | |
| EC-NAPROSYN | T3 | |
| <i>ec-naproxen</i> | T3 | |
| <i>etodolac (200 mg capsule, 300 mg capsule, 400 mg tablet, 500 mg tablet)</i> | T1 | |
| <i>etodolac er (er 400 mg tablet, er 600 mg tablet)</i> | T1 | |
| <i>etodolac er 500 mg tablet</i> | T3 | HCG |
| FELDENE | T3 | |
| <i>fenoprofen 400 mg capsule</i> | T3 | HCG |
| <i>fenoprofen 600 mg tablet</i> | T1 | |
| FENORTHO | T3 | |
| <i>flurbiprofen</i> | T1 | |
| IBU | T1 | LCG |
| <i>ibuprofen (400 mg tablet, 600 mg tablet, 800 mg tablet)</i> | T1 | LCG |
| INDOCIN 25 MG/5 ML SUSPENSION | T3 | PA QPD 6 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|------------------------|
| INDOCIN 50 MG SUPPOSITORY | T3 | PA QPD 4 per day |
| <i>indomethacin 25 mg capsule</i> | T1 | LCG |
| <i>indomethacin 50 mg capsule</i> | T1 | |
| <i>indomethacin er</i> | T1 | |
| <i>ketoprofen (25 mg capsule, 75 mg capsule)</i> | T1 | |
| <i>ketoprofen (50 mg capsule, er 200 mg capsule)</i> | T3 | HCG |
| <i>ketorolac 30 mg/ml carpupject</i> | T1 | QL 20 / 30 days LCG |
| <i>ketorolac tromethamine (15 mg/ml carpupject, 15 mg/ml isecure syr, 15 mg/ml vial)</i> | T1 | QL 40 / 23 days |
| <i>ketorolac tromethamine (60 mg/2 ml carpupject, 60 mg/2 ml vial)</i> | T1 | QL 20 / 30 days LCG |
| <i>ketorolac 15 mg/ml syringe</i> | T1 | QL 40 / 23 days |
| <i>ketorolac 60 mg/2 ml syringe</i> | T1 | QL 20 / 30 days |
| <i>ketorolac tromethamine (30 mg/ml isecure syr, 30 mg/ml syringe)</i> | T1 | QL 20 / 23 days |
| <i>ketorolac 10 mg tablet</i> | T1 | QL 21 / fill LCG |
| <i>ketorolac 30 mg/ml vial</i> | T1 | QL 20 / 23 days LCG |
| <i>ketorolac 300 mg/10 ml vial</i> | T1 | QL 20 / 30 days |
| LODINE | T3 | |
| <i>meclofenamate sodium</i> | T3 | HCG |
| <i>mefenamic acid</i> | T3 | QPD 5 per day HCG |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|--|
| <i>meloxicam (5 mg capsule, 10 mg capsule)</i> | T1 | AL At least 18 yrs old QPD 1 per day HCG |
| <i>meloxicam (7.5 mg tablet, 15 mg tablet)</i> | T1 | QPD 1 per day LCG |
| <i>nabumetone</i> | T1 | |
| NAPRELAN (CR 375 MG TABLET, CR 500 MG TABLET) | T3 | PA |
| NAPRELAN CR 750 MG TABLET | T3 | PA QPD 1 per day |
| NAPROSYN (125 MG/5 ML SUSPEN, 500 MG TABLET) | T3 | |
| <i>naproxen 125 mg/5 ml suspen</i> | T3 | HCG LCG |
| <i>naproxen (250 mg tablet, dr 375 mg tablet, dr 500 mg tablet)</i> | T1 | |
| <i>naproxen (375 mg tablet, 500 mg kit, 500 mg tablet)</i> | T1 | LCG |
| <i>naproxen sodium (275 mg tab, 550 mg tab)</i> | T3 | HCG |
| <i>naproxen sod cr 375 mg tablet</i> | T3 | HCG |
| <i>naproxen sod cr 500 mg tablet</i> | T3 | PA HCG |
| <i>naproxen sod cr 750 mg tablet</i> | T3 | HCG |
| <i>naproxen sod er 375 mg tablet</i> | T1 | PA |
| <i>naproxen sod er 500 mg tablet</i> | T3 | HCG |
| <i>oxaprozin</i> | T3 | HCG |
| <i>piroxicam</i> | T1 | AL Up to 75 yrs old |
| <i>sulindac</i> | T1 | |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|---|
| <i>tolmetin sodium 400 mg cap</i> | T3 | HCG |
| <i>tolmetin sodium 200 mg tab</i> | T1 | |
| <i>tolmetin sodium 600 mg tab</i> | T1 | HCG |
| VIVLODEX | T3 | AL At least 18 yrs old PA QPD 1 per day |
| VOLTAREN-XR | T3 | |
| SALICYLATES | | |
| <i>butalbital-aspirin-caffeine (butalb-aspirin-caffe 50-325-40, butalbital-asa-caffeine cap)</i> | T1 | QPD 6 per day |
| DURLAZA | T3 | PA QPD 1 per day |
| FIORINAL | T3 | QPD 6 per day |
| GOODY'S EXTRA STRENGTH | T3 | |
| <i>salsalate</i> | T1 | |
| OXYTOCICS | | |
| METHERGINE | T1 | QPD 6 per day |
| <i>methylergonovine 0.2 mg tablet</i> | T1 | QPD 6 per day |
| PARATHYROID AND ANTIPARATHYROID AGENTS | | |
| ANTIPARATHYROID AGENTS | | |
| <i>calcitonin-salmon 200 units sp</i> | T1 | QPD 0.13 per day |
| <i>calcitonin-salmon 400 unit/2ml</i> | T4 | NPS Non-Preferred Specialty Drug |
| <i>cinacalcet hcl</i> | T4 | NPS Non-Preferred Specialty Drug PA QPD 2 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|---|
| MIACALCIN | T4 | NPS Non-Preferred Specialty Drug |
| PARATHYROID AGENTS | | |
| FORTEO | T4 | NPS Non-Preferred Specialty Drug PA |
| NATPARA | T4 | NPS Non-Preferred Specialty Drug PA |
| <i>teriparatide</i> | T4 | NPS Non-Preferred Specialty Drug PA |
| TYMLOS | T4 | AL At least 18 yrs old NPS Non-Preferred Specialty Drug PA QPD 1.6 per day |
| PENICILLIN ANTIBIOTICS | | |
| AMINOPENICILLIN ANTIBIOTICS | | |
| <i>amoxicillin (125 mg tab chew, 250 mg tab chew, 250 mg/5 ml susp, 500 mg capsule)</i> | T1 | |
| <i>amoxicillin (125 mg/5 ml susp, 200 mg/5 ml susp, 250 mg capsule, 400 mg/5 ml susp, 875 mg tablet)</i> | T1 | LCG |
| <i>amoxicillin-clavulanate pot er</i> | T1 | |
| <i>amoxicillin-clavulanate potass (200-28.5 mg tab chew, 200-28.5 mg/5 ml sus, 250-125 mg tablet, 250-62.5 mg/5 ml sus, 400-57 mg tab chew, 400-57 mg/5 ml susp, 500-125 mg tablet, 600-42.9 mg/5 ml sus, 875-125 mg tablet)</i> | T1 | |
| <i>ampicillin trihydrate</i> | T1 | |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|----------------------------------|
| AUGMENTIN (125-31.25 MG/5 ML, 250-62.5 MG/5 ML, 500-125 TABLET, 875-125 TABLET) | T3 | |
| AUGMENTIN ES-600 | T3 | |
| AUGMENTIN XR | T3 | |
| MOXATAG | T3 | |
| NATURAL PENICILLIN ANTIBIOTICS | | |
| BICILLIN C-R | T3 | |
| BICILLIN L-A | T3 | |
| <i>penicillin g procaine</i> | T1 | |
| <i>penicillin v potassium (250 mg tablet, 250 mg/5 ml soln, 500 mg tablet)</i> | T1 | LCG |
| <i>penicillin vk 125 mg/5 ml soln</i> | T1 | |
| PENICILLINASE-RESISTANT PENICILLINS | | |
| <i>dicloxacillin 250 mg capsule</i> | T1 | |
| <i>dicloxacillin 500 mg capsule</i> | T1 | LCG |
| PHARMACEUTICAL AIDS | | |
| DILUENT FOR ELIGARD | T4 | NPS Non-Preferred Specialty Drug |
| DILUENT FOR NOVOSEVEN RT | T4 | NPS Non-Preferred Specialty Drug |
| DILUENT FOR VIVITROL | T4 | NPS Non-Preferred Specialty Drug |
| <i>eucalyptol</i> | T1 | |
| <i>sassafras oil</i> | T1 | |
| <i>spearmint oil</i> | T1 | |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|---------------------------|
| RADIOACTIVE AGENTS | | |
| <i>sodium iodide i-123</i> | T1 | |
| RENIN-ANGIOTENSIN-ALDOSTERONE SYS. INHIB | | |
| ANGIOTENSIN II RECEPTOR ANTAGONISTS | | |
| ATACAND HCT (32-12.5 MG TAB, 32-25 MG TABLET) | T3 | PR QPD 1 per day |
| ATACAND HCT 16-12.5 MG TAB | T3 | PR QPD 2 per day |
| AVALIDE 150-12.5 MG TABLET | T3 | PR QPD 2 per day |
| AVALIDE 300-12.5 MG TABLET | T3 | PR QPD 1 per day |
| <i>candesartan cilexetil</i> | T1 | PR QPD 1 per day |
| <i>candesartan-hctz 16-12.5 mg tb</i> | T1 | PR QPD 2 per day |
| <i>candesartan-hydrochlorothiazid (32-12.5 mg tb, 32-25 mg tab)</i> | T1 | PR QPD 1 per day |
| EDARBI | T3 | ST PR QPD 1 per day |
| EDARBYCLOR | T3 | ST PR QPD 1 per day |
| ENTRESTO | T2 | QPD 2 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|----------------------------|
| <i>eprosartan mesylate</i> | T1 | PR QPD 1 per day |
| <i>irbesartan</i> | T1 | PR QPD 1 per day |
| <i>irbesartan-hctz 150-12.5 mg tb</i> | T1 | PR QPD 2 per day |
| <i>irbesartan-hctz 300-12.5 mg tb</i> | T1 | PR QPD 1 per day |
| <i>losartan potassium (25 mg tab, 50 mg tab)</i> | T1 | PR QPD 2 per day LCG |
| <i>losartan potassium 100 mg tab</i> | T1 | PR QPD 1 per day LCG |
| <i>losartan-hctz 50-12.5 mg tab</i> | T1 | PR QPD 2 per day |
| <i>losartan-hydrochlorothiazide (100-12.5 mg tab, 100-25 mg tab)</i> | T1 | PR QPD 1 per day |
| <i>olmesartan medoxomil</i> | T1 | PR QPD 3 per day |
| <i>olmesartan-amlodipine-hctz</i> | T1 | PR QPD 1 per day |
| <i>olmesartan-hydrochlorothiazide</i> | T1 | PR QPD 1 per day |
| <i>telmisartan</i> | T1 | PR QPD 1 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|-----------------------|
| <i>telmisartan-amlodipine</i> | T1 | PR QPD 1 per day |
| <i>telmisartan-hctz 80-12.5 mg tb</i> | T1 | PR QPD 2 per day |
| <i>telmisartan-hydrochlorothiazid (40-12.5 mg tb, 80-25 mg tab)</i> | T1 | PR QPD 1 per day |
| TWYNSTA | T3 | QPD 1 per day |
| <i>valsartan (40 mg tablet, 80 mg tablet, 160 mg tablet)</i> | T1 | PR QPD 2.0 per day |
| <i>valsartan 320 mg tablet</i> | T1 | PR QPD 1.0 per day |
| <i>valsartan-hydrochlorothiazide (320-12.5 mg tab, 320-25 mg tab)</i> | T1 | PR QPD 1 per day |
| <i>valsartan-hydrochlorothiazide (80-12.5 mg tab, 160-12.5 mg tab, 160-25 mg tab)</i> | T1 | PR QPD 2 per day |
| ANGIOTENSIN-CONVERTING ENZYME INHIBITORS | | |
| ACCUPRIL | T3 | QPD 2 per day |
| ACCURETIC (10-12.5 MG TABLET, 20-12.5 MG TABLET) | T3 | QPD 2 per day |
| ACCURETIC 20-25 MG TABLET | T3 | QPD 1 per day |
| <i>benazepril hcl (10 mg tablet, 40 mg tablet)</i> | T1 | PR QPD 2 per day |
| <i>benazepril hcl 20 mg tablet</i> | T1 | PR QPD 4 per day |
| <i>benazepril hcl 5 mg tablet</i> | T1 | PR QPD 3 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|----------------------------|
| <i>benazepril-hydrochlorothiazide</i> | T3 | PR QPD 1 per day HCG |
| <i>captopril</i> | T3 | PR QPD 4 per day HCG |
| <i>captopril-hydrochlorothiazide</i> | T1 | PR QPD 2 per day |
| <i>enalapril 1 mg/ml oral soln</i> | T1 | PR QPD 5 per day |
| <i>enalapril maleate (2.5 mg tab, 5 mg tablet, 10 mg tab, 20 mg tab)</i> | T1 | PR QPD 2 per day |
| <i>enalapril-hctz 10-25 mg tablet</i> | T1 | PR QPD 2 per day |
| <i>enalapril-hctz 5-12.5 mg tab</i> | T1 | PR |
| EPANED | T3 | QPD 5 per day |
| <i>fosinopril sodium</i> | T1 | PR QPD 2 per day |
| <i>fosinopril-hydrochlorothiazide</i> | T1 | PR QPD 2 per day |
| <i>lisinopril (2.5 mg tablet, 10 mg tablet, 20 mg tablet)</i> | T1 | PR QPD 1 per day LCG |
| <i>lisinopril (5 mg tablet, 30 mg tablet)</i> | T1 | PR QPD 1 per day |
| <i>lisinopril 40 mg tablet</i> | T1 | PR QPD 2 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|----------------------------|
| <i>lisinopril-hctz 20-25 mg tab</i> | T1 | PR QPD 2 per day LCG |
| <i>lisinopril-hydrochlorothiazide (10-12.5 mg tab, 20-12.5 mg tab)</i> | T1 | PR QPD 2 per day |
| LOTENSIN (10 MG TABLET, 40 MG TABLET) | T3 | QPD 2 per day |
| LOTENSIN 20 MG TABLET | T3 | QPD 4 per day |
| LOTENSIN HCT | T3 | QPD 1 per day |
| <i>moexipril hcl</i> | T1 | PR QPD 1 per day |
| <i>perindopril erbumine</i> | T1 | PR QPD 1 per day |
| PRESTALIA | T3 | ST QPD 1 per day |
| QBRELIS | T3 | QPD 40 per day |
| <i>quinapril hcl</i> | T1 | PR QPD 2 per day |
| <i>quinapril-hctz 20-25 mg tab</i> | T1 | PR QPD 1 per day |
| <i>quinapril-hydrochlorothiazide (10-12.5 mg tab, 20-12.5 mg tab)</i> | T1 | PR QPD 2 per day |
| <i>ramipril</i> | T1 | PR QPD 2 per day |
| TARKA | T3 | QPD 1 per day |
| <i>trandolapril</i> | T1 | PR QPD 2 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|---|
| <i>trandolapril-verapamil er</i> | T1 | PR |
| VASERETIC | T3 | QPD 2 per day |
| VASOTEC | T3 | QPD 2 per day |
| ZESTORETIC | T3 | QPD 2 per day |
| MINERALOCORTICOID (ALDOSTERONE) ANTAGNTS | | |
| ALDACTAZIDE | T3 | |
| ALDACTONE | T3 | |
| CAROSPIR | T3 | PA |
| <i>eplerenone</i> | T3 | HCG |
| INSPIRA | T3 | |
| KERENDIA | T3 | AL At least 18 yrs old PA QPD 1.0 per day |
| <i>spironolactone</i> | T1 | |
| <i>spironolactone-hctz</i> | T1 | |
| RENIN INHIBITORS | | |
| <i>aliskiren</i> | T1 | QPD 1 per day |
| TEKTURNA | T3 | QPD 1 per day |
| TEKTURNA HCT | T3 | QPD 1 per day |
| RESPIRATORY TRACT AGENTS | | |
| ANTIFIBROTIC AGENTS | | |
| ESBRIET (267 MG CAPSULE, 267 MG TABLET) | T4 | NPS Non-Preferred Specialty Drug PA QPD 9 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|--|
| ESBRIET 801 MG TABLET | T4 | <div style="display: flex; flex-direction: column; gap: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; display: inline-block;">NPS</div> Non-Preferred Specialty Drug <div style="background-color: #804000; color: white; padding: 2px 5px; display: inline-block;">PA</div> <div style="background-color: #0070c0; color: white; padding: 2px 5px; display: inline-block;">QPD</div> 3 per day </div> |
| OFEV | T4 | <div style="display: flex; flex-direction: column; gap: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; display: inline-block;">NPS</div> Non-Preferred Specialty Drug <div style="background-color: #804000; color: white; padding: 2px 5px; display: inline-block;">PA</div> <div style="background-color: #0070c0; color: white; padding: 2px 5px; display: inline-block;">QPD</div> 2 per day </div> |
| ANTITUSSIVES | | |
| <i>benzonatate (100 mg capsule, perle 100 mg cap)</i> | T1 | <div style="display: flex; flex-direction: column; gap: 5px;"> <div style="background-color: #c00040; color: white; padding: 2px 5px; display: inline-block;">AL</div> At least 10 yrs old </div> |
| <i>benzonatate (150 mg capsule, 200 mg capsule)</i> | T3 | <div style="display: flex; flex-direction: column; gap: 5px;"> <div style="background-color: #c00040; color: white; padding: 2px 5px; display: inline-block;">AL</div> At least 10 yrs old <div style="background-color: #ffc000; color: black; padding: 2px 5px; display: inline-block;">HCG</div> </div> |
| <i>codeine-guaifenesin</i> | T1 | <div style="display: flex; flex-direction: column; gap: 5px;"> <div style="background-color: #c00040; color: white; padding: 2px 5px; display: inline-block;">AL</div> At least 6 yrs old <div style="background-color: #0070c0; color: white; padding: 2px 5px; display: inline-block;">QPD</div> 60 per day </div> |
| CORICIDIN HBP COUGH AND COLD | T3 | |
| <i>guaifenesin-codeine</i> | T1 | <div style="display: flex; flex-direction: column; gap: 5px;"> <div style="background-color: #c00040; color: white; padding: 2px 5px; display: inline-block;">AL</div> At least 6 yrs old <div style="background-color: #0070c0; color: white; padding: 2px 5px; display: inline-block;">QPD</div> 60 per day </div> |
| HYCODAN | T3 | <div style="display: flex; flex-direction: column; gap: 5px;"> <div style="background-color: #c00040; color: white; padding: 2px 5px; display: inline-block;">AL</div> At least 18 yrs old <div style="background-color: #0070c0; color: white; padding: 2px 5px; display: inline-block;">QPD</div> 30 per day </div> |
| <i>hydrocodone-chlorpheniramine er</i> | T1 | <div style="display: flex; flex-direction: column; gap: 5px;"> <div style="background-color: #c00040; color: white; padding: 2px 5px; display: inline-block;">AL</div> At least 6 yrs old <div style="background-color: #0070c0; color: white; padding: 2px 5px; display: inline-block;">QPD</div> 10 per day </div> |
| <i>hydrocodone-homatropine mbr (soln, syrup)</i> | T1 | <div style="display: flex; flex-direction: column; gap: 5px;"> <div style="background-color: #c00040; color: white; padding: 2px 5px; display: inline-block;">AL</div> At least 2 yrs old <div style="background-color: #0070c0; color: white; padding: 2px 5px; display: inline-block;">QPD</div> 30 per day </div> |
| <i>hydrocodone-homatropine 5-1.5</i> | T3 | <div style="display: flex; flex-direction: column; gap: 5px;"> <div style="background-color: #c00040; color: white; padding: 2px 5px; display: inline-block;">AL</div> At least 6 yrs old <div style="background-color: #0070c0; color: white; padding: 2px 5px; display: inline-block;">QPD</div> 6 per day <div style="background-color: #ffc000; color: black; padding: 2px 5px; display: inline-block;">HCG</div> </div> |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---------------------------------------|------|---|
| HYDROMET | T1 | AL At least 18 yrs old QPD 30 per day |
| NEOTUSS PLUS | T3 | |
| OBREDON | T3 | AL At least 18 yrs old QPD 60 per day |
| <i>promethazine vc-codeine</i> | T1 | AL At least 6 yrs old QPD 30.0 per day |
| <i>promethazine-codeine</i> | T1 | |
| <i>promethazine-dm</i> | T1 | AL At least 2 yrs old LCG |
| <i>promethazine-phenyleph-codeine</i> | T1 | AL At least 6 yrs old QPD 30 per day |
| TESSALON PERLE | T3 | AL At least 11 yrs old |
| TUSNEL CAPLET | T3 | |
| TUSNEL DM PEDIATRIC DROPS | T3 | |
| TUSSICAPS | T3 | AL At least 6 yrs old QPD 6 per day |
| TUXARIN ER | T3 | AL At least 18 yrs old QPD 2 per day |
| TUZISTRA XR | T3 | AL At least 18 yrs old QPD 20 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|---|
| ZODRYL DAC 50 | T3 | |
| ZODRYL DAC 60 | T3 | |
| ZODRYL DAC 80 | T3 | |
| ZODRYL DEC 50 | T3 | |
| ZODRYL DEC 60 | T3 | |
| ZODRYL DEC 80 | T3 | |
| EXPECTORANTS | | |
| GILPHEX TR | T3 | |
| GILTUSS TR | T3 | |
| TUSNEL PEDIATRIC DROPS | T3 | |
| TUSSI-PRES PEDIATRIC LIQUID | T3 | |
| TUSSLIN PEDIATRIC DROPS | T1 | |
| MUCOLYTIC AGENTS | | |
| <i>acetylcysteine (10% vial, 20% vial)</i> | T1 | |
| PULMOZYME | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #806442; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>5 per day</div> </div> |
| PHOSPHODIESTERASE TYPE 4 INHIBITORS | | |
| DALIRESP | T3 | <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #806442; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>1 per day</div> </div> |
| RESPIRATORY TRACT AGENTS, MISCELLANEOUS | | |
| ARALAST NP | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #806442; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> |
| BRONCHITOL | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #806442; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>20 per day</div> </div> |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|---|
| GLASSIA | T4 | <div style="background-color: #e91e63; color: white; padding: 2px; display: inline-block;">NPS</div> Non-Preferred Specialty Drug <div style="background-color: #795548; color: white; padding: 2px; display: inline-block;">PA</div> |
| PROLASTIN C | T4 | <div style="background-color: #e91e63; color: white; padding: 2px; display: inline-block;">NPS</div> Non-Preferred Specialty Drug <div style="background-color: #795548; color: white; padding: 2px; display: inline-block;">PA</div> |
| XOLAIR 150 MG/ML SYRINGE | T4 | <div style="background-color: #9c27b0; color: white; padding: 2px; display: inline-block;">AL</div> At least 6 yrs old <div style="background-color: #f08080; color: white; padding: 2px; display: inline-block;">PS</div> <div style="background-color: #795548; color: white; padding: 2px; display: inline-block;">PA</div> <div style="background-color: #2196f3; color: white; padding: 2px; display: inline-block;">QPD</div> 0.15 per day |
| XOLAIR 75 MG/0.5 ML SYRINGE | T4 | <div style="background-color: #9c27b0; color: white; padding: 2px; display: inline-block;">AL</div> At least 6 yrs old <div style="background-color: #f08080; color: white; padding: 2px; display: inline-block;">PS</div> <div style="background-color: #795548; color: white; padding: 2px; display: inline-block;">PA</div> <div style="background-color: #2196f3; color: white; padding: 2px; display: inline-block;">QPD</div> 0.04 per day |
| XOLAIR 150 MG/1.2 ML POWDER VL | T4 | <div style="background-color: #9c27b0; color: white; padding: 2px; display: inline-block;">AL</div> At least 6 yrs old <div style="background-color: #f08080; color: white; padding: 2px; display: inline-block;">PS</div> <div style="background-color: #795548; color: white; padding: 2px; display: inline-block;">PA</div> <div style="background-color: #2196f3; color: white; padding: 2px; display: inline-block;">QPD</div> 0.22 per day |
| ZEMAIRA | T4 | <div style="background-color: #e91e63; color: white; padding: 2px; display: inline-block;">NPS</div> Non-Preferred Specialty Drug <div style="background-color: #795548; color: white; padding: 2px; display: inline-block;">PA</div> |
| VASODILATING AGENTS (RESPIRATORY TRACT) | | |
| ADEMPAS | T4 | <div style="background-color: #e91e63; color: white; padding: 2px; display: inline-block;">NPS</div> Non-Preferred Specialty Drug <div style="background-color: #795548; color: white; padding: 2px; display: inline-block;">PA</div> <div style="background-color: #2196f3; color: white; padding: 2px; display: inline-block;">QPD</div> 3 per day |
| <i>ambrisentan</i> | T4 | <div style="background-color: #e91e63; color: white; padding: 2px; display: inline-block;">NPS</div> Non-Preferred Specialty Drug <div style="background-color: #795548; color: white; padding: 2px; display: inline-block;">PA</div> <div style="background-color: #2196f3; color: white; padding: 2px; display: inline-block;">QPD</div> 1 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|---|
| <i>bosentan</i> | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #e53935; color: white; padding: 2px 5px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8b4513; color: white; padding: 2px 5px; margin-bottom: 2px;">PA</div> <div style="background-color: #3498db; color: white; padding: 2px 5px;">QPD</div> </div> Non-Preferred Specialty Drug 2 per day |
| FLOLAN | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #e53935; color: white; padding: 2px 5px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8b4513; color: white; padding: 2px 5px;">PA</div> </div> Non-Preferred Specialty Drug |
| LETAIRIS | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #e53935; color: white; padding: 2px 5px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8b4513; color: white; padding: 2px 5px; margin-bottom: 2px;">PA</div> <div style="background-color: #3498db; color: white; padding: 2px 5px;">QPD</div> </div> Non-Preferred Specialty Drug 1 per day |
| OPSUMIT | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #e53935; color: white; padding: 2px 5px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8b4513; color: white; padding: 2px 5px; margin-bottom: 2px;">PA</div> <div style="background-color: #3498db; color: white; padding: 2px 5px;">QPD</div> </div> Non-Preferred Specialty Drug 1 per day |
| ORENITRAM ER | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #e53935; color: white; padding: 2px 5px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8b4513; color: white; padding: 2px 5px; margin-bottom: 2px;">PA</div> <div style="background-color: #3498db; color: white; padding: 2px 5px;">QPD</div> </div> Non-Preferred Specialty Drug 3 per day |
| REMODULIN | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #e53935; color: white; padding: 2px 5px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8b4513; color: white; padding: 2px 5px;">PA</div> </div> Non-Preferred Specialty Drug |
| TRACLEER (32 MG TABLET FOR SUSP, 62.5 MG TABLET, 125 MG TABLET) | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #e53935; color: white; padding: 2px 5px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8b4513; color: white; padding: 2px 5px; margin-bottom: 2px;">PA</div> <div style="background-color: #3498db; color: white; padding: 2px 5px;">QPD</div> </div> Non-Preferred Specialty Drug 2 per day |
| <i>treprostinil</i> | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #e53935; color: white; padding: 2px 5px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8b4513; color: white; padding: 2px 5px;">PA</div> </div> Non-Preferred Specialty Drug |
| TYVASO | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #e53935; color: white; padding: 2px 5px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8b4513; color: white; padding: 2px 5px; margin-bottom: 2px;">PA</div> <div style="background-color: #3498db; color: white; padding: 2px 5px;">QPD</div> </div> Non-Preferred Specialty Drug 1 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|--|
| TYVASO INSTITUTIONAL START KIT | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> Non-Preferred Specialty Drug </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0056b3; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> 1 per day </div> </div> |
| TYVASO REFILL KIT | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> Non-Preferred Specialty Drug </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0056b3; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> 3 per day </div> </div> |
| TYVASO STARTER KIT | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> Non-Preferred Specialty Drug </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0056b3; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> 3 per day </div> </div> |
| UPTRAVI 200-800 TITRATION PACK | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #800040; color: white; padding: 2px 5px; margin-right: 5px;">AL</div> At least 18 yrs old </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> Non-Preferred Specialty Drug </div> <div style="display: flex; align-items: center;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> </div> |
| UPTRAVI (200 MCG TABLET, 400 MCG TABLET, 600 MCG TABLET, 800 MCG TABLET, 1,000 MCG TABLET, 1,200 MCG TABLET, 1,400 MCG TABLET, 1,600 MCG TABLET) | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #800040; color: white; padding: 2px 5px; margin-right: 5px;">AL</div> At least 18 yrs old </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> Non-Preferred Specialty Drug </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0056b3; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> 2 per day </div> </div> |
| UPTRAVI 1,800 MCG VIAL | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #800040; color: white; padding: 2px 5px; margin-right: 5px;">AL</div> At least 18 yrs old </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> Non-Preferred Specialty Drug </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0056b3; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> 2.0 per day </div> </div> |
| VELETRI | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> Non-Preferred Specialty Drug </div> <div style="display: flex; align-items: center;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> </div> |
| VENTAVIS | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> Non-Preferred Specialty Drug </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0056b3; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> 9 per day </div> </div> |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|-----------------------|
| SKELETAL MUSCLE RELAXANTS | | |
| CENTRALLY ACTING SKELETAL MUSCLE RELAXANT | | |
| <i>carisoprodol 250 mg tablet</i> | T3 | HCG |
| <i>carisoprodol 350 mg tablet</i> | T1 | |
| <i>carisoprodol compound</i> | T1 | |
| <i>carisoprodol-aspirin</i> | T1 | |
| <i>carisoprodol-aspirin-codeine</i> | T1 | QPD 21 per day |
| <i>chlorzoxazone (375 mg tablet, 750 mg tablet)</i> | T1 | PA |
| <i>chlorzoxazone 250 mg tablet</i> | T3 | HCG |
| <i>chlorzoxazone 500 mg tablet</i> | T1 | |
| <i>cyclobenzaprine 10 mg tablet</i> | T1 | LCG |
| <i>cyclobenzaprine 5 mg tablet</i> | T1 | |
| <i>cyclobenzaprine 7.5 mg tablet</i> | T3 | HCG |
| <i>cyclobenzaprine hcl er</i> | T1 | HCG |
| FEXMID | T3 | |
| LORZONE | T3 | PA |
| METAXALL | T1 | |
| <i>metaxalone</i> | T3 | HCG |
| <i>methocarbamol (500 mg tablet, 750 mg tablet)</i> | T1 | |
| ROBAXIN-750 | T3 | |
| <i>tizanidine hcl (2 mg capsule, 4 mg capsule, 6 mg capsule)</i> | T3 | HCG |
| <i>tizanidine hcl (2 mg tablet, 4 mg tablet)</i> | T1 | |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|-----------------------|
| DIRECT-ACTING SKELETAL MUSCLE RELAXANTS | | |
| DANTRIUM (25 MG CAPSULE, 50 MG CAPSULE) | T3 | |
| <i>dantrolene sodium (25 mg cap, 50 mg cap, 100 mg cap)</i> | T3 | HCG |
| GABA-DERIVATIVE SKELETAL MUSCLE RELAXANT | | |
| <i>baclofen (5 mg tablet, 10 mg tablet, 20 mg tablet)</i> | T1 | |
| SKELETAL MUSCLE RELAXANTS, MISCELLANEOUS | | |
| <i>orphenadrine citrate er</i> | T1 | |
| <i>orphenadrine-aspirin-caffeine</i> | T1 | HCG |
| SKIN AND MUCOUS MEMBRANE AGENTS | | |
| ANTIPRURITICS AND LOCAL ANESTHETICS | | |
| ANASTIA | T3 | |
| <i>ethyl chloride</i> | T1 | |
| <i>lidocaine-hc 2.8-0.55% gel</i> | T1 | |
| <i>lidocaine-prilocaine</i> | T1 | |
| <i>lidocaine-tetracaine</i> | T3 | HCG |
| LIDOPRIL | T1 | |
| LIDTOPIC MAX | T3 | |
| NUMBONEX | T3 | |
| <i>phenazopyridine hcl</i> | T1 | |
| PLIAGLIS | T3 | |
| <i>pramoxine hcl</i> | T1 | |
| PRIKAAN | T3 | HCG |
| PRIKAAN LITE | T1 | |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|--|
| PRUDOXIN | T3 | <div style="background-color: #6a3d9a; color: white; padding: 2px;">QL</div> 49 / fill <div style="background-color: #8b572a; color: white; padding: 2px;">PA</div> |
| PYRIDIUM | T3 | |
| RADIAGUARD | T3 | |
| SYNERA | T3 | <div style="background-color: #8b572a; color: white; padding: 2px;">PA</div> |
| WAL-DRYL 2%-0.1% CREAM | T1 | |
| ZONALON | T3 | <div style="background-color: #6a3d9a; color: white; padding: 2px;">QL</div> 49 / fill <div style="background-color: #8b572a; color: white; padding: 2px;">PA</div> |
| ASTRINGENTS | | |
| XERAC AC | T3 | |
| CELL STIMULANTS AND PROLIFERANTS | | |
| ALTRENO | T3 | <div style="background-color: #8b572a; color: white; padding: 2px;">PA</div> <div style="background-color: #3498db; color: white; padding: 2px;">QPD</div> 1.5 per day |
| ATRALIN | T3 | <div style="background-color: #8b572a; color: white; padding: 2px;">PA</div> <div style="background-color: #3498db; color: white; padding: 2px;">QPD</div> 1.5 per day |
| REGRANEX | T3 | <div style="background-color: #8b572a; color: white; padding: 2px;">PA</div> <div style="background-color: #3498db; color: white; padding: 2px;">QPD</div> 1 per day |
| TRETIN-X 0.075% CREAM | T3 | <div style="background-color: #8b572a; color: white; padding: 2px;">PA</div> |
| <i>tretinoin (0.01% gel, 0.025% cream, 0.025% gel, 0.05% cream, 0.1% cream)</i> | T1 | |
| <i>tretinoin 0.05% gel</i> | T1 | <div style="background-color: #3498db; color: white; padding: 2px;">QPD</div> 1.5 per day |
| <i>tretinoin microsphere (gel 0.04% pump, gel 0.04% tube, gel 0.1% tube)</i> | T3 | <div style="background-color: #8b572a; color: white; padding: 2px;">PA</div> <div style="background-color: #3498db; color: white; padding: 2px;">QPD</div> 1.667 per day <div style="background-color: #f1c40f; color: white; padding: 2px;">HCG</div> |
| <i>tretinoin gel micro 0.1% pump</i> | T1 | <div style="background-color: #8b572a; color: white; padding: 2px;">PA</div> <div style="background-color: #3498db; color: white; padding: 2px;">QPD</div> 1.667 per day <div style="background-color: #f1c40f; color: white; padding: 2px;">HCG</div> |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|-----------------------|
| DETERGENTS | | |
| <i>polysorbate 60</i> | T1 | |
| <i>polysorbate 80</i> | T1 | |
| <i>triton x-100</i> | T3 | |
| KERATOLYTIC AGENTS | | |
| AVAR CLEANSER | T1 | |
| AVAR 9.5-5% CLEANSING PADS | T3 | |
| AVAR LS (10-2% CLEANSING PADS, CLEANSER) | T3 | |
| AVAR LS 10%-2% FOAM | T3 | |
| AVAR-E | T1 | |
| AVAR-E GREEN | T3 | HCG |
| AVAR-E LS | T3 | |
| BENZEPRO 5.2% EMOLLIENT FOAM | T3 | |
| BP 10-1 | T3 | HCG |
| PLEXION (9.8-4.8% CLEANSER, 9.8-4.8% CLNSING CLOTH, 9.8-4.8% CREAM, 9.8-4.8% LOTION) | T3 | |
| ROSANIL | T1 | |
| ROSULA 10%-4.5% WASH | T3 | |
| ROSULA 10%-5% CLOTHS | T1 | |
| SALEX 6% SHAMPOO | T3 | |
| <i>salicylic acid (foam, gel)</i> | T3 | HCG |
| <i>salicylic acid (26% liquid, 27.5% liquid)</i> | T1 | HCG |
| <i>salicylic acid (cream, lotion)</i> | T1 | |
| <i>salicylic acid er</i> | T3 | HCG |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|---|
| <i>sod sulfacet-sulfur 10-2% clsr</i> | T1 | HCG |
| <i>sod sulfacet-sulfur 10-5% clsr</i> | T1 | |
| <i>sodium sulfacetamide-sulfur (sod sulfac-sulfur 9.8-4.8% lot, sod sulface-sulf 9.8-4.8% clsr, sod sulfacetamide-sulfur lotn, sod sulfacetamide-sulfur susp, sulfacetamide-sulfur 10-2% crm, sulfacetamide-sulfur 10-5% crm)</i> | T3 | HCG |
| <i>sod sulfacet-sulfur 10-4% pad</i> | T1 | |
| <i>sodium sulfacetamide-sulfur (sod sulfac-sulfur 9.8-4.8% crm, sod sulface-sulfur 9-4.5% wash, sodium sulfacet-sulfur wash, sulfacetamide-sulfur 8-4% susp)</i> | T3 | |
| SSS 10-5 (10-5 CREAM, 10-5 FOAM) | T1 | |
| SULFACLEANSE 8-4 | T1 | |
| SUMADAN 9%-4.5% WASH | T3 | |
| SUMAXIN (9%-4% WASH, CLEANSING PADS) | T3 | |
| SUMAXIN TS | T3 | |
| <i>urea (35% foam, 39% cream, 40% lotion, 45% cream, 45% nail gel)</i> | T1 | |
| SKIN AND MUCOUS MEMBRANE AGENTS, MISC. | | |
| ACUTANE | T1 | PA |
| <i>acitretin (17.5 mg capsule, 25 mg capsule)</i> | T1 | QPD 2 per day |
| <i>acitretin 10 mg capsule</i> | T1 | QPD 4 per day |
| ACZONE 7.5% GEL PUMP | T3 | PA QPD 3 per day |
| <i>adapalene (gel, gel pump)</i> | T1 | QPD 1.5 per day |
| <i>adapalene-benzoyl peroxide</i> | T1 | QPD 1.5 per day |
| ALDARA | T3 | AL At least 12 yrs old QPD 0.434 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|---|
| AMNESTEEM | T1 | PA |
| <i>azelaic acid</i> | T3 | QL 50 / 30 days PA |
| AZELEX | T3 | QPD 1.667 per day |
| <i>calcipotriene 0.005% cream</i> | T3 | QPD 2 per day HCG |
| <i>calcipotriene (ointment, solution)</i> | T1 | QPD 2 per day |
| <i>calcipotriene-betamethasone dp</i> | T1 | PA QPD 3 per day |
| CALCITRENE | T3 | QPD 2 per day HCG |
| <i>calcitriol 3 mcg/g ointment</i> | T3 | QPD 3.334 per day HCG |
| CLARAVIS | T1 | PA |
| CONDYLOX | T3 | |
| <i>dapsone 5% gel</i> | T3 | QPD 3 per day HCG |
| DOVONEX | T3 | PA QPD 2 per day |
| DUPIXENT 300 MG/2 ML PEN | T4 | AL At least 6 yrs old PS PA QPD 0.15 per day |
| DUPIXENT 300 MG/2 ML SYRINGE | T4 | AL At least 6 yrs old PS PA QPD 0.15 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|----------------------------------|------|---|
| ENSTILAR | T3 | QPD 2 per day |
| EPIDUO FORTE | T3 | QPD 1.667 per day |
| FINACEA 15% FOAM | T3 | QL 50 / 30 days |
| FINACEA 15% GEL | T3 | QL 50 / 30 days PA |
| <i>imiquimod 5% cream packet</i> | T1 | AL At least 12 yrs old QPD 0.434 per day |
| <i>isotretinoin</i> | T1 | PA |
| <i>ivermectin 1% cream</i> | T1 | QPD 1.5 per day |
| KLISYRI | T3 | QL 5 / fill PA |
| MIRVASO (GEL, GEL PUMP) | T3 | QPD 1 per day |
| MYORISAN | T1 | PA |
| <i>pimecrolimus</i> | T1 | ST AL At least 2 yrs old QPD 2.5 per day |
| PODOCON-25 | T3 | PA |
| <i>podofilox</i> | T1 | |
| PROTOPIC 0.03% OINTMENT | T3 | QL 100 / 30 days ST AL At least 2 yrs old QPD 2.5 per day |
| PROTOPIC 0.1% OINTMENT | T3 | QL 100 / 30 days ST AL At least 16 yrs old QPD 2.5 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|-------------------------------|------|---|
| RECTIV | T3 | |
| RHOFADE | T3 | QPD 1.25 per day |
| SANTYL | T3 | |
| SILIQ | T4 | <p>NPS Non-Preferred Specialty Drug</p> <p>PA</p> <p>QPD 0.22 per day</p> |
| SKYRIZI 150 MG/ML SYRINGE | T4 | <p>PS</p> <p>PA</p> <p>QPD 0.012 per day</p> <p>SDS Extended Specialty Day Supply</p> |
| SKYRIZI 75 MG/0.83 ML SYRINGE | T4 | <p>PS</p> <p>PA</p> <p>QPD 0.02 per day</p> <p>SDS Extended Specialty Day Supply</p> <p>PS1 Preferred 1st line</p> |
| SKYRIZI (2 SYRINGES) KIT | T4 | <p>PS</p> <p>PA</p> <p>QPD 0.012 per day</p> <p>SDS Extended Specialty Day Supply</p> <p>PS1 Preferred 1st line</p> |
| SKYRIZI PEN | T4 | <p>PS</p> <p>PA</p> <p>QPD 0.012 per day</p> <p>SDS Extended Specialty Day Supply</p> |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|------------------------|
| SOOLANTRA | T3 | QPD 1.5 per day |
| SORIATANE 10 MG CAPSULE | T3 | QPD 4 per day |
| SORIATANE 25 MG CAPSULE | T3 | QPD 2 per day |
| STELARA 90 MG/ML SYRINGE | T4 | PS |
| | | PA |
| | | QPD 0.012 per day |
| | | PS1 Preferred 1st line |
| STELARA (45 MG/0.5 ML SYRINGE, 45 MG/0.5 ML VIAL) | T4 | PS |
| | | PA |
| | | QPD 0.006 per day |
| | | PS1 Preferred 1st line |
| STELARA 130 MG/26 ML VIAL | T4 | PS |
| | | PA |
| | | QPD 1.86 per day |
| | | PS1 Preferred 1st line |
| TACLONEX 0.005%-0.064% SUSPENS | T3 | QPD 4 per day |
| <i>tacrolimus (0.03% ointment, 0.1% ointment)</i> | T1 | QL 100 / 30 days |
| | | ST |
| TALTZ AUTOINJECTOR | T4 | PS |
| | | PA |
| | | QPD 0.04 per day |
| | | PS2 Preferred 2nd line |
| TALTZ AUTOINJECTOR (2 PACK) | T4 | PS |
| | | PA |
| | | QPD 0.04 per day |
| | | PS2 Preferred 2nd line |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|---|
| TALTZ AUTOINJECTOR (3 PACK) | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="margin-bottom: 2px;">PS</div> <div style="margin-bottom: 2px;">PA</div> <div style="margin-bottom: 2px;">QPD 0.04 per day</div> <div>PS2 Preferred 2nd line</div> </div> |
| TALTZ SYRINGE | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="margin-bottom: 2px;">PS</div> <div style="margin-bottom: 2px;">PA</div> <div style="margin-bottom: 2px;">QPD 0.04 per day</div> <div>PS2 Preferred 2nd line</div> </div> |
| <i>tazarotene 0.1% cream</i> | T1 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="margin-bottom: 2px;">QPD 1.47 per day</div> </div> |
| TREMFYA (100 MG/ML INJECTOR, 100 MG/ML SYRINGE) | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="margin-bottom: 2px;">PS</div> <div style="margin-bottom: 2px;">PA</div> <div style="margin-bottom: 2px;">QPD 0.04 per day</div> <div style="margin-bottom: 2px;">SDS Extended Specialty Day Supply</div> <div>PS1 Preferred 1st line</div> </div> |
| <i>trichloroacetic acid (25%, 30%, 35%, 75%, 80%, 85%, 90%, 100%)</i> | T1 | |
| VEREGEN | T3 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div>PA</div> </div> |
| ZENATANE | T1 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div>PA</div> </div> |
| SMOOTH MUSCLE RELAXANTS | | |
| RESPIRATORY SMOOTH MUSCLE RELAXANTS | | |
| ELIXOPHYLLIN | T3 | |
| THEO-24 | T3 | |
| <i>theophylline 80 mg/15 ml soln</i> | T1 | |
| <i>theophylline (er 400 mg tablet, er 600 mg tablet)</i> | T1 | |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|---|
| <i>theophylline anhydrous</i> | T1 | |
| SOMATOSTATIN AGONISTS AND ANTAGONISTS | | |
| SOMATOSTATIN AGONISTS | | |
| BYNFEZIA | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>0.6 per day</div> </div> |
| MYCAPSSA | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>4 per day</div> </div> |
| <i>octreotide acetate (acet 0.05 mg/ml vl, acet 50 mcg/ml amp, acet 50 mcg/ml syr, acet 50 mcg/ml vial, acet 100 mcg/ml amp, acet 100 mcg/ml syr, acet 100 mcg/ml vl, acet 200 mcg/ml vl, acet 500 mcg/ml amp, acet 500 mcg/ml syr, acet 500 mcg/ml vl, 1,000 mcg/5 ml vial, 1,000 mcg/ml vial, 5,000 mcg/5 ml vial)</i> | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> |
| SANDOSTATIN 0.05 MG/ML AMPUL | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>30 per day</div> </div> |
| SANDOSTATIN 0.1 MG/ML AMPUL | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>15 per day</div> </div> |
| SANDOSTATIN 0.5 MG/ML AMPUL | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>3 per day</div> </div> |
| SANDOSTATIN LAR DEPOT (10 MG KT, 10 MG VL, 30 MG KT, 30 MG VL) | T4 | <div style="display: flex; align-items: center;"> <div style="background-color: #c00000; color: white; padding: 2px 5px; margin-right: 5px;">NPS</div> <div style="margin-right: 5px;">Non-Preferred Specialty Drug</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #804000; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; margin-right: 5px;">QPD</div> <div>0.04 per day</div> </div> |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|--|
| SANDOSTATIN LAR DEPOT (20 MG KT, 20 MG VL) | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #e53935; color: white; padding: 2px 5px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8b4513; color: white; padding: 2px 5px; margin-bottom: 2px;">PA</div> <div style="background-color: #3498db; color: white; padding: 2px 5px;">QPD</div> </div> Non-Preferred Specialty Drug 0.07 per day |
| SIGNIFOR | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #e53935; color: white; padding: 2px 5px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8b4513; color: white; padding: 2px 5px;">PA</div> </div> Non-Preferred Specialty Drug |
| SIGNIFOR LAR | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #e53935; color: white; padding: 2px 5px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8b4513; color: white; padding: 2px 5px;">PA</div> </div> Non-Preferred Specialty Drug |
| SOMATULINE DEPOT | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #e53935; color: white; padding: 2px 5px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8b4513; color: white; padding: 2px 5px; margin-bottom: 2px;">PA</div> <div style="background-color: #3498db; color: white; padding: 2px 5px;">QPD</div> </div> Non-Preferred Specialty Drug 0.02 per day |
| SOMATOTROPIN AGONISTS AND ANTAGONISTS | | |
| SOMATOTROPIN AGONISTS | | |
| EGRIFTA | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #e53935; color: white; padding: 2px 5px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8b4513; color: white; padding: 2px 5px; margin-bottom: 2px;">PA</div> <div style="background-color: #3498db; color: white; padding: 2px 5px;">QPD</div> </div> Non-Preferred Specialty Drug 2 per day |
| EGRIFTA SV | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #e53935; color: white; padding: 2px 5px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8b4513; color: white; padding: 2px 5px; margin-bottom: 2px;">PA</div> <div style="background-color: #3498db; color: white; padding: 2px 5px;">QPD</div> </div> Non-Preferred Specialty Drug 2 per day |
| INCRELEX | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #e53935; color: white; padding: 2px 5px; margin-bottom: 2px;">NPS</div> <div style="background-color: #8b4513; color: white; padding: 2px 5px;">PA</div> </div> Non-Preferred Specialty Drug |
| SOMATOTROPIN ANTAGONISTS | | |
| SOMAVERT | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #e53935; color: white; padding: 2px 5px;">NPS</div> </div> Non-Preferred Specialty Drug |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|---|
| SYMPATHOMIMETIC (ADRENERGIC) AGENTS | | |
| ALPHA- AND BETA-ADRENERGIC AGONISTS | | |
| <i>droxidopa</i> | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #e91e63; color: white; padding: 2px 5px; margin-bottom: 2px;">NPS</div> <div style="background-color: #795548; color: white; padding: 2px 5px; margin-bottom: 2px;">PA</div> <div style="background-color: #0070c0; color: white; padding: 2px 5px;">QPD</div> </div> Non-Preferred Specialty Drug 6 per day |
| <i>epinephrine (0.15 mg auto-inject, 0.3 mg auto-inject)</i> | T1 | <div style="background-color: #6a3d9a; color: white; padding: 2px 5px;">QL</div> 6 / 365 days |
| EPINEPHRINESNAP-EMS | T3 | <div style="background-color: #6a3d9a; color: white; padding: 2px 5px;">QL</div> 2 / fill |
| EPINEPHRINESNAP-V | T3 | <div style="background-color: #6a3d9a; color: white; padding: 2px 5px;">QL</div> 2 / fill |
| EPIPEN | T3 | <div style="background-color: #6a3d9a; color: white; padding: 2px 5px;">QL</div> <div style="background-color: #795548; color: white; padding: 2px 5px; margin-top: 2px;">PA</div> 6 / 365 days |
| EPIPEN 2-PAK | T3 | <div style="background-color: #6a3d9a; color: white; padding: 2px 5px;">QL</div> <div style="background-color: #795548; color: white; padding: 2px 5px; margin-top: 2px;">PA</div> 6 / 365 days |
| NORTHERA | T4 | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="background-color: #e91e63; color: white; padding: 2px 5px; margin-bottom: 2px;">NPS</div> <div style="background-color: #795548; color: white; padding: 2px 5px; margin-bottom: 2px;">PA</div> <div style="background-color: #0070c0; color: white; padding: 2px 5px;">QPD</div> </div> Non-Preferred Specialty Drug 6 per day |
| SYMJEPI | T3 | <div style="background-color: #6a3d9a; color: white; padding: 2px 5px;">QL</div> 2 / fill |
| ALPHA-ADRENERGIC AGONISTS | | |
| LUCEMYRA | T3 | <div style="background-color: #6a3d9a; color: white; padding: 2px 5px;">QL</div> <div style="background-color: #795548; color: white; padding: 2px 5px; margin-top: 2px;">PA</div> 48 tablets/180 days |
| <i>midodrine hcl</i> | T1 | |
| TETRACYCLINE ANTIBIOTICS | | |
| AMINOMETHYLCYCLINES | | |
| NUZYRA (150 MG TABLET, 150 MG TABLET-7 DAY, 150 MG-7 DAY WITH LOAD) | T3 | <div style="background-color: #795548; color: white; padding: 2px 5px;">PA</div> |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|-----------------------|
| SEYSARA | T3 | PA QPD 1 per day |
| THYROID AND ANTITHYROID AGENTS | | |
| ANTITHYROID AGENTS | | |
| <i>methimazole</i> | T1 | |
| <i>propylthiouracil</i> | T1 | |
| SSKI | T3 | |
| TAPAZOLE | T3 | |
| THYROID AGENTS | | |
| EUTHYROX | T1 | |
| LEVO-T | T1 | |
| <i>levothyroxine sodium (25 mcg tablet, 50 mcg tablet, 100 mcg tablet, 112 mcg tablet, 125 mcg tablet, 137 mcg tablet, 150 mcg tablet, 175 mcg tablet)</i> | T1 | LCG |
| <i>levothyroxine sodium (75 mcg tablet, 88 mcg tablet, 200 mcg tablet, 300 mcg tablet)</i> | T1 | |
| <i>levothyroxine sodium (100 mcg/5 ml vl, 200 mcg/5 ml vl, 500 mcg/5 ml vl)</i> | T1 | |
| LEVOXYL (25 MCG TABLET, 50 MCG TABLET, 100 MCG TABLET) | T1 | LCG |
| LEVOXYL (75 MCG TABLET, 88 MCG TABLET, 112 MCG TABLET, 125 MCG TABLET, 137 MCG TABLET, 150 MCG TABLET, 175 MCG TABLET, 200 MCG TABLET) | T1 | |
| <i>liothyronine sodium (5 mcg tab, 25 mcg tab, 50 mcg tab)</i> | T1 | |
| NATURE-THROID | T3 | |
| NP THYROID | T1 | |
| <i>thyroid (15 mg tablet, 30 mg tablet, 60 mg tablet, 90 mg tablet, 120 mg tablet)</i> | T1 | |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|-----------------------|
| THYROLAR-1 | T3 | |
| THYROLAR-1/2 | T3 | |
| THYROLAR-1/4 | T3 | |
| THYROLAR-2 | T3 | |
| THYROLAR-3 | T3 | |
| UNITHROID (25 MCG TABLET, 50 MCG TABLET, 100 MCG TABLET, 112 MCG TABLET) | T1 | LCG |
| UNITHROID (75 MCG TABLET, 88 MCG TABLET, 125 MCG TABLET, 137 MCG TABLET, 150 MCG TABLET, 175 MCG TABLET, 200 MCG TABLET, 300 MCG TABLET) | T1 | |
| WESTHROID | T3 | |
| URINE AND FECES CONTENTS | | |
| KETONES | | |
| <i>ketone care test strip</i> | T3 | QPD 6.66 per day |
| <i>ketone test strip</i> | T3 | QPD 6.66 per day |
| <i>ketostix reagent</i> | T3 | QPD 6.66 per day |
| <i>trueplus ketone test strip</i> | T3 | QPD 6.66 per day |
| PH | | |
| <i>chemstrip 2 In</i> | T3 | |
| PROTEIN | | |
| <i>albusix reagent</i> | T3 | |
| <i>chemstrip micral</i> | T3 | |
| SUGAR | | |
| <i>diastix reagent</i> | T3 | QPD 10 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|--|
| <i>no-stick glucose</i> | T3 | |
| Uncategorized | | |
| Unclassified | | |
| CAVERJECT 40 MCG/2 ML AMPUL | T3 | GL Male PA |
| VASODILATING AGENTS | | |
| NITRATES AND NITRITES | | |
| DILATRATE-SR | T3 | QPD 4 per day |
| GONITRO | T3 | AL At least 18 yrs old PA QPD 1.25 per day |
| ISORDIL | T3 | QPD 12 per day |
| ISORDIL TITRADOSE | T3 | QPD 12 per day |
| <i>isosorbide dinitrate</i> | T1 | QPD 12 per day |
| <i>isosorbide mononitrate</i> | T1 | QPD 2 per day |
| <i>isosorbide mononitrate er</i> | T1 | QPD 2 per day |
| MINITRAN | T1 | QPD 1 per day |
| NITRO-BID | T3 | QPD 4 per day |
| NITRO-DUR | T3 | QPD 1 per day |
| NITRO-TIME (ER 2.5 MG CAPSULE, ER 6.5 MG CAPSULE) | T1 | QPD 4 per day |
| <i>nitroglycerin (er 2.5 mg cap, er 6.5 mg cap, er 9 mg capsule)</i> | T1 | QPD 4 per day |
| <i>nitroglycerin 400 mcg spray</i> | T1 | QPD 0.8 per day |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|-----------------------|
| <i>nitroglycerin (0.3 mg tablet, 0.4 mg tablet, 0.6 mg tablet)</i> | T1 | QPD 6 per day |
| <i>nitroglycerin patch</i> | T1 | QPD 1 per day |
| NITROLINGUAL | T3 | QPD 0.8 per day |
| NITROMIST | T3 | QPD 0.3 per day |

PHOSPHODIESTERASE TYPE 5 INHIBITORS

| | | |
|--------------------------------------|----|--|
| ADCIRCA | T4 | <p>NPS Non-Preferred Specialty Drug</p> <p>PA</p> <p>QPD 2 per day</p> |
| ALYQ | T4 | <p>NPS Non-Preferred Specialty Drug</p> <p>PA</p> <p>QPD 2 per day</p> |
| REVATIO 10 MG/ML ORAL SUSP | T4 | <p>AL At least 18 yrs old</p> <p>NPS Non-Preferred Specialty Drug</p> <p>PA</p> <p>QPD 6 per day</p> |
| REVATIO 20 MG TABLET | T4 | <p>AL At least 18 yrs old</p> <p>NPS Non-Preferred Specialty Drug</p> <p>PA</p> <p>QPD 3 per day</p> |
| <i>sildenafil 20 mg tablet (pah)</i> | T4 | <p>NPS Non-Preferred Specialty Drug</p> <p>PA</p> <p>QPD 3 per day</p> |
| <i>sildenafil 10 mg/ml oral susp</i> | T4 | <p>AL At least 18 yrs old</p> <p>NPS Non-Preferred Specialty Drug</p> <p>PA</p> <p>QPD 6 per day</p> |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---|------|--|
| <i>sildenafil citrate (25 mg tablet, 50 mg tablet, 100 mg tablet)</i> | T1 | <p>GL Male</p> <p>AL At least 18 yrs old</p> <p>QPD 0.2 per day</p> |
| <i>tadalafil (2.5 mg tablet, 5 mg tablet)</i> | T1 | <p>GL Male</p> <p>QPD 1 per day</p> |
| <i>tadalafil 10 mg tablet</i> | T1 | <p>GL Male</p> <p>QPD 0.2 per day</p> |
| <i>tadalafil 20 mg tablet (ed/bph)</i> | T1 | <p>GL Male</p> <p>QPD 0.2 per day</p> |
| <i>tadalafil 20 mg tablet (pah)</i> | T4 | <p>NPS Non-Preferred Specialty Drug</p> <p>PA</p> <p>QPD 2 per day</p> |
| <i>ildenafil citrate (2.5 mg tablet, 5 mg tablet, 10 mg tablet, 20 mg tablet)</i> | T3 | <p>GL Male</p> <p>AL At least 18 yrs old</p> <p>PA</p> <p>QPD 0.2 per day</p> <p>HCG</p> |
| <i>ildenafil citrate 10 mg odt</i> | T3 | <p>GL Male</p> <p>AL At least 18 yrs old</p> <p>PA</p> <p>QPD 0.2 per day</p> <p>HCG</p> |
| VASODILATING AGENTS, MISCELLANEOUS | | |
| AGGRENOX | T3 | <p>PR</p> <p>QPD 2 per day</p> |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|-----------------------|
| <i>aspirin-dipyridamole er</i> | T1 | PR QPD 2 per day |
| CAVERJECT (IMPULSE 10 MCG KIT, IMPULSE 10 MCG SYRNG, 20 MCG VIAL, IMPULSE 20 MCG KIT, IMPULSE 20 MCG SYRNG, 40 MCG VIAL) | T3 | GL Male PA |
| <i>dipyridamole (25 mg tablet, 50 mg tablet, 75 mg tablet)</i> | T1 | PR QPD 4 per day |
| <i>isoxsuprine 10 mg tablet</i> | T1 | |
| VERQUVO | T2 | PA QPD 1 per day |

VITAMINS

MULTIVITAMIN PREPARATIONS

| | | |
|--------------|----|-----------------|
| CADEAU DHA | T3 | GL Female PR |
| MYNATAL | T3 | GL Female PR |
| MYNATAL PLUS | T3 | GL Female PR |
| MYNATAL-Z | T3 | GL Female PR |
| NEWGEN | T3 | GL Female PR |
| OBTREX DHA | T3 | GL Female PR |
| PRENA1 CHEW | T3 | GL Female PR |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|-----------------------|
| PRENA1 PEARL | T3 | GL Female PR |
| PRENA1 TRUE | T3 | GL Female PR |
| PRENATABS RX | T3 | GL Female PR |
| <i>prenatal low iron</i> | T3 | GL Female PR |
| PRENATAL VITAMIN WITH MINERALS AND FOLIC ACID GREATER THAN 0.8 MG ORAL TABLET | T3 | GL Female PR |
| <i>prenatal-u</i> | T3 | GL Female |
| R-NATAL OB | T3 | GL Female PR |
| TRINATE | T3 | GL Female PR |
| TRUST NATAL DHA | T3 | GL Female PR |
| VINATE ONE | T3 | GL Female PR |
| VINATE-M | T3 | GL Female PR |
| VIRT-C DHA | T3 | |
| VITAMIN A | | |
| AQUASOL A 100,000 UNIT/2 ML VL | T3 | |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|--|------|--|
| VITAMIN B COMPLEX | | |
| B-12 COMPLIANCE | T3 | |
| <i>cyanocobalamin injection</i> | T1 | |
| <i>folic acid 1 mg tablet</i> | T1 | |
| <i>hydroxocobalamin</i> | T1 | |
| NASCOBAL | T3 | PA |
| NEPHRO-VITE RX | T3 | |
| <i>thiamine 200 mg/2 ml vial</i> | T1 | |
| VITAMIN C | | |
| <i>ascorbic acid granules</i> | T3 | |
| VITAMIN D | | |
| <i>calcitriol (0.25 mcg capsule, 0.5 mcg capsule, 1 mcg/ml solution)</i> | T1 | |
| <i>doxercalciferol (0.5 mcg cap, 1 mcg capsule, 2.5 mcg cap)</i> | T4 | NPS Non-Preferred Specialty Drug |
| <i>paricalcitol (1 mcg capsule, 2 mcg capsule, 4 mcg capsule)</i> | T4 | NPS Non-Preferred Specialty Drug |
| RAYALDEE | T4 | NPS Non-Preferred Specialty Drug |
| ROCALTROL (0.25 MCG CAPSULE, 0.5 MCG CAPSULE, 1 MCG/ML ORAL SOLN) | T3 | |
| <i>vitamin d2 1.25mg(50,000 unit)</i> | T1 | |
| ZEMPLAR (1 MCG CAPSULE, 2 MCG CAPSULE) | T4 | NPS Non-Preferred Specialty Drug PA |

| PRODUCT DESCRIPTION | TIER | LIMITS & RESTRICTIONS |
|---------------------------------|------|-----------------------|
| VITAMIN E | | |
| <i>wheat germ oil</i> | T1 | |
| VITAMIN K ACTIVITY | | |
| MEPHYTON | T3 | |
| <i>phytonadione 5 mg tablet</i> | T1 | |

Index of Covered Drugs

| | | |
|--------------------------------|---------|--|
| 1 | | |
| 1st tier unifine pentips | 161 | |
| 1st tier unifine pentips plus | 161 | |
| 1st tier unilet comfortouch | 161 | |
| 2 | | |
| 2-in-1 lancet device | 161 | |
| A | | |
| abacavir | 126 | |
| abacavir-lamivudine | 126 | |
| abacavir-lamivudine-zidovudine | 126 | |
| ABATUSS DMX | 194 | |
| ABILIFY MAINTENA | 111 | |
| ABILIFY MYCITE | 112 | |
| abiraterone acetate | 85 | |
| abouttime pen needle | 161 | |
| acamprosate calcium | 154 | |
| acarbose | 59 | |
| ACCOLATE | 32 | |
| ACCRUFER | 37 | |
| accu-chek | 161 | |
| accu-chek fastclix lancet drum | 161 | |
| accu-chek fastclix lancing dev | 161 | |
| accu-chek safe-t-pro | 161 | |
| accu-chek safe-t-pro plus | 161 | |
| accu-chek softclix | 161 | |
| ACCUPRIL | 261 | |
| ACCURETIC | 261 | |
| ACCUTANE | 275 | |
| acebutolol hcl | 152 | |
| acetamin-caff-dihydrocodeine | 5 | |
| acetaminophen-codeine | 5 | |
| acetazolamide | 73 | |
| acetazolamide er | 73 | |
| acetic acid | 25 | |
| acetylcysteine | 267 | |
| ACIPHEX SPRINKLE | 133 | |
| acitretin | 275 | |
| ACTEMRA | 237 | |
| ACTEMRA ACTPEN | 237 | |
| ACTHAR | 178 | |
| acti-lance | 161 | |
| ACTIGALL | 196 | |
| ACTIMMUNE | 242 | |
| ACTIQ | 5 | |
| ACTIVELLA | 8 | |
| ACTONEL | 233,234 | |
| ACTOPLUS MET | 66 | |
| ACTOPLUS MET XR | 66 | |
| ACTOS | 66 | |
| ACULAR | 31 | |
| ACULAR LS | 31 | |
| ACUVAIL | 31 | |
| acyclovir | 28,135 | |
| ACZONE | 275 | |
| ADALAT CC | 149 | |
| adapalene | 275 | |
| adapalene-benzoyl peroxide | 275 | |
| ADASUVE | 111 | |
| ADCIRCA | 287 | |
| adefovir dipivoxil | 135 | |
| ADEMPAS | 268 | |
| adjustable lancing device | 161 | |
| ADRENALIN CHLORIDE | 192 | |
| ADVAIR DISKUS | 158 | |
| ADVAIR HFA | 158 | |
| advanced lancing device | 161 | |
| advanced travel lancets | 161 | |
| ADZENYS ER | 16 | |
| ADZENYS XR-ODT | 16 | |
| AEMCOLO | 42 | |
| AFINITOR | 85 | |
| AFINITOR DISPERZ | 85 | |
| AFIRMELLE | 209 | |
| AFREZZA | 227 | |
| AGGRENEX | 288 | |
| AGRYLIN | 131 | |
| AIMOVIG AUTOINJECTOR | 82 | |
| AK-POLY-BAC | 22 | |
| AKTEN | 192 | |

| | | | |
|---------------------------------|-----|-------------------------------------|-----|
| AKYNZEO..... | 68 | ALYQ..... | 287 |
| albendazole..... | 21 | AMABELZ..... | 187 |
| ALBENZA..... | 21 | amantadine..... | 107 |
| alburstix reagent..... | 285 | AMARYL..... | 65 |
| albuterol sulfate..... | 142 | ambrisentan..... | 268 |
| albuterol sulfate hfa..... | 142 | amcinonide..... | 33 |
| ALCAINE..... | 192 | AMERGE..... | 83 |
| alclometasone dipropionate..... | 33 | AMETHIA..... | 209 |
| ALDACTAZIDE..... | 264 | AMETHIA LO..... | 209 |
| ALDACTONE..... | 264 | AMETHYST..... | 209 |
| ALDARA..... | 275 | AMICAR..... | 74 |
| ALDURAZYME..... | 185 | amiloride hcl..... | 180 |
| ALECENSA..... | 85 | amiloride-hydrochlorothiazide..... | 180 |
| alendronate sodium..... | 234 | aminocaproic acid..... | 74 |
| alfuzosin hcl er..... | 3 | amiodarone hcl..... | 38 |
| ALINIA..... | 110 | amitriptyline hcl..... | 58 |
| aliskiren..... | 264 | amlodipine besylate..... | 149 |
| ALKERAN..... | 86 | amlodipine besylate-benazepril..... | 149 |
| ALLER-CHLOR..... | 194 | amlodipine-atorvastatin..... | 79 |
| allopurinol..... | 233 | amlodipine-olmesartan..... | 149 |
| ALLZITAL..... | 4 | amlodipine-valsartan..... | 149 |
| almotriptan malate..... | 83 | amlodipine-valsartan-hctz..... | 150 |
| ALOCRIL..... | 33 | AMNESTEEM..... | 276 |
| ALOMIDE..... | 190 | amoxapine..... | 58 |
| ALORA..... | 187 | amoxicillin..... | 257 |
| alosetron hcl..... | 194 | amoxicillin-clavulanate pot er..... | 257 |
| alpha lipoic acid..... | 248 | amoxicillin-clavulanate potass..... | 257 |
| ALPHAGAN P..... | 72 | amphetamine..... | 16 |
| alprazolam..... | 139 | amphetamine sulfate..... | 16 |
| alprazolam er..... | 139 | ampicillin trihydrate..... | 257 |
| ALPRAZOLAM INTENSOL..... | 139 | AMPYRA..... | 248 |
| alprazolam odt..... | 139 | ANAFRANIL..... | 58 |
| alprazolam xr..... | 139 | anagrelide hcl..... | 131 |
| ALREX..... | 29 | ANALPRAM HC..... | 33 |
| ALTABAX..... | 26 | ANAPROX DS..... | 252 |
| ALTAVERA..... | 209 | ANASPAZ..... | 43 |
| alternate site lancets..... | 161 | ANASTIA..... | 272 |
| ALTOPREV..... | 79 | anastrozole..... | 86 |
| ALTRENO..... | 273 | ANCOBON..... | 70 |
| ALUNBRIG..... | 86 | ANDRODERM..... | 207 |
| ALYACEN..... | 209 | ANDROID..... | 208 |

| | | | |
|----------------------------------|---------|---------------------------------|-----|
| ANGELIQ..... | 187 | assure haemolance plus..... | 161 |
| ANORO ELLIPTA..... | 43 | assure id duo-shield..... | 161 |
| ANTABUSE..... | 232 | assure id insulin safety..... | 162 |
| ANTARA..... | 77 | assure id pen needle..... | 162 |
| ANTIVERT..... | 67 | assure lance..... | 162 |
| ANUCORT-HC..... | 33 | assure lance plus..... | 162 |
| ANUSOL-HC..... | 33 | ASTAGRAF XL..... | 246 |
| APLENZIN..... | 53 | ATACAND HCT..... | 259 |
| APOKYN..... | 182 | atazanavir sulfate..... | 129 |
| apraclonidine hcl..... | 191 | ATELVIA..... | 234 |
| aprepitant..... | 68 | atenolol..... | 152 |
| APRI..... | 209 | atenolol-chlorthalidone..... | 152 |
| APRISO..... | 194 | atomoxetine hcl..... | 154 |
| APTENSIO XR..... | 18 | atorvastatin calcium..... | 79 |
| APTIOM..... | 47 | atovaquone..... | 110 |
| APTIVUS..... | 129 | atovaquone-proguanil hcl..... | 110 |
| AQUASOL A..... | 290 | ATRALIN..... | 273 |
| ARAKODA..... | 110 | ATRIPLA..... | 126 |
| ARALAST NP..... | 267 | atropine sulfate..... | 192 |
| ARANELLE..... | 209 | ATROVENT HFA..... | 43 |
| ARANESP..... | 144 | AUBAGIO..... | 242 |
| ARAVA..... | 237 | AUBRA..... | 209 |
| ARCALYST..... | 248 | AUBRA EQ..... | 210 |
| ARCAPTA NEOHALER..... | 142 | AUGMENTIN..... | 258 |
| arformoterol tartrate..... | 142 | AUGMENTIN ES-600..... | 258 |
| ARICEPT..... | 140 | AUGMENTIN XR..... | 258 |
| ARIKAYCE..... | 38 | AUROVELA..... | 210 |
| aripiprazole..... | 112 | AUROVELA 24 FE..... | 210 |
| aripiprazole odt..... | 112 | AUROVELA FE..... | 210 |
| ARISTADA..... | 112,113 | AURYXIA..... | 230 |
| ARISTADA INITIO..... | 113 | AUSTEDO..... | 156 |
| ARIXTRA..... | 45 | auto-lancet mini..... | 162 |
| armodafinil..... | 21 | autolet impression..... | 162 |
| ARNUIITY ELLIPTA..... | 159 | autolet lancing device..... | 162 |
| AROMASIN..... | 86 | autolet plus..... | 162 |
| asa-butalb-caffeine-codeine..... | 6 | autosshield duo pen needle..... | 162 |
| ASCOMP WITH CODEINE..... | 6 | AVALIDE..... | 259 |
| ascorbic acid..... | 291 | AVANDIA..... | 66 |
| asenapine maleate..... | 113 | AVAR..... | 274 |
| ASHLYNA..... | 209 | AVAR LS..... | 274 |
| aspirin-dipyridamole er..... | 289 | AVAR-E..... | 274 |

| | | | |
|------------------------|---------|--------------------------------|--------|
| AVAR-E GREEN | 274 | BAXDELA | 39 |
| AVAR-E LS | 274 | bd microtainer lancets | 162 |
| AVASTIN | 86 | bd ultra-fine | 162 |
| AVC | 28 | bd ultra-fine ii | 162 |
| AVIANE | 210 | BEKYREE | 210 |
| AVIDOXY | 40 | BELBUCA | 13 |
| AVONEX | 242 | belladonna-opium | 6 |
| AVONEX PEN | 242 | BELSOMRA | 137 |
| AVSOLA | 237 | BELVIQ | 15 |
| AYGESTIN | 223 | BELVIQ XR | 15 |
| AYUNA | 210 | benazepril hcl | 261 |
| AYVAKIT | 86 | benazepril-hydrochlorothiazide | 262 |
| AZASAN | 246 | BENLYSTA | 246 |
| AZASITE | 22 | BENZEPRO | 274 |
| azathioprine | 246 | benznidazole | 110 |
| azelaic acid | 276 | benzonatate | 265 |
| azelastine hcl | 190 | benzphetamine hcl | 16 |
| azelastine-fluticasone | 190 | benztropine mesylate | 108 |
| AZELEX | 276 | bepotastine besilate | 191 |
| AZILECT | 109 | BERINERT | 235 |
| azithromycin | 231 | BESER | 33 |
| azo | 179 | BESIVANCE | 23 |
| AZSTARYS | 18 | BETADINE | 25 |
| AZULFIDINE | 39 | betamethasone diprop augmented | 33 |
| AZURETTE | 210 | betamethasone dipropionate | 33 |
| | | betamethasone valerate | 33,34 |
| B | | BETAPACE | 152 |
| B-12 COMPLIANCE | 291 | BETAPACE AF | 152 |
| BACIGUENT | 22 | BETASERON | 242 |
| bacitracin | 22 | betaxolol hcl | 72,152 |
| bacitracin-polymyxin | 22 | bethanechol chloride | 140 |
| baclofen | 272 | BETHKIS | 38 |
| BACTRIM | 39 | BETIMOL | 72 |
| BACTRIM DS | 40 | BETOPTIC S | 72 |
| BALCOLTRA | 210 | bexarotene | 87 |
| balsalazide disodium | 194 | bicalutamide | 87 |
| BALVERSA | 86,87 | BICILLIN C-R | 238 |
| BALZIVA | 210 | BICILLIN L-A | 258 |
| BANZEL | 47 | BIDIL | 225 |
| BAQSIMI | 75 | BIJUVA | 187 |
| BARACLUDE | 135,136 | BIKTARVY | 126 |

| | | | |
|-------------------------------------|-------|-------------------------------------|---------|
| BILTRICIDE..... | 21 | bupropion hcl..... | 53 |
| bimatoprost..... | 73 | bupropion hcl sr..... | 53 |
| BINOSTO..... | 234 | bupropion xl..... | 53 |
| bisoprolol fumarate..... | 152 | bupirone hcl..... | 137 |
| bisoprolol-hydrochlorothiazide..... | 152 | butalb-acetaminoph-caff-codein..... | 6 |
| BLEPH-10..... | 23 | butalbital compound-codeine..... | 6 |
| BLEPHAMIDE..... | 23 | butalbital-acetaminophen..... | 4 |
| BLEPHAMIDE S.O.P..... | 23 | butalbital-acetaminophen-caffe..... | 4 |
| BLISOVI 24 FE..... | 210 | butalbital-aspirin-caffeine..... | 256 |
| BLISOVI FE..... | 210 | butorphanol tartrate..... | 14 |
| blunt needle..... | 162 | BUTRANS..... | 14 |
| BONIVA..... | 234 | butterfly touch lancet..... | 162 |
| BONJESTA..... | 67 | BYDUREON BCISE..... | 62 |
| bosentan..... | 269 | BYDUREON PEN..... | 62 |
| BOSULIF..... | 87 | BYETTA..... | 62 |
| BP 10-1..... | 274 | BYLVAY..... | 197 |
| BRAFTOVI..... | 87 | BYNFEZIA..... | 281 |
| BREO ELLIPTA..... | 159 | | |
| BREXAFEMME..... | 69 | C | |
| BREZTRI AEROSPHERE..... | 159 | cabergoline..... | 182 |
| BRIELLYN..... | 210 | CABLIVI..... | 131 |
| BRILINTA..... | 131 | CABOMETYX..... | 87 |
| brimonidine tartrate..... | 72 | CADEAU DHA..... | 289 |
| brinzolamide..... | 73 | CADUET..... | 79 |
| BRIVIACT..... | 47,48 | CAFERGOT..... | 3 |
| bromfenac sodium..... | 31 | caffeine citrate..... | 18 |
| bromocriptine mesylate..... | 182 | CALAN..... | 146 |
| BRONCHITOL..... | 267 | CALAN SR..... | 146 |
| BROVANA..... | 142 | calcipotriene..... | 276 |
| BRUKINSA..... | 87 | calcipotriene-betamethasone dp..... | 276 |
| BRYHALI..... | 34 | calcitonin-salmon..... | 256 |
| budesonide..... | 159 | CALCITRENE..... | 276 |
| budesonide ec..... | 205 | calcitriol..... | 276,291 |
| budesonide er..... | 205 | calcium acetate..... | 230 |
| bumetanide..... | 180 | CALQUENCE..... | 87 |
| BUNAVAIL..... | 13 | CAMILA..... | 210 |
| BUPAP..... | 4 | CAMRESE..... | 211 |
| BUPHENYL..... | 183 | CAMRESE LO..... | 211 |
| buprenorphine..... | 13 | candesartan cilexetil..... | 259 |
| buprenorphine hcl..... | 13 | candesartan-hydrochlorothiazid..... | 259 |
| buprenorphine-naloxone..... | 14 | capecitabine..... | 88 |

| | | | |
|------------------------------------|---------|-------------------------------------|-----|
| CAPLYTA..... | 113 | CAYSTON..... | 232 |
| CAPRELSA..... | 88 | CAZANT..... | 211 |
| captopril..... | 262 | cefaclor..... | 157 |
| captopril-hydrochlorothiazide..... | 262 | cefaclor er..... | 157 |
| CARAC..... | 88 | cefadroxil..... | 157 |
| CARAFATE..... | 133 | cefdinir..... | 158 |
| CARBAGLU..... | 183 | cefditoren pivoxil..... | 158 |
| carbamazepine..... | 48 | cefixime..... | 158 |
| carbamazepine er..... | 48 | cefpodoxime proxetil..... | 158 |
| carbidopa..... | 154 | cefprozil..... | 158 |
| carbidopa-levodopa..... | 108 | ceftriaxone..... | 158 |
| carbidopa-levodopa er..... | 108 | cefuroxime..... | 158 |
| carbidopa-levodopa-entacapone..... | 108 | celecoxib..... | 252 |
| carbinoxamine maleate..... | 193 | CELLCEPT..... | 246 |
| CARDIZEM..... | 146 | CELONTIN..... | 52 |
| CARDIZEM CD..... | 146 | CENTANY..... | 26 |
| CARDURA..... | 152 | cephalexin..... | 157 |
| CARDURA XL..... | 152 | CERDELGA..... | 249 |
| carefine pen needle..... | 162 | CEREZYME..... | 185 |
| carelance ult lancing device..... | 162 | CETRAXAL..... | 23 |
| careone..... | 162 | CETROTIDE..... | 200 |
| caresens..... | 162 | cevimeline hcl..... | 140 |
| caresens prem lancing device..... | 162 | CHARLOTTE 24 FE..... | 211 |
| caretouch insulin syringe..... | 162 | CHATEAL..... | 211 |
| caretouch lancing device..... | 162 | CHATEAL EQ..... | 211 |
| caretouch pen needle..... | 162 | chek-stix..... | 179 |
| caretouch safety lancets..... | 163 | CHEMET..... | 204 |
| caretouch twist lancet..... | 163 | chemstrip..... | 179 |
| carisoprodol..... | 271 | chemstrip 10 with sg..... | 179 |
| carisoprodol compound..... | 271 | chemstrip 2 gp..... | 179 |
| carisoprodol-aspirin..... | 271 | chemstrip 2 ln..... | 285 |
| carisoprodol-aspirin-codeine..... | 271 | chemstrip 50b..... | 179 |
| CAROSPIR..... | 264 | chemstrip 7..... | 179 |
| carteolol hcl..... | 72 | chemstrip 9..... | 179 |
| CARTIA XT..... | 146 | chemstrip micral..... | 285 |
| carvedilol..... | 152 | CHENODAL..... | 196 |
| carvedilol er..... | 152,153 | chlordiazepoxide hcl..... | 139 |
| CASODEX..... | 88 | chlordiazepoxide-amitriptyline..... | 58 |
| CATAFLAM..... | 252 | chlordiazepoxide-clidinium..... | 43 |
| CATAPRES..... | 224 | chlorhexidine gluconate..... | 25 |
| CAVERJECT..... | 286,289 | chloroquine phosphate..... | 110 |

| | | | |
|-------------------------------------|-------|-----------------------------------|---------|
| chlorpromazine hcl..... | 123 | clindamycin-benzoyl peroxide..... | 26 |
| chlorthalidone..... | 181 | CLINDESSE..... | 27 |
| chlorzoxazone..... | 271 | clobazam..... | 52 |
| CHOLBAM..... | 197 | clobetasol emollient..... | 34 |
| cholestyramine..... | 77 | clobetasol emulsion..... | 34 |
| cholestyramine light..... | 77 | clobetasol propionate..... | 34 |
| chorionic gonadotropin..... | 201 | clocortolone pivalate..... | 34 |
| CICLODAN..... | 71 | CLODAN..... | 34 |
| ciclopirox..... | 71 | clomiphene citrate..... | 186 |
| cilostazol..... | 131 | clomipramine hcl..... | 58 |
| CILOXAN..... | 23 | clonazepam..... | 52 |
| CIMDUO..... | 126 | clonidine..... | 224,225 |
| cimetidine..... | 132 | clonidine hcl..... | 225 |
| CIMZIA..... | 238 | clonidine hcl er..... | 225 |
| cinacalcet hcl..... | 256 | clopidogrel..... | 131 |
| CINRYZE..... | 235 | clorazepate dipotassium..... | 139 |
| CIPRO..... | 39 | clotrimazole..... | 70 |
| CIPRO HC..... | 23 | clotrimazole-betamethasone..... | 70 |
| ciprofloxacin..... | 39 | clozapine..... | 113,114 |
| ciprofloxacin hcl..... | 23,39 | clozapine odt..... | 114 |
| ciprofloxacin hcl-fluocinolone..... | 23 | CLOZARIL..... | 114 |
| ciprofloxacin-dexamethasone..... | 23 | coaguchek..... | 163 |
| citalopram hbr..... | 54 | COARTEM..... | 110 |
| CLARAVIS..... | 276 | codeine sulfate..... | 6 |
| clarithromycin..... | 231 | codeine-guaifenesin..... | 265 |
| clarithromycin er..... | 231 | COLAZAL..... | 194 |
| clemastine fumarate..... | 193 | colchicine..... | 233 |
| CLENPIQ..... | 195 | colesevelam hcl..... | 77 |
| CLEOCIN HCL..... | 41 | colestipol hcl..... | 77 |
| CLEOCIN PEDIATRIC..... | 42 | COLOCORT..... | 34 |
| CLEOCIN PHOSPHATE..... | 42 | color lancets..... | 163 |
| CLEOCIN T..... | 26 | COLY-MYCIN S..... | 23 |
| clickfine..... | 163 | COLYTE WITH FLAVOR PACKETS..... | 195 |
| CLIMARA PRO..... | 187 | COMBIGAN..... | 72 |
| CLINDACIN ETZ..... | 26 | COMBIPATCH..... | 187 |
| CLINDACIN P..... | 26 | combistix reagent..... | 179 |
| clindamycin (pediatric)..... | 42 | COMBIVENT RESPIMAT..... | 43 |
| clindamycin hcl..... | 42 | COMBIVIR..... | 126 |
| clindamycin phos-benzoyl perox..... | 26 | COMETRIQ..... | 88 |
| clindamycin phos-tretinoin..... | 26 | comfort ez pen needle..... | 163 |
| clindamycin phosphate..... | 26 | comfort lancets..... | 163 |

| | | | |
|--|---------|-------------------------------|-----|
| comfort touch pen needle..... | 163 | CORMAX..... | 34 |
| comfort touch plus safety lanc..... | 163 | CORTENEMA..... | 34 |
| comfort touch ult thin lancet..... | 163 | CORTIFOAM..... | 34 |
| COMPAZINE..... | 67 | cortisone acetate..... | 206 |
| COMPLERA..... | 127 | CORTISPORIN..... | 27 |
| COMPRO..... | 68 | CORTISPORIN-TC..... | 23 |
| COMTAN..... | 108 | COTELIC..... | 88 |
| CONDYLOX..... | 276 | COTEMPLA XR-ODT..... | 18 |
| CONEX..... | 194 | COUMADIN..... | 45 |
| CONSTULOSE..... | 183 | CREON..... | 196 |
| contour..... | 163 | CRESEMBA..... | 69 |
| contour next..... | 163 | CRINONE..... | 223 |
| contour next control solution..... | 163 | CRIXIVAN..... | 129 |
| contour next ez..... | 163 | cromolyn sodium..... | 33 |
| contour next glucose meter..... | 163 | CROTAN..... | 29 |
| contour next link..... | 163 | CRYSELLE..... | 211 |
| contour next link 2.4 meter kit (ndc: 00193626201)..... | 163 | CUPRIMINE..... | 204 |
| contour next link 2.4 meter kit (ndc: 43169048501)..... | 163 | CUTIVATE..... | 34 |
| contour next one meter (ndc: 00193781801)..... | 163 | CUVPOSA..... | 43 |
| contour next one meter (ndc: 01937081801) .. | 163 | cyanocobalamin injection..... | 291 |
| contour next test strip (ndc: 00193727735)..... | 178 | CYCLAFEM..... | 211 |
| contour next test strip (ndc: 00193727870)..... | 178 | cyclobenzaprine hcl..... | 271 |
| contour next test strip (ndc: 00193730850)..... | 178 | cyclobenzaprine hcl er..... | 271 |
| contour next test strip (ndc: 00193731025)..... | 178 | cyclophosphamide..... | 89 |
| contour next test strip (ndc: 00193731150)..... | 178 | cycloserine..... | 84 |
| contour next test strip (ndc: 00193731221)..... | 178 | CYCLOSET..... | 182 |
| contour next test strip (ndc: 00193731310)..... | 178 | cyclosporine..... | 247 |
| contour next test strip (ndc: 01937027735)..... | 178 | cyclosporine modified..... | 247 |
| contour next test strip (ndc: 01937027870)..... | 178 | cyproheptadine hcl..... | 193 |
| contour next test strip (ndc: 01937030850)..... | 178 | CYRED..... | 211 |
| contour next test strip (ndc: 01937031310)..... | 179 | CYRED EQ..... | 211 |
| contour test strip..... | 179 | CYSTADANE..... | 249 |
| COPAXONE..... | 242,243 | CYSTADROPS..... | 191 |
| COPIKTRA..... | 88 | CYSTAGON..... | 249 |
| COREMINO..... | 40 | CYSTARAN..... | 191 |
| CORGARD..... | 153 | CYTOTEC..... | 133 |
| CORICIDIN HBP COLD AND FLU..... | 4 | D | |
| CORICIDIN HBP COUGH AND COLD..... | 265 | D-PENAMINE..... | 204 |
| CORLANOR..... | 151 | dalfampridine er..... | 249 |
| | | DALIRESP..... | 267 |

| | | | |
|--------------------------------|--------|--------------------------------|-----------|
| danazol | 208 | desvenlafaxine succinate er | 54 |
| DANTRIUM | 272 | DETROL | 199 |
| dantrolene sodium | 272 | DETROL LA | 199 |
| dapsone | 84,276 | dexamethasone | 206 |
| daptomycin | 41 | dexamethasone acetate la | 206 |
| darifenacin er | 199 | dexamethasone acetate-sod phos | 206 |
| DASETTA | 211 | DEXAMETHASONE INTENSOL | 206 |
| DAURISMO | 89 | dexamethasone sodium phosphate | 29,206 |
| DAYPRO | 252 | dexamethasone-0.9% nacl | 206 |
| DAYSEE | 211 | dexchlorpheniramine maleate | 194 |
| DAYTRANA | 18 | dexcom | 163 |
| DAYVIGO | 137 | dexcom g4 | 164 |
| DDAVP | 223 | dexcom g5 | 164 |
| DEBACTEROL | 191 | dexcom g5-g4 sensor | 164 |
| DEBLITANE | 212 | dexcom g6 | 164 |
| DECADRON | 206 | DEXEDRINE | 16 |
| deferasirox | 204 | DEXILANT | 133 |
| deferiprone | 204 | dexmethylphenidate hcl | 19 |
| DELSTRIGO | 125 | dexmethylphenidate hcl er | 19 |
| demeclocycline hcl | 40 | dextroamphetamine sulfate | 16,17 |
| DEMEROL | 6 | dextroamphetamine sulfate er | 17 |
| DEMSER | 249 | dextroamphetamine-amphet er | 17 |
| DENAVIR | 28 | dextroamphetamine-amphetamine | 17 |
| DEPEN | 204 | DIACOMIT | 48 |
| DEPO-ESTRADIOL | 187 | DIASTAT | 139 |
| DEPO-MEDROL | 206 | DIASTAT ACUDIAL | 139 |
| DERMA-SMOOTH-FS | 34 | diastix reagent | 285 |
| DERMATOP | 34 | diazepam | 139 |
| DERMOTIC | 29 | diazoxide | 75 |
| DESCOVY | 127 | DIBENZYLIN | 3 |
| desipramine hcl | 58 | DICLEGIS | 68 |
| desloratadine | 74 | diclofenac epolamine | 253 |
| desmopressin acetate | 223 | diclofenac potassium | 253 |
| desogestr-eth estrad eth estra | 212 | diclofenac sodium | 31,89,253 |
| desogestrel-ethinyl estradiol | 212 | diclofenac sodium er | 253 |
| desonide | 34 | diclofenac sodium-misoprostol | 253 |
| DESOWEN | 34 | dicloxacillin sodium | 258 |
| desoximetasone | 34 | dicyclomine hcl | 43 |
| DESOXYN | 16 | didanosine | 127 |
| DESRX | 34 | diethylpropion hcl | 14 |
| desvenlafaxine er | 54 | diethylpropion hcl er | 14 |

| | | | |
|---------------------------------|---------|-------------------------------------|--------|
| DIFICID..... | 231 | dorzolamide-timolol..... | 73 |
| DIFLUCAN..... | 69 | DOTTI..... | 187 |
| diflunisal..... | 253 | DOVATO..... | 124 |
| DIGITEK..... | 151 | DOVONEX..... | 276 |
| DIGOX..... | 151 | doxazosin mesylate..... | 152 |
| digoxin..... | 151 | doxepin hcl..... | 58 |
| dihydroergotamine mesylate..... | 3 | doxercalciferol..... | 291 |
| DILANTIN..... | 52 | doxycycline hyclate..... | 23,40 |
| DILATRATE-SR..... | 286 | doxycycline ir-dr..... | 40 |
| DILT-XR..... | 146 | doxycycline monohydrate..... | 40 |
| diltiazem 12hr er..... | 146 | doxylamine succ-pyridoxine hcl..... | 68 |
| diltiazem 24hr er..... | 146,147 | DRIZALMA SPRINKLE..... | 54 |
| diltiazem 24hr er (cd)..... | 147 | dronabinol..... | 67 |
| diltiazem 24hr er (la)..... | 147 | droplet genteel lancing device..... | 164 |
| diltiazem 24hr er (xr)..... | 147 | droplet insulin syringe..... | 164 |
| diltiazem hcl..... | 147 | droplet lancets..... | 164 |
| DILUENT FOR ELIGARD..... | 258 | droplet lancing device..... | 164 |
| DILUENT FOR NOVOSEVEN RT..... | 258 | droplet micron pen needle..... | 164 |
| DILUENT FOR VIVITROL..... | 258 | droplet pen needle..... | 164 |
| dimethyl fumarate..... | 243 | dropsafe pen needle..... | 164 |
| diphenhydramine hcl..... | 193 | drospirenone-eth estra-levomef..... | 212 |
| diphenhydramine-0.9% nacl..... | 193 | drospirenone-ethinyl estradiol..... | 212 |
| diphenoxylate-atropine..... | 195 | DROXIA..... | 89 |
| DIPROLENE..... | 34 | droxidopa..... | 283 |
| dipyridamole..... | 289 | DUAVEE..... | 187 |
| disopyramide phosphate..... | 37 | DUETACT..... | 66 |
| disulfiram..... | 232 | duloxetine hcl..... | 54 |
| DITROPAN XL..... | 199 | DUODOTE..... | 233 |
| DIURIL..... | 181 | DUOPA..... | 108 |
| divalproex sodium..... | 48 | DUPIXENT PEN..... | 31,276 |
| divalproex sodium er..... | 48 | DUPIXENT SYRINGE..... | 31,276 |
| DIVIGEL..... | 187 | DUREZOL..... | 29 |
| dofetilide..... | 38 | DURLAZA..... | 256 |
| DOJOLVI..... | 184 | DUROLANE..... | 164 |
| DOLISHALE..... | 212 | dutasteride..... | 232 |
| donepezil hcl..... | 140 | dutasteride-tamsulosin..... | 232 |
| donepezil hcl odt..... | 140 | DUTOPROL..... | 153 |
| DONNATAL..... | 43 | DVORAH..... | 6 |
| DOPTELET..... | 144 | DYANAVEL XR..... | 17 |
| DORAL..... | 140 | DYMISTA..... | 191 |
| dorzolamide hcl..... | 73 | DYRENIUM..... | 180 |

| | | | |
|--------------------------------|-----|-------------------------------|-----|
| DYSPORT | 249 | ELIMITE | 29 |
| E | | ELINEST | 212 |
| e-z ject lancets | 164 | ELIQUIS | 45 |
| e-zject lancets | 164 | ELIXOPHYLLIN | 280 |
| E.E.S. 200 | 231 | ELLA | 212 |
| E.E.S. 400 | 231 | ELOCON | 34 |
| easy comfort insulin syringe | 164 | ELURYNG | 212 |
| easy comfort pen needle | 164 | embrace | 165 |
| easy touch | 165 | embrace lancing device | 165 |
| easy touch fliplock needles | 165 | EMCYT | 89 |
| easy touch lancing device | 165 | EMEND | 68 |
| easy touch pen needle | 165 | EMFLAZA | 206 |
| easy touch safety pen needle | 165 | EMGALITY PEN | 82 |
| easypoint needle | 165 | EMGALITY SYRINGE | 82 |
| EC-NAPROSYN | 253 | EMOQUETTE | 212 |
| ec-naproxen | 253 | EMPAVELI | 235 |
| eclipse needle | 165 | EMSAM | 109 |
| econazole nitrate | 70 | emtricitabine | 127 |
| ED-SPAZ | 43 | emtricitabine-tenofovir disop | 127 |
| EDARBI | 259 | EMTRIVA | 127 |
| EDARBYCLOR | 259 | EMVERM | 21 |
| EDECIN | 180 | ENABLEX | 199 |
| EDLUAR | 137 | enalapril maleate | 262 |
| EDURANT | 125 | enalapril-hydrochlorothiazide | 262 |
| efavirenz | 125 | ENBREL | 238 |
| efavirenz-emtric-tenofov disop | 127 | ENBREL MINI | 238 |
| efavirenz-lamivu-tenofov disop | 125 | ENBREL SURECLICK | 238 |
| EFFER-K | 184 | ENDARI | 197 |
| EFFIENT | 131 | ENDOCET | 6 |
| EFUDEX | 89 | enoxaparin sodium | 46 |
| EGATEN | 21 | ENPRESSE | 212 |
| EGRIFTA | 282 | ENSKYCE | 212 |
| EGRIFTA SV | 282 | ENSPRYNG | 243 |
| ELAPRASE | 185 | ENSTILAR | 277 |
| ELAVIL | 58 | entacapone | 108 |
| ELELYSO | 185 | entecavir | 136 |
| ELEPSIA XR | 48 | ENTOCORT EC | 206 |
| ELESTRIN | 188 | ENTRESTO | 259 |
| eletriptan hbr | 83 | ENTYVIO | 197 |
| ELIGARD | 201 | ENULOSE | 183 |
| | | ENVARBUS XR | 247 |

| | | | |
|-------------------------------|-----------|--------------------------------|-----------|
| ENZADYNE | 196 | estazolam | 140 |
| EPANED | 262 | estradiol | 188 |
| EPCLUSA | 203 | estradiol (once weekly) | 188 |
| EPIDIOLEX | 48 | estradiol (twice weekly) | 188 |
| EPIDUO FORTE | 277 | estradiol valerate | 188 |
| EPIFOAM | 35 | estradiol-norethindrone acetat | 188 |
| epinastine hcl | 191 | ESTRING | 188 |
| epinephrine | 283 | ESTROGEL | 188 |
| EPINEPHRINESNAP-EMS | 283 | estrogen-methyltestosterone | 208 |
| EPINEPHRINESNAP-V | 283 | eszopiclone | 137 |
| EPIPEN | 283 | ethacrynic acid | 180 |
| EPIPEN 2-PAK | 283 | ethambutol hcl | 84 |
| EPISIL | 165 | ethosuximide | 52 |
| EPITOL | 48 | ethyl chloride | 272 |
| eplerenone | 264 | ethynodiol-ethinyl estradiol | 213 |
| EPOGEN | 144 | etidronate disodium | 234 |
| eprosartan mesylate | 260 | etodolac | 253 |
| EPZICOM | 127 | etodolac er | 253 |
| EQUETRO | 48 | etonogestrel-ethinyl estradiol | 213 |
| ergoloid mesylates | 3 | etoposide | 89 |
| ERGOMAR | 3 | etravirine | 125 |
| ergotamine-caffeine | 3 | eucalyptol | 258 |
| ERIVEDGE | 89 | EUCRISA | 33 |
| ERLEADA | 89 | EUFLEXXA | 165 |
| erlotinib hcl | 89 | EURAX | 29 |
| ERRIN | 212 | EUTHYROX | 284 |
| ERY | 27 | EVAMIST | 189 |
| ERY-TAB | 231 | everolimus | 89,90,247 |
| ERYGEL | 27 | eversense sensor-holder | 165 |
| ERYPED 200 | 231 | EVISTA | 186 |
| ERYPED 400 | 231 | EVOTAZ | 129 |
| ERYTHROCIN STEARATE | 231 | EVOXAC | 141 |
| erythromycin | 23,27,231 | EVRYSDI | 249 |
| erythromycin ethylsuccinate | 231 | exel hypodermic needle | 165 |
| erythromycin-benzoyl peroxide | 27 | exel mti drawing needle | 165 |
| ESBRIET | 264,265 | EXELON | 141 |
| escitalopram oxalate | 55 | exemestane | 90 |
| ESGIC | 4 | EXJADE | 205 |
| esomeprazole magnesium | 133 | EXSERVAN | 154 |
| esomeprazole strontium | 133 | EXTAVIA | 243 |
| ESTARYLLA | 213 | EYLEA | 191 |

| | | | |
|----------------------------------|-----|---------------------------------|-------|
| ez smart lancets..... | 165 | filter aspirator needle..... | 166 |
| ez-lets..... | 165 | filter needle..... | 166 |
| ezetimibe..... | 77 | FINACEA..... | 277 |
| ezetimibe-simvastatin..... | 77 | finasteride..... | 232 |
| F | | fine 30 universal lancets..... | 166 |
| FABRAZYME..... | 185 | fingerstix..... | 166 |
| FACTIVE..... | 39 | FINTEPLA..... | 49 |
| FALMINA..... | 213 | FIORINAL..... | 256 |
| famciclovir..... | 136 | FIORINAL WITH CODEINE #3..... | 7 |
| famotidine..... | 133 | FIRAZYR..... | 236 |
| FANAPT..... | 115 | FIRDAPSE..... | 249 |
| FARESTON..... | 186 | FLAC OTIC OIL..... | 29 |
| FARXIGA..... | 63 | FLAGYL..... | 110 |
| FARYDAK..... | 90 | FLAREX..... | 29 |
| FASENRA..... | 31 | flavoxate hcl..... | 199 |
| FASENRA PEN..... | 32 | flecainide acetate..... | 37 |
| FAZACLO..... | 115 | FLOLAN..... | 269 |
| febuxostat..... | 233 | FLOLIPID..... | 79,80 |
| felbamate..... | 48 | FLOVENT DISKUS..... | 159 |
| FELBATOL..... | 48 | FLOVENT HFA..... | 159 |
| FELDENE..... | 253 | fluconazole..... | 69 |
| felodipine er..... | 150 | flucytosine..... | 70 |
| FEMARA..... | 90 | fludrocortisone acetate..... | 206 |
| FEMHRT..... | 189 | FLUMADINE..... | 134 |
| FEMRING..... | 189 | flunisolide..... | 29 |
| FEMYNOR..... | 213 | fluocinolone acetonide..... | 35 |
| fenofibrate..... | 78 | fluocinolone acetonide oil..... | 29 |
| fenofibric acid..... | 78 | fluocinonide..... | 35 |
| FENOGLIDE..... | 78 | fluocinonide-e..... | 35 |
| fenoprofen calcium..... | 253 | fluorometholone..... | 29 |
| FENORTHO..... | 253 | FLUOROPLEX..... | 90 |
| fentanyl..... | 7 | fluorouracil..... | 90 |
| fentanyl citrate..... | 7 | fluoxetine dr..... | 55 |
| FERRIPROX..... | 205 | fluoxetine hcl..... | 55 |
| FERRIPROX (2 TIMES A DAY)..... | 205 | fluphenazine decanoate..... | 123 |
| FERRIPROX (3 TIMES A DAY)..... | 205 | fluphenazine hcl..... | 123 |
| FETZIMA..... | 54 | flurazepam hcl..... | 140 |
| FEXMID..... | 271 | flurbiprofen..... | 253 |
| FIBRICOR..... | 78 | flurbiprofen sodium..... | 31 |
| fifty50 safety seal lancets..... | 165 | flutamide..... | 90 |
| | | fluticasone propionate..... | 35 |

| | | | |
|-------------------------------------|-------|------------------------------------|----------|
| fluticasone-salmeterol..... | 159 | galantamine er..... | 141 |
| fluvastatin er..... | 80 | galantamine hbr..... | 141 |
| fluvastatin sodium..... | 80 | galantamine hydrobromide..... | 141 |
| fluvoxamine maleate..... | 55,56 | GALZIN..... | 205 |
| fluvoxamine maleate er..... | 56 | ganirelix acetate..... | 200 |
| FML..... | 29 | GASTROCROM..... | 33 |
| FML FORTE..... | 30 | gatifloxacin..... | 23 |
| FML S.O.P..... | 30 | GATTEX..... | 197 |
| folic acid..... | 291 | GAVILYTE-C..... | 195 |
| FOLIVANE-PLUS..... | 37 | GAVILYTE-G..... | 195 |
| FOLLISTIM AQ..... | 201 | GAVILYTE-N..... | 196 |
| fondaparinux sodium..... | 45 | GAVRETO..... | 90 |
| fora lancets..... | 166 | GEL-ONE..... | 166 |
| fora lancing device..... | 166 | GELNIQUE..... | 199 |
| foracare lancets..... | 166 | gemfibrozil..... | 78 |
| formoterol fumarate..... | 142 | GEMMILY..... | 213 |
| FORTEO..... | 257 | GENERLAC..... | 183 |
| FOSAMAX..... | 234 | GENGRAF..... | 247 |
| FOSAMAX PLUS D..... | 234 | GENTAK..... | 23 |
| fosamprenavir calcium..... | 129 | gentamicin sulfate..... | 23,27,38 |
| fosfomycin tromethamine..... | 22 | gentamicin sulfate in ns..... | 38 |
| fosinopril sodium..... | 262 | genteel vacuum lancing device..... | 166 |
| fosinopril-hydrochlorothiazide..... | 262 | GENVISC 850..... | 166 |
| FOSRENOL..... | 230 | GENVOYA..... | 127 |
| FOTIVDA..... | 90 | GEODON..... | 115 |
| FRAGMIN..... | 46 | GIANVI..... | 213 |
| freestyle lancets..... | 166 | GILENYA..... | 243 |
| freestyle unistik 2..... | 166 | GILOTRIF..... | 90 |
| FROVA..... | 83 | GILPHEX TR..... | 267 |
| frovatriptan succinate..... | 83 | GILTUSS TR..... | 267 |
| FULPHILA..... | 144 | GIMOTI..... | 198 |
| FURADANTIN..... | 22 | GLASSIA..... | 268 |
| furosemide..... | 180 | glatiramer acetate..... | 243 |
| FUZEON..... | 123 | GLATOPA..... | 243,244 |
| FYAVOLV..... | 189 | GLEEVEC..... | 90,91 |
| FYCOMPA..... | 49 | GLEOSTINE..... | 91 |
| G | | glimepiride..... | 65 |
| gabapentin..... | 49 | glipizide..... | 65 |
| GABITRIL..... | 49 | glipizide er..... | 65 |
| GALAFOLD..... | 249 | glipizide xl..... | 65 |
| | | glipizide-metformin..... | 65 |

| | | | |
|----------------------------------|-----|-------------------------------------|---------|
| GLUCAGEN..... | 75 | HALCION..... | 140 |
| GLUCAGON EMERGENCY KIT..... | 75 | HALDOL DECANOATE 100..... | 122 |
| glucocom..... | 166 | HALDOL DECANOATE 50..... | 122 |
| glucocom lancets..... | 166 | halobetasol propionate..... | 35 |
| GLUCOTROL..... | 65 | haloperidol..... | 122,123 |
| GLUCOTROL XL..... | 65 | haloperidol decanoate..... | 123 |
| glyburide..... | 65 | haloperidol decanoate 100..... | 123 |
| glyburide micronized..... | 65 | haloperidol lactate..... | 123 |
| glyburide-metformin hcl..... | 65 | HARVONI..... | 203 |
| GLYCATE..... | 43 | healthwise pen needle..... | 166 |
| glycopyrrolate..... | 43 | healthy accents autolet..... | 166 |
| GLYNASE..... | 65 | healthy accents unifine pentip..... | 166 |
| GLYSET..... | 59 | healthy accents unilet lancet..... | 167 |
| GLYXAMBI..... | 64 | HEATHER..... | 213 |
| gojji lancets..... | 166 | HELIDAC..... | 42 |
| gojji lancing device..... | 166 | hema-combistix..... | 179 |
| GONAL-F..... | 201 | HEMANGEOL..... | 153 |
| GONAL-F RFF..... | 201 | HEMATINIC WITH FOLIC ACID..... | 37 |
| GONAL-F RFF REDI-JECT..... | 201 | heparin flush..... | 46 |
| GONITRO..... | 286 | heparin lock..... | 46 |
| GOODY'S EXTRA STRENGTH..... | 256 | heparin sodium..... | 46,47 |
| GRALISE..... | 4 | heparin sodium in 0.45% nacl..... | 47 |
| granisetron hcl..... | 66 | heparin sodium-0.45% nacl..... | 47 |
| GRANIX..... | 144 | heparin sodium-0.9% nacl..... | 47 |
| griseofulvin..... | 69 | heparin sodium-d5w..... | 47 |
| griseofulvin ultramicrosize..... | 69 | HEPSERA..... | 136 |
| guaifenesin-codeine..... | 265 | HERCEPTIN..... | 91 |
| guanfacine hcl..... | 225 | HERCEPTIN HYLECTA..... | 91 |
| guanfacine hcl er..... | 154 | HETLIOZ..... | 137 |
| guanidine hcl..... | 141 | HETLIOZ LQ..... | 137 |
| GVOKE HYOPEN 1-PACK..... | 75 | HIPREX..... | 22 |
| GVOKE HYOPEN 2-PACK..... | 75 | HORIZANT..... | 49 |
| GVOKE PFS 1-PACK SYRINGE..... | 75 | HUMALOG..... | 227 |
| GVOKE PFS 2-PACK SYRINGE..... | 75 | HUMALOG JUNIOR KWIKPEN..... | 227 |
| | | HUMALOG KWIKPEN U-100..... | 228 |
| H | | HUMALOG KWIKPEN U-200..... | 228 |
| HAEGARDA..... | 236 | HUMALOG MIX 50-50..... | 228 |
| HAILEY..... | 213 | HUMALOG MIX 50-50 KWIKPEN..... | 228 |
| HAILEY 24 FE..... | 213 | HUMALOG MIX 75-25..... | 228 |
| HAILEY FE..... | 213 | HUMALOG MIX 75-25 KWIKPEN..... | 228 |
| halcinonide..... | 35 | HUMATIN..... | 109 |

| | | | |
|---------------------------------|---------|------------------------------|-------|
| HUMIRA | 238 | hydroxyprogesterone caproate | 224 |
| HUMIRA PEN | 239 | hydroxyurea | 91 |
| HUMIRA PEN CROHN'S-UC-HS | 239 | hydroxyzine hcl | 138 |
| HUMIRA PEN PSOR-UVEITS-ADOL HS | 239 | hydroxyzine pamoate | 138 |
| HUMIRA(CF) | 239 | HYLATOPICPLUS | 167 |
| HUMIRA(CF) PEDIATRIC CROHN'S | 198,239 | HYMOVIS | 167 |
| HUMIRA(CF) PEN | 239 | hyoscyamine sulfate | 43 |
| HUMIRA(CF) PEN CROHN'S-UC-HS | 239 | hyoscyamine sulfate er | 43 |
| HUMIRA(CF) PEN PEDIATRIC UC | 240 | hyoscyamine sulfate sr | 43 |
| HUMIRA(CF) PEN PSOR-UV-ADOL HS | 240 | HYOSYNE | 43 |
| HUMULIN 70-30 | 225 | hypodermic needle | 167 |
| HUMULIN 70/30 KWIKPEN | 226 | hypolance | 167 |
| HUMULIN N | 226 | | |
| HUMULIN N KWIKPEN | 226 | I | |
| HUMULIN R | 229 | ibandronate sodium | 234 |
| HUMULIN R U-500 | 229 | IBRANCE | 91 |
| HUMULIN R U-500 KWIKPEN | 229 | IBU | 253 |
| HYALGAN | 167 | ibuprofen | 253 |
| HYCAMTIN | 91 | icatibant | 236 |
| HYCODAN | 265 | ICLEVIA | 213 |
| hydralazine hcl | 225 | ICLUSIG | 91,92 |
| HYDREA | 91 | icosapent ethyl | 75 |
| hydrochlorothiazide | 181 | ictotest | 179 |
| HYDROCIL INSTANT | 196 | IDELVION | 74 |
| hydrocodone bitartrate er | 7 | IDHIFA | 92 |
| hydrocodone-acetaminophen | 7,8 | imatinib mesylate | 92 |
| hydrocodone-chlorpheniramine er | 265 | IMBRUVICA | 92,93 |
| hydrocodone-homatropine mbr | 265 | IMCIVREE | 15 |
| hydrocodone-ibuprofen | 8 | imipramine hcl | 58 |
| hydrocortisone | 35,206 | imipramine pamoate | 58 |
| hydrocortisone acetate | 35 | imiquimod | 277 |
| hydrocortisone butyrate | 35 | IMPAVIDO | 110 |
| hydrocortisone valerate | 35 | IMURAN | 247 |
| hydrocortisone-acetic acid | 25 | IMVEXXY | 189 |
| hydrocortisone-iodoquinol | 28 | INBRIJA | 108 |
| hydrocortisone-pramoxine | 35 | INCASSIA | 213 |
| HYDROMET | 266 | incontrol lancing device | 167 |
| hydromorphone er | 8 | incontrol pen needle | 167 |
| hydromorphone hcl | 8 | incontrol super thin lancets | 167 |
| hydroxocobalamin | 291 | incontrol ultra thin lancets | 167 |
| hydroxychloroquine sulfate | 110 | INCRELEX | 282 |

| | | | |
|-------------------------------------|---------|--------------------------------|---------|
| indapamide..... | 181 | ISORDIL..... | 286 |
| INDOCIN..... | 253,254 | ISORDIL TITRADOSE..... | 286 |
| indomethacin..... | 254 | isosorbide dinitrate..... | 286 |
| indomethacin er..... | 254 | isosorbide mononitrate..... | 286 |
| INFLECTRA..... | 240 | isosorbide mononitrate er..... | 286 |
| INGREZZA..... | 156,157 | isotretinoin..... | 277 |
| INGREZZA INITIATION PACK..... | 157 | isoxsuprine hcl..... | 289 |
| INJECTAFER..... | 37 | isradipine..... | 150 |
| INLYTA..... | 93 | ISTALOL..... | 72 |
| INQOVI..... | 93 | ISTURISA..... | 249,250 |
| INREBIC..... | 93 | itraconazole..... | 69 |
| INSPRA..... | 264 | ivermectin..... | 21,277 |
| insulin pen needle..... | 167 | J | |
| insupen..... | 167 | JADENU..... | 205 |
| integra precisionglide needle..... | 167 | JADENU SPRINKLE..... | 205 |
| INTELENCE..... | 125 | JAIMIESS..... | 214 |
| INTERMEZZO..... | 138 | JAKAFI..... | 93 |
| INTRAROSA..... | 206 | JALYN..... | 232 |
| INTRON A..... | 135 | JANTOVEN..... | 45 |
| INTROVALE..... | 214 | JANUMET..... | 61 |
| invacare lancets..... | 167 | JANUMET XR..... | 61 |
| INVANZ..... | 232 | JANUVIA..... | 61 |
| INVEGA..... | 115,116 | JARDIANCE..... | 64 |
| INVEGA SUSTENNA..... | 116 | JASMIEL..... | 214 |
| INVEGA TRINZA..... | 117 | JENCYCLA..... | 214 |
| INVIRASE..... | 129 | JENTADUETO..... | 61 |
| iodine..... | 28 | JENTADUETO XR..... | 61 |
| IODOFLEX..... | 28 | JINTELI..... | 189 |
| IODOSORB..... | 28 | JOLESSA..... | 214 |
| IOPIDINE..... | 191 | JORNAY PM..... | 19 |
| ipratropium bromide..... | 43,191 | JULEBER..... | 214 |
| ipratropium-albuterol..... | 44 | JULUCA..... | 124 |
| irbesartan..... | 260 | JUNEL..... | 214 |
| irbesartan-hydrochlorothiazide..... | 260 | JUNEL FE..... | 214 |
| IRESSA..... | 93 | JUNEL FE 24..... | 214 |
| IRO-PLEX..... | 37 | JUXTAPID..... | 75 |
| ISENTRESS..... | 124 | JYNARQUE..... | 181 |
| ISENTRESS HD..... | 124 | | |
| ISIBLOOM..... | 214 | K | |
| isoniazid..... | 84 | K-PHOS ORIGINAL..... | 183 |
| ISOPTO CARPINE..... | 73 | | |

| | | | |
|-----------------------------|--------|-------------------------------|---------|
| KAITLIB FE..... | 214 | KORLYM..... | 60 |
| KALBITOR..... | 236 | KOSELUGO..... | 94 |
| KALETRA..... | 130 | KRINTAFEL..... | 110 |
| KALLIGA..... | 214 | KRISTALOSE..... | 183 |
| KALYDECO..... | 160 | KURVELO..... | 215 |
| KANJINTI..... | 93 | KUVAN..... | 250 |
| KAPVAY..... | 225 | KYNMOBI..... | 182 |
| KARBINAL ER..... | 193 | | |
| KARIVA..... | 215 | L | |
| KEFLEX..... | 157 | labetalol hcl..... | 153 |
| KELNOR 1-35..... | 215 | labstix reagent..... | 179 |
| KELNOR 1-50..... | 215 | lactulose..... | 183 |
| KENALOG-10..... | 206 | lamivudine..... | 128 |
| KERENDIA..... | 264 | lamivudine-zidovudine..... | 128 |
| KERYDIN..... | 71 | lamotrigine..... | 49 |
| KESIMPTA PEN..... | 244 | lamotrigine (blue)..... | 49 |
| keto-diastrix reagent..... | 179 | lamotrigine (green)..... | 49 |
| ketoconazole..... | 69,70 | lamotrigine (orange)..... | 49 |
| ketone care test strip..... | 285 | lamotrigine er..... | 49 |
| ketone test strip..... | 285 | lamotrigine odt..... | 49 |
| ketoprofen..... | 254 | lamotrigine odt (blue)..... | 49 |
| ketorolac tromethamine..... | 31,254 | lamotrigine odt (green)..... | 50 |
| ketostix reagent..... | 285 | lamotrigine odt (orange)..... | 50 |
| ketotifen fumarate..... | 191 | LAMPIT..... | 110,111 |
| KEVEYIS..... | 235 | lancets..... | 168 |
| KEVZARA..... | 240 | lancets thin..... | 168 |
| KINERET..... | 240 | lancets ultra thin..... | 168 |
| KIONEX..... | 230 | lancing device..... | 168 |
| KISQALI..... | 93,94 | lancing system..... | 168 |
| KISQALI FEMARA CO-PACK..... | 94 | LANOXIN..... | 151 |
| KLARON..... | 28 | lansoprazole..... | 133 |
| KLISYRI..... | 277 | lanthanum carbonate..... | 230 |
| KLOR-CON..... | 184 | LANTUS..... | 226 |
| KLOR-CON 10..... | 184 | LANTUS SOLOSTAR..... | 226 |
| KLOR-CON 8..... | 184 | lanzo..... | 168 |
| KLOR-CON M10..... | 184 | lapatinib..... | 94 |
| KLOR-CON M15..... | 184 | LARIN..... | 215 |
| KLOR-CON M20..... | 184 | LARIN 24 FE..... | 215 |
| KLOR-CON-EF..... | 184 | LARIN FE..... | 215 |
| KLOXXADO..... | 156 | LARISSIA..... | 215 |
| KONSYL..... | 196 | latanoprost..... | 73 |

| | | | |
|-------------------------------------|-------|-------------------------------------|-----|
| latex gloves..... | 168 | LIDTOPIC MAX..... | 272 |
| LATUDA..... | 117 | LILLOW..... | 216 |
| LAYOLIS FE..... | 215 | lindane..... | 29 |
| ledipasvir-sofosbuvir..... | 203 | linezolid..... | 42 |
| LEENA..... | 215 | LINZESS..... | 198 |
| leflunomide..... | 240 | liothyronine sodium..... | 284 |
| LENVIMA..... | 94 | LIPOFEN..... | 79 |
| LESCOL..... | 80 | lisinopril..... | 262 |
| LESSINA..... | 215 | lisinopril-hydrochlorothiazide..... | 263 |
| LETAIRIS..... | 269 | lite touch..... | 168 |
| letrozole..... | 94 | lithium..... | 154 |
| leucovorin calcium..... | 233 | lithium carbonate..... | 154 |
| LEUKERAN..... | 94 | lithium carbonate er..... | 154 |
| LEUKINE..... | 144 | LITHOBID..... | 154 |
| leuprolide acetate..... | 201 | LO-ZUMANDIMINE..... | 216 |
| levabuterol concentrate..... | 143 | LOCOID..... | 35 |
| levabuterol hcl..... | 143 | LODINE..... | 254 |
| LEVAQUIN..... | 39 | LODOSYN..... | 154 |
| levetiracetam..... | 50 | LOJAIMIESS..... | 216 |
| levetiracetam er..... | 50 | LOKELMA..... | 230 |
| LEVO-T..... | 284 | LOMAIRA..... | 14 |
| levobunolol hcl..... | 72 | LOMOTIL..... | 195 |
| levocarnitine..... | 250 | LONHALA MAGNAIR REFILL..... | 44 |
| levocarnitine sf..... | 250 | LONHALA MAGNAIR STARTER..... | 44 |
| levofloxacin..... | 23,39 | LONSURF..... | 95 |
| LEVONEST..... | 215 | LOPID..... | 79 |
| levonorg-eth estrad eth estrad..... | 215 | lopinavir-ritonavir..... | 130 |
| levonorgestrel-eth estradiol..... | 216 | LOPREEZA..... | 189 |
| LEVORA-28..... | 216 | LOPRESSOR..... | 153 |
| levorphanol tartrate..... | 9 | LOPRESSOR HCT..... | 153 |
| levothyroxine sodium..... | 284 | LOPROX..... | 71 |
| LEVOXYL..... | 284 | lorazepam..... | 140 |
| LEVSIN..... | 44 | LORAZEPAM INTENSOL..... | 140 |
| LEVSIN-SL..... | 44 | LORBRENA..... | 95 |
| LEXIVA..... | 130 | LORCET..... | 9 |
| LIBRAX..... | 44 | LORCET HD..... | 9 |
| lidocaine-hydrocortisone..... | 272 | LORCET PLUS..... | 9 |
| lidocaine-prilocaine..... | 272 | LORTAB..... | 9 |
| lidocaine-tetracaine..... | 272 | LORYNA..... | 216 |
| LIDOPRIL..... | 272 | LORZONE..... | 271 |
| LIDOTREX..... | 168 | losartan potassium..... | 260 |

| | | | |
|------------------------------|-----|-------------------------------|---------|
| losartan-hydrochlorothiazide | 260 | maprotiline hcl | 58 |
| LOTEMAX | 30 | MARINOL | 67 |
| LOTEMAX SM | 30 | MARLISSA | 216 |
| LOTENSIN | 263 | MARPLAN | 53 |
| LOTENSIN HCT | 263 | MATULANE | 95 |
| loteprednol etabonate | 30 | MATZIM LA | 148 |
| LOTRISONE | 71 | MAVENCLAD | 247 |
| LOTRONEX | 194 | MAVYRET | 204 |
| lovastatin | 80 | maxicomfort ii pen needle | 168 |
| LOVENOX | 47 | maxicomfort safety pen needle | 168 |
| LOW-OGESTREL | 216 | MAXIDEX | 30 |
| loxapine | 111 | MAXITROL | 23 |
| LUCEMYRA | 283 | MAXZIDE | 180 |
| LUCENTIS | 192 | MAXZIDE-25 MG | 180 |
| luliconazole | 71 | MAYZENT | 244 |
| LUMAKRAS | 95 | meclizine hcl | 68 |
| LUMIGAN | 73 | meclofenamate sodium | 254 |
| LUMIZYME | 185 | medisense thin lancets | 168 |
| LUPKYNIS | 247 | medlance plus | 168 |
| LUPRON DEPOT | 201 | medlance plus special blade | 168 |
| LUPRON DEPOT (LUPANETA) | 202 | MEDROL | 206 |
| LUPRON DEPOT-PED | 202 | medroxyprogesterone acetate | 224 |
| LUTERA | 216 | mefenamic acid | 254 |
| LUXIQ | 35 | mefloquine hcl | 110 |
| LYLEQ | 216 | MEGACE ES | 224 |
| LYLLANA | 189 | megestrol acetate | 224 |
| LYNPARZA | 95 | MEKINIST | 95 |
| LYSODREN | 95 | MEKTOVI | 96 |
| LYSTEDA | 74 | melatonin-vitamin b6 | 250 |
| LYUMJEV | 228 | MELODETTA 24 FE | 216 |
| LYUMJEV KWIKPEN U-100 | 229 | meloxicam | 255 |
| LYUMJEV KWIKPEN U-200 | 229 | melphalan | 96 |
| LYZA | 216 | memantine hcl | 154,155 |
| | | memantine hcl er | 155 |
| M | | MENEST | 189 |
| MACRILEN | 179 | MENOPUR | 202 |
| MACROBID | 22 | MENOSTAR | 189 |
| MACRODANTIN | 22 | meperidine hcl | 9 |
| MAKENA | 224 | MEPHYTON | 292 |
| MALARONE | 110 | meprobamate | 138 |
| malathion | 29 | MEPRON | 111 |

| | | | |
|--------------------------------------|-------|-------------------------------------|--------|
| mercaptapurine..... | 96 | metipranolol..... | 72 |
| MERZEE..... | 216 | metoclopramide hcl..... | 198 |
| mesalamine..... | 195 | metoclopramide hcl odt..... | 198 |
| mesalamine dr..... | 195 | metolazone..... | 181 |
| mesalamine er..... | 195 | metoprolol succinate..... | 153 |
| MESNEX..... | 252 | metoprolol tartrate..... | 153 |
| MESTINON..... | 141 | metoprolol-hydrochlorothiazide..... | 153 |
| METADATE ER..... | 19 | METROCREAM..... | 27 |
| metaproterenol sulfate..... | 143 | METROGEL-VAGINAL..... | 27 |
| METAXALL..... | 271 | METROLOTION..... | 27 |
| metaxalone..... | 271 | metronidazole..... | 27,111 |
| metformin hcl..... | 60 | metyrosine..... | 250 |
| metformin hcl er..... | 60,61 | mexiletine hcl..... | 37 |
| methadone hcl..... | 9 | MIACALCIN..... | 257 |
| METHADONE INTENSOL..... | 9 | MIBELAS 24 FE..... | 217 |
| METHADOSE..... | 10 | miconazole 3..... | 71 |
| methamphetamine hcl..... | 17 | micro thin lancet..... | 168 |
| methazolamide..... | 73 | micro thin lancets..... | 168 |
| methenamine hippurate..... | 22 | microdot insulin pen needle..... | 169 |
| methenamine mandelate..... | 22 | MICROGESTIN..... | 217 |
| METHERGINE..... | 256 | MICROGESTIN 24 FE..... | 217 |
| methimazole..... | 284 | MICROGESTIN FE..... | 217 |
| METHITEST..... | 208 | microlet..... | 169 |
| methocarbamol..... | 271 | microlet 2..... | 169 |
| methotrexate..... | 96 | microlet next lancing device..... | 169 |
| methotrexate sodium..... | 96 | microtainer lancets..... | 169 |
| methoxsalen..... | 161 | MICROZIDE..... | 181 |
| methscopolamine bromide..... | 44 | midazolam hcl..... | 140 |
| methyl dopa..... | 225 | MIDNITE FOR MENOPAUSE..... | 250 |
| methyl dopa-hydrochlorothiazide..... | 225 | MIDNITE MENOPAUSE..... | 250 |
| methylene blue..... | 250 | MIDNITE PM..... | 250 |
| methylergonovine maleate..... | 256 | midodrine hcl..... | 283 |
| METHYLIN..... | 19 | MIGERGOT..... | 3 |
| methylphenidate er..... | 19 | miglitol..... | 59 |
| methylphenidate er (la)..... | 19 | miglustat..... | 250 |
| methylphenidate hcl..... | 19,20 | MIGRANAL..... | 3 |
| methylphenidate hcl cd..... | 20 | MILI..... | 217 |
| methylphenidate hcl er (cd)..... | 20 | MILLIPRED..... | 207 |
| methylphenidate la..... | 20 | MILLIPRED DP..... | 207 |
| methylprednisolone..... | 207 | MIMVEY..... | 189 |
| methyltestosterone..... | 208 | MIMVEY LO..... | 190 |

| | | | |
|-----------------------------|-------|----------------------------------|-----|
| mini lancing device..... | 169 | multistix 5..... | 180 |
| mini ultra-thin ii..... | 169 | multistix 7..... | 180 |
| MINIPRESS..... | 152 | multistix 8 sg..... | 180 |
| MINITRAN..... | 286 | multistix 9..... | 180 |
| MINIVELLE..... | 190 | multistix 9 sg..... | 180 |
| minocycline hcl..... | 41 | mupirocin..... | 27 |
| minocycline hcl er..... | 41 | MVASI..... | 96 |
| minoxidil..... | 225 | MYALEPT..... | 223 |
| MIRAPEX..... | 183 | MYAMBUTOL..... | 84 |
| MIRAPEX ER..... | 183 | MYCAPSSA..... | 281 |
| MIRCERA..... | 144 | MYCOBUTIN..... | 84 |
| mirtazapine..... | 53 | mycophenolate mofetil..... | 247 |
| MIRVASO..... | 277 | mycophenolic acid..... | 247 |
| misoprostol..... | 133 | MYDAYIS..... | 17 |
| modafinil..... | 21 | MYFORTIC..... | 248 |
| moexipril hcl..... | 263 | myglucohealth lancets..... | 169 |
| molindone hcl..... | 111 | MYLERAN..... | 96 |
| mometasone furoate..... | 30,35 | MYNATAL..... | 289 |
| MONDOXYNE NL..... | 41 | MYNATAL PLUS..... | 289 |
| MONO-LINYAH..... | 217 | MYNATAL-Z..... | 289 |
| monoject enfit syringe..... | 169 | MYORISAN..... | 277 |
| monolet lancets..... | 169 | MYRBETRIQ..... | 142 |
| monolet thin lancets..... | 169 | MYSOLINE..... | 52 |
| MONOVISC..... | 169 | MYTESI..... | 195 |
| montelukast sodium..... | 32 | | |
| MONUROL..... | 22 | N | |
| MORGIDOX..... | 41 | nabumetone..... | 255 |
| MORPHABOND ER..... | 10 | nadolol..... | 153 |
| morphine sulfate..... | 10 | nadolol-bendroflumethiazide..... | 153 |
| morphine sulfate er..... | 10,11 | naftifine hcl..... | 70 |
| MOTEGRITY..... | 199 | NAGLAZYME..... | 185 |
| MOXATAG..... | 258 | nalbuphine hcl..... | 14 |
| MOXEZA..... | 24 | NALOCET..... | 11 |
| moxifloxacin..... | 24 | naloxone hcl..... | 156 |
| moxifloxacin hcl..... | 39 | naltrexone hcl..... | 156 |
| MOZOBIL..... | 144 | NAMENDA..... | 155 |
| MULPLETA..... | 144 | NAMENDA XR..... | 155 |
| MULTAQ..... | 38 | NAMZARIC..... | 155 |
| multi-lancet..... | 169 | nano 2nd gen pen needle..... | 169 |
| multistix..... | 180 | NAPRELAN..... | 255 |
| multistix 10 sg..... | 180 | NAPROSYN..... | 255 |

| | | | |
|------------------------------------|-----|-------------------------------------|---------|
| naproxen..... | 255 | NEXAVAR..... | 96 |
| naproxen sodium..... | 255 | NEXIUM..... | 134 |
| naproxen sodium cr..... | 255 | NEXLETOL..... | 76 |
| naproxen sodium er..... | 255 | NEXLIZET..... | 76 |
| naratriptan hcl..... | 83 | NEXTSTELLIS..... | 217 |
| NARCAN..... | 156 | niacin..... | 76 |
| NARDIL..... | 54 | niacin er..... | 76 |
| NASCOBAL..... | 291 | NIACOR..... | 76 |
| NATACYN..... | 25 | nicardipine hcl..... | 150 |
| NATAZIA..... | 217 | nifedipine..... | 150 |
| nateglinide..... | 63 | nifedipine er..... | 150 |
| NATPARA..... | 257 | NIKKI..... | 217 |
| NATURE-THROID..... | 284 | NILANDRON..... | 96 |
| NAYZILAM..... | 52 | nilutamide..... | 96 |
| NEBUPENT..... | 111 | nimodipine..... | 150 |
| NECON..... | 217 | NINLARO..... | 96 |
| needle..... | 169 | nisoldipine..... | 150 |
| needles..... | 169 | nitazoxanide..... | 111 |
| nefazodone hcl..... | 57 | nitisinone..... | 250 |
| NEO-POLYCIN..... | 24 | NITRO-BID..... | 286 |
| NEO-POLYCIN HC..... | 24 | NITRO-DUR..... | 286 |
| NEO-SYNALAR..... | 27 | NITRO-TIME..... | 286 |
| neomycin sulfate..... | 38 | nitrofurantoin..... | 22 |
| neomycin-bacitracin-poly-hc..... | 24 | nitrofurantoin mono-macro..... | 22 |
| neomycin-bacitracin-polymyxin..... | 24 | nitroglycerin..... | 286,287 |
| neomycin-polymyxin-dexameth..... | 24 | nitroglycerin patch..... | 287 |
| neomycin-polymyxin-gramicidin..... | 24 | NITROLINGUAL..... | 287 |
| neomycin-polymyxin-hc..... | 24 | NITROMIST..... | 287 |
| neomycin-polymyxin-hydrocort..... | 24 | NITYR..... | 250 |
| NEORAL..... | 248 | NIVESTYM..... | 145 |
| NEOTUSS PLUS..... | 266 | nizatidine..... | 133 |
| NEPHRO-VITE RX..... | 291 | NIZORAL..... | 71 |
| NERLYNX..... | 96 | no-stick glucose..... | 286 |
| NEUAC..... | 27 | NOCDURNA..... | 223 |
| NEULASTA..... | 145 | NORA-BE..... | 217 |
| NEULASTA ONPRO..... | 145 | NORDITROPIN FLEXPRO..... | 223 |
| NEUPOGEN..... | 145 | norethin-eth estra-ferrous fum..... | 217 |
| NEUPRO..... | 183 | norethindron-ethinyl estradiol..... | 190,217 |
| nevirapine..... | 125 | norethindrone..... | 218 |
| nevirapine er..... | 125 | norethindrone ac (lupaneta)..... | 224 |
| NEWGEN..... | 289 | norethindrone acetate..... | 224 |

| | |
|--------------------------------|-------|
| norethindrone-e.estradiol-iron | 218 |
| norgestimate-ethinyl estradiol | 218 |
| NORLYDA | 218 |
| NORPACE | 37 |
| NORPACE CR | 37 |
| NORPRAMIN | 59 |
| NORTHERA | 283 |
| NORTREL | 218 |
| nortriptyline hcl | 59 |
| NORVIR | 130 |
| NOURIANZ | 155 |
| nova safety lancets | 169 |
| nova sureflex | 169 |
| NOVAREL | 202 |
| novofine 32 | 169 |
| novofine autocover | 169 |
| novofine plus | 169 |
| novotwist | 170 |
| NOXAFIL | 69 |
| NP THYROID | 284 |
| NUBEQA | 97 |
| NUCALA | 32 |
| NUDEXTA | 155 |
| NULEV | 44 |
| NUMBONEX | 272 |
| NUMOISYN | 170 |
| NUPLAZID | 117 |
| NURTEC ODT | 82 |
| NUVAIL | 170 |
| NUVARING | 218 |
| NUZYRA | 283 |
| NYAMYC | 72 |
| NYLIA | 218 |
| NYMALIZE | 150 |
| NYMYO | 218 |
| nystatin | 70,72 |
| nystatin-triamcinolone | 72 |
| NYSTOP | 72 |
| NYVEPRIA | 145 |

O

| | |
|--------------------------------|---------|
| OBREDON | 266 |
| OBTREX DHA | 289 |
| OCALIVA | 198 |
| OCELLA | 218 |
| octreotide acetate | 281 |
| OCUFLOX | 24 |
| ODACTRA | 131 |
| ODEFSEY | 128 |
| ODOMZO | 97 |
| OFEV | 265 |
| ofloxacin | 24,39 |
| OGESTREL | 218 |
| OGIVRI | 97 |
| OKEBO | 41 |
| olanzapine | 117,118 |
| olanzapine odt | 118 |
| olanzapine-fluoxetine hcl | 56 |
| olmesartan medoxomil | 260 |
| olmesartan-amlodipine-hctz | 260 |
| olmesartan-hydrochlorothiazide | 260 |
| olopatadine hcl | 191 |
| OLUX | 35 |
| OLUX-E | 36 |
| OMECLAMOX-PAK | 134 |
| omega-3 | 76 |
| omega-3 acid ethyl esters | 76 |
| omeprazole | 134 |
| OMNARIS | 30 |
| omnipod dash 5 pack pod | 170 |
| on call lancet | 170 |
| on call lancing device | 170 |
| on call plus lancet | 170 |
| on call plus lancing device | 170 |
| on-the-go | 170 |
| ondansetron hcl | 66,67 |
| ondansetron hcl-0.9% nacl | 67 |
| ondansetron odt | 67 |
| onetouch delica | 170 |
| onetouch delica plus lanc dev | 170 |

| | | | |
|------------------------------------|---------|------------------------------------|-----|
| onetouch delica plus lancet..... | 170 | OXBRYTA..... | 143 |
| onetouch delica safety lancet..... | 170 | oxcarbazepine..... | 50 |
| onetouch lancets..... | 170 | OXERVATE..... | 192 |
| onetouch suresoft..... | 170 | oxiconazole nitrate..... | 71 |
| ONEXTON..... | 27 | OXSORALEN-ULTRA..... | 161 |
| ONGENTYS..... | 108 | oxybutynin chloride..... | 199 |
| ONMEL..... | 69 | oxybutynin chloride er..... | 199 |
| ONUREG..... | 97 | oxycodone hcl..... | 11 |
| OPANA..... | 11 | oxycodone hcl-aspirin..... | 11 |
| opium tincture..... | 195 | oxycodone hcl-ibuprofen..... | 11 |
| OPSUMIT..... | 269 | oxycodone-acetaminophen..... | 11 |
| ORALAIR..... | 131 | oxymorphone hcl..... | 12 |
| ORALONE..... | 36 | oxymorphone hcl er..... | 12 |
| ORAPRED ODT..... | 207 | OZEMPIC..... | 62 |
| ORAVIG..... | 71 | | |
| ORENCIA..... | 240 | P | |
| ORENCIA CLICKJECT..... | 241 | PACERONE..... | 38 |
| ORENITRAM ER..... | 269 | PAIN EASE MEDIUM STREAM SPRAY..... | 170 |
| ORFADIN..... | 250 | PAIN EASE MIST SPRAY..... | 170 |
| ORGOVYX..... | 200 | PALFORZIA..... | 132 |
| ORIAHNN..... | 200 | paliperidone er..... | 118 |
| ORLISSA..... | 200 | PALYNZIQ..... | 185 |
| ORKAMBI..... | 160 | PAMELOR..... | 59 |
| ORLADEYO..... | 236 | PANRETIN..... | 97 |
| orphenadrine citrate er..... | 272 | pantoprazole sodium..... | 134 |
| orphenadrine-aspirin-caffeine..... | 272 | paregoric..... | 195 |
| ORSYTHIA..... | 218 | paricalcitol..... | 291 |
| ORTHOVISC..... | 170 | PARLODEL..... | 182 |
| OSCIMIN..... | 44 | PARNATE..... | 54 |
| OSCIMIN SL..... | 44 | PAROEX..... | 25 |
| OSCIMIN SR..... | 44 | paromomycin sulfate..... | 110 |
| oseltamivir phosphate..... | 135 | paroxetine cr..... | 56 |
| OSMOLEX ER..... | 107,108 | paroxetine er..... | 56 |
| OSPHENA..... | 186 | paroxetine hcl..... | 56 |
| OTEZLA..... | 241 | paroxetine mesylate..... | 57 |
| OTIPRIO..... | 24 | PASER..... | 84 |
| OTOVEL..... | 24 | PATANASE..... | 191 |
| OVIDE..... | 29 | PAXIL..... | 57 |
| OVIDREL..... | 202 | PEDIAPRED..... | 207 |
| oxaprozin..... | 255 | peg 3350-electrolyte..... | 196 |
| oxazepam..... | 140 | peg-3350 and electrolytes..... | 196 |

| | | | |
|-------------------------------------|-----|-----------------------------------|--------|
| PEG-PREP..... | 196 | phenytoin..... | 52 |
| peg3350-sod sul-nacl-kcl-asb-c..... | 196 | phenytoin sodium extended..... | 52 |
| PEGANONE..... | 52 | PHILITH..... | 218 |
| PEGASYS..... | 135 | PHOSLYRA..... | 230 |
| PEGASYS PROCLICK..... | 135 | PHRENILIN FORTE..... | 4 |
| PEGINTRON..... | 135 | phytonadione..... | 292 |
| PEMAZYRE..... | 97 | PICATO..... | 97 |
| pen needle..... | 171 | PIFELTRO..... | 125 |
| pen needles..... | 171 | pilocarpine hcl..... | 73,141 |
| penicillamine..... | 205 | pimecrolimus..... | 277 |
| penicillin g procaine..... | 258 | pimozide..... | 111 |
| penicillin v potassium..... | 258 | PIMTREA..... | 218 |
| PENLAC..... | 71 | pindolol..... | 153 |
| pentamidine isethionate..... | 111 | pioglitazone hcl..... | 66 |
| PENTASA..... | 195 | pioglitazone-glimepiride..... | 66 |
| pentazocine-naloxone hcl..... | 14 | pioglitazone-metformin..... | 66 |
| pentips..... | 171 | pip lancet..... | 171 |
| pentoxifylline..... | 146 | pip pen needle..... | 171 |
| PEPCID..... | 133 | PIQRAY..... | 97 |
| PERFOROMIST..... | 143 | PIRMELLA..... | 218 |
| PERIDEX..... | 26 | piroxicam..... | 255 |
| perindopril erbumine..... | 263 | PLEGRIDY..... | 244 |
| PERIOGARD..... | 26 | PLEGRIDY PEN..... | 244 |
| permethrin..... | 29 | PLEXION..... | 274 |
| perphenazine..... | 123 | PLIAGLIS..... | 272 |
| perphenazine-amitriptyline..... | 59 | PODOCON-25..... | 277 |
| PERSERIS..... | 119 | podofilox..... | 277 |
| PEXEVA..... | 57 | poly hub needle..... | 171 |
| PHENADOZ..... | 193 | POLYGIN..... | 24 |
| phenazopyridine hcl..... | 272 | polymyxin b sul-trimethoprim..... | 24 |
| phendimetrazine tartrate..... | 15 | polysorbate 60..... | 274 |
| phendimetrazine tartrate er..... | 15 | polysorbate 80..... | 274 |
| phenelzine sulfate..... | 54 | POLYTRIM..... | 24 |
| phenobarbital..... | 138 | POMALYST..... | 97 |
| phenobarbital-belladonna..... | 44 | PONVORY..... | 245 |
| phenobarbital-hyosc-atrop-scop..... | 44 | PORTIA..... | 219 |
| PHENOHYTRO..... | 44 | posaconazole..... | 69 |
| phenoxybenzamine hcl..... | 3 | POTABA..... | 251 |
| phentermine hcl..... | 15 | potassium chloride..... | 184 |
| phenylephrine hcl..... | 192 | potassium citrate er..... | 183 |
| PHENYTEK..... | 52 | PRADAXA..... | 46 |

| | | | |
|---|--------|----------------------------------|---------|
| pralidoxime chloride..... | 233 | prevent dropsafe pen needle..... | 171 |
| PRALUENT PEN..... | 81 | PREVIFEM..... | 219 |
| pramipexole dihydrochloride..... | 183 | PREVYMIS..... | 134 |
| pramipexole er..... | 183 | PREZCOBIX..... | 130 |
| PRAMOSONE..... | 36 | PREZISTA..... | 130 |
| pramoxine hcl..... | 272 | PRIFTIN..... | 84 |
| prasugrel hcl..... | 131 | PRIKAAN..... | 272 |
| pravastatin sodium..... | 80,81 | PRIKAAN LITE..... | 272 |
| praziquantel..... | 21 | PRILOSEC..... | 134 |
| prazosin hcl..... | 152 | primaquine..... | 110 |
| precision xtra..... | 171 | primidone..... | 52 |
| PRECOSE..... | 59,60 | PRIMLEV..... | 12 |
| PRED MILD..... | 30 | probenecid..... | 185 |
| PRED-G..... | 24,25 | probenecid-colchicine..... | 185 |
| prednicarbate..... | 36 | PROCARDIA..... | 150 |
| prednisolone..... | 207 | PROCARDIA XL..... | 151 |
| prednisolone acetate..... | 30 | PROCENTRA..... | 17 |
| prednisolone sodium phos odt..... | 207 | prochlorperazine..... | 68 |
| prednisolone sodium phosphate..... | 30,207 | prochlorperazine edisylate..... | 68 |
| prednisone..... | 207 | prochlorperazine maleate..... | 68 |
| PREDNISON INTENSOL..... | 207 | PROCRIT..... | 145 |
| PREFEST..... | 190 | PROCTO-MED HC..... | 36 |
| pregabalin..... | 50 | PROCTOCORT..... | 36 |
| pregabalin er..... | 4 | PROCTOFOAM-HC..... | 36 |
| PREGNYL..... | 202 | PROCTOSOL-HC..... | 36 |
| PREMARIN..... | 190 | PROCTOZONE-HC..... | 36 |
| PREMPHASE..... | 190 | PROCYSBI..... | 251 |
| PREMPRO..... | 190 | prodigy lancets..... | 172 |
| PRENA1 CHEW..... | 289 | prodigy lancing device..... | 172 |
| PRENA1 PEARL..... | 290 | prodigy twist top lancet..... | 172 |
| PRENA1 TRUE..... | 290 | progesterone..... | 224 |
| PRENATABS RX..... | 290 | PROGLYCEM..... | 75 |
| prenatal low iron..... | 290 | PROGRAF..... | 248 |
| PRENATAL VITAMIN WITH MINERALS AND FOLIC ACID GREATER THAN 0.8 MG ORAL TABLET..... | 290 | PROLASTIN C..... | 268 |
| prenatal-u..... | 290 | PROLATE..... | 12 |
| PREPOPIK..... | 196 | PROLENSA..... | 31 |
| pressure activated lancets..... | 171 | PROLIA..... | 234 |
| PRESTALIA..... | 263 | PROMACTA..... | 145 |
| pretomanid..... | 84 | promethazine hcl..... | 193,194 |
| PREVALITE..... | 77 | promethazine hcl-0.9% nacl..... | 194 |
| | | promethazine vc..... | 194 |

| | |
|--------------------------------|-----|
| promethazine vc-codeine | 266 |
| promethazine-codeine | 266 |
| promethazine-dm | 266 |
| promethazine-phenyleph-codeine | 266 |
| promethazine-phenylephrine | 194 |
| PROMETHEGAN | 194 |
| propafenone hcl | 37 |
| propafenone hcl er | 37 |
| propantheline bromide | 44 |
| proparacaine hcl | 192 |
| propranolol hcl | 153 |
| propranolol hcl er | 153 |
| propranolol-hydrochlorothiazid | 153 |
| propylthiouracil | 284 |
| PROSCAR | 232 |
| PROTONIX | 134 |
| PROTOPIC | 277 |
| protriptyline hcl | 59 |
| PROVERA | 224 |
| PRUDOXIN | 273 |
| PULMICORT FLEXHALER | 160 |
| PULMOZYME | 267 |
| pure comfort lancets | 172 |
| PURIXAN | 98 |
| push button safety lancets | 172 |
| PYLERA | 42 |
| pyrazinamide | 84 |
| PYRIDIUM | 273 |
| pyridostigmine bromide | 141 |
| pyridostigmine bromide er | 141 |

Q

| | |
|----------------|-----|
| QBRELIS | 263 |
| QBREXZA | 44 |
| QELBREE | 155 |
| QINLOCK | 98 |
| QNASL | 30 |
| QNASL CHILDREN | 30 |
| QSYMIA | 15 |
| QUALAQUIN | 110 |
| quazepam | 140 |

| | |
|-------------------------------|---------|
| quetiapine fumarate | 119 |
| quetiapine fumarate er | 119,120 |
| QUILLICHEW ER | 20 |
| QUILLIVANT XR | 20 |
| quinapril hcl | 263 |
| quinapril-hydrochlorothiazide | 263 |
| quinidine gluconate | 37 |
| quinidine sulfate | 37 |
| quinine sulfate | 110 |

R

| | |
|------------------------------|-----|
| R-NATAL OB | 290 |
| rabeprazole sodium | 134 |
| RADIAGUARD | 273 |
| RADIOGARDASE | 229 |
| raloxifene hcl | 186 |
| ramelteon | 138 |
| ramipril | 263 |
| ranitidine hcl | 133 |
| ranolazine er | 151 |
| RAPAFLO | 3 |
| RAPAMUNE | 248 |
| rasagiline mesylate | 109 |
| RASUVO | 98 |
| RAVICTI | 184 |
| RAYALDEE | 291 |
| RAZADYNE | 141 |
| RAZADYNE ER | 141 |
| readylance safety lancets | 172 |
| REBIF | 245 |
| REBIF REBIDOSE | 245 |
| RECLIPSEN | 219 |
| RECTIV | 278 |
| REGENECARE | 172 |
| REGLAN | 199 |
| REGRANEX | 273 |
| RELENZA | 135 |
| RELEXXII | 20 |
| reliamed | 172 |
| reliamed mini lancing device | 172 |
| reliamed safety seal lancets | 172 |

| | | | |
|---------------------------|---------|-----------------------------|---------|
| relion pen needles | 172 | RISPERDAL CONSTA | 120 |
| relion thin | 172 | risperidone | 120,121 |
| REMERON | 53 | risperidone odt | 121 |
| REMODULIN | 269 | ritonavir | 130 |
| RENEVA | 230 | RITUXAN | 98 |
| repaglinide | 63 | RITUXAN HYCELA | 99 |
| repaglinide-metformin hcl | 63 | rivastigmine | 141 |
| REPATHA PUSHTRONEX | 81 | RIVELSA | 219 |
| REPATHA SURECLICK | 82 | rizatriptan | 83 |
| REPATHA SYRINGE | 82 | ROBAXIN-750 | 271 |
| REQUIP XL | 183 | ROCALTROL | 291 |
| RESCRIPTOR | 125 | ROCKLATAN | 74 |
| RESPA A.R. | 194 | ropinirole er | 183 |
| RESTASIS | 30 | ropinirole hcl | 183 |
| RESTASIS MULTIDOSE | 30 | ROSDAN | 27 |
| RETACRIT | 145 | ROSANIL | 274 |
| RETEVMO | 98 | ROSULA | 274 |
| RETROVIR | 128 | rosuvastatin calcium | 81 |
| REVATIO | 287 | ROWASA | 195 |
| REVLIMID | 98 | ROWEEPRA | 50 |
| REXULTI | 120 | ROWEEPRA XR | 50 |
| REYATAZ | 130 | ROZEREM | 138 |
| REZUROCK | 251 | ROZLYTREK | 99 |
| RHOFADE | 278 | RUBRACA | 99 |
| RHOPRESSA | 74 | RUCONEST | 236 |
| RIBASPHERE | 136 | rufinamide | 50 |
| RIBASPHERE RIBAPAK | 136 | RUKOBIA | 124 |
| ribavirin | 136 | RUXIENCE | 99,100 |
| RIDAURA | 200 | RUZURGI | 251 |
| rifabutin | 84 | RYBELSUS | 62 |
| RIFADIN | 84 | RYCLORA | 194 |
| RIFAMATE | 84 | RYDAPT | 100 |
| rifampin | 84 | RYTARY | 109 |
| RIFATER | 85 | RYTHMOL SR | 37 |
| rightest gd500 | 172 | RYVENT | 193 |
| rightest gl300 lancets | 172 | | |
| riluzole | 155 | S | |
| rimantadine hcl | 134 | SABRIL | 50 |
| RINVOQ | 241 | safety lancets | 172 |
| risedronate sodium | 234,235 | safety pen needle | 172 |
| risedronate sodium dr | 235 | safetyglide insulin syringe | 172 |

| | | | |
|----------------------------------|---------|------------------------------------|---------|
| safetyglide needle..... | 172 | sildenafil 20 mg tablet (pah)..... | 287 |
| SAJAZIR..... | 236 | sildenafil citrate..... | 287,288 |
| SALAGEN..... | 141 | SILENOR..... | 59 |
| SALEX..... | 274 | SILIQ..... | 278 |
| salicylic acid..... | 274 | silodosin..... | 3 |
| salicylic acid er..... | 274 | SILVASORB..... | 172 |
| salsalate..... | 256 | silver sulfadiazine..... | 28 |
| SAMSCA..... | 181 | SILVRSTAT..... | 172 |
| SANADERMRX..... | 36 | SIMBRINZA..... | 73 |
| SANDIMMUNE..... | 248 | SIMLIYA..... | 219 |
| SANDOSTATIN..... | 281 | SIMPESSE..... | 219 |
| SANDOSTATIN LAR DEPOT..... | 281,282 | SIMPONI..... | 241 |
| SANTYL..... | 278 | SIMPONI ARIA..... | 241 |
| sapropterin dihydrochloride..... | 251 | simvastatin..... | 81 |
| SARAFEM..... | 57 | SINEMET 10-100..... | 109 |
| sassafras oil..... | 258 | SINEMET 25-100..... | 109 |
| SAVAYSA..... | 45 | SINEMET 25-250..... | 109 |
| SAVELLA..... | 156 | SINEMET CR..... | 109 |
| SAXENDA..... | 62 | single-let..... | 172 |
| SCALACORT..... | 36 | sirolimus..... | 248 |
| scopolamine..... | 67 | SIRTURO..... | 85 |
| SECONAL SODIUM..... | 138 | SITAVIG..... | 136 |
| securesafe pen needle..... | 172 | SIVEXTRO..... | 42 |
| selegiline hcl..... | 109 | SKYRIZI..... | 278 |
| SELZENTRY..... | 124 | SKYRIZI (2 SYRINGES) KIT..... | 278 |
| SEMPREX-D..... | 75 | SKYRIZI PEN..... | 278 |
| SEREVENT DISKUS..... | 143 | smart sense..... | 172 |
| SERNIVO..... | 36 | smart sense lancets..... | 173 |
| SEROPHENE..... | 186 | smartdiabetes vantage..... | 173 |
| SEROQUEL XR..... | 121 | smartest lancet..... | 173 |
| SEROSTIM..... | 223 | sodium chloride..... | 184 |
| sertraline hcl..... | 57 | sodium citrate..... | 45 |
| SETLAKIN..... | 219 | sodium iodide i-123..... | 259 |
| sevelamer carbonate..... | 230 | sodium phenylbutyrate..... | 184 |
| sevelamer hcl..... | 230 | sodium polystyrene sulfonate..... | 230 |
| SEYSARA..... | 284 | sodium sulfacetamide-sulfur..... | 275 |
| SFROWASA..... | 195 | sofosbuvir-velpatasvir..... | 203 |
| SHAROBEL..... | 219 | soft touch..... | 173 |
| SIGNIFOR..... | 282 | SOLARAZE..... | 100 |
| SIGNIFOR LAR..... | 282 | solifenacin succinate..... | 199 |
| SIKLOS..... | 100 | SOLIQUA 100-33..... | 226 |

| | | | |
|-------------------------|-----|-------------------------------|-------|
| SOLIRIS | 236 | sterilance tl | 173 |
| SOLOSEC | 111 | STIOLTO RESPIMAT | 45 |
| SOLTAMOX | 186 | STIVARGA | 101 |
| SOLU-CORTEF | 207 | STRENSIQ | 186 |
| solus v2 | 173 | STRIANT | 208 |
| solus v2 lancets | 173 | STRIBILD | 128 |
| solus v2 lancing device | 173 | STRIVERDI RESPIMAT | 143 |
| SOMATULINE DEPOT | 282 | STROMECTOL | 21 |
| SOMAVERT | 282 | SUBVENITE | 50 |
| SOOLANTRA | 279 | SUBVENITE (BLUE) | 50 |
| SORIATANE | 279 | SUBVENITE (GREEN) | 50 |
| SORINE | 154 | SUBVENITE (ORANGE) | 50 |
| sotalol | 154 | SUCRAID | 186 |
| SOTALOL AF | 154 | sucrafate | 133 |
| SOTYLIZE | 154 | SULAR | 151 |
| SOVALDI | 203 | sulfacetamide sodium | 25,28 |
| spearmint oil | 258 | sulfacetamide-prednisolone | 25 |
| SPECTRACEF | 158 | SULFACLEANSE 8-4 | 275 |
| SPIRIVA | 44 | sulfadiazine | 40 |
| SPIRIVA RESPIMAT | 44 | sulfamethoxazole-trimethoprim | 40 |
| spironolactone | 264 | SULFAMYLON | 29 |
| spironolactone-hctz | 264 | sulfasalazine | 40 |
| SPRAVATO | 53 | sulfasalazine dr | 40 |
| SPRAY AND STRETCH | 173 | SULFATRIM | 40 |
| SPRINTEC | 219 | sulindac | 255 |
| SPRITAM | 50 | SUMADAN | 275 |
| SPRYCEL | 100 | sumatriptan | 83 |
| SPS | 230 | sumatriptan succ-naproxen sod | 83 |
| SRONYX | 219 | sumatriptan succinate | 83 |
| SSD | 28 | SUMAXIN | 275 |
| SSKI | 284 | SUMAXIN TS | 275 |
| SSS 10-5 | 275 | sunitinib malate | 101 |
| STALEVO 100 | 109 | SUNOSI | 21 |
| STALEVO 125 | 109 | SUPARTZ FX | 173 |
| STALEVO 150 | 109 | super thin lancets | 173 |
| STALEVO 200 | 109 | SUPPRELIN LA | 202 |
| STALEVO 50 | 109 | SUPRAX | 158 |
| STALEVO 75 | 109 | SUPREP | 196 |
| STARLIX | 63 | sure comfort | 173 |
| stavudine | 128 | sure comfort lancets | 173 |
| STELARA | 279 | sure comfort lancing pen | 173 |

| | | | |
|---------------------------------|---------|--------------------------------|-----|
| sure comfort safety pen needle | 173 | TAGRISSO | 102 |
| sure-fine pen needles | 173 | TAKHZYRO | 236 |
| sure-lance | 173 | TALICIA | 132 |
| sure-pen | 173 | TALTZ AUTOINJECTOR | 279 |
| sure-touch | 173 | TALTZ AUTOINJECTOR (2 PACK) | 279 |
| sureflex | 173 | TALTZ AUTOINJECTOR (3 PACK) | 280 |
| SUSTIVA | 125 | TALTZ SYRINGE | 280 |
| SUTAB | 196 | TALZENNA | 102 |
| SUTENT | 101 | tamoxifen citrate | 186 |
| SYEDA | 219 | tamsulosin hcl | 3 |
| SYLATRON | 135 | TAPAZOLE | 284 |
| SYMAX DUOTAB | 45 | TARCEVA | 102 |
| SYMBICORT | 160 | TARGRETIN | 102 |
| SYMBYAX | 57 | TARINA 24 FE | 219 |
| SYMDEKO | 160 | TARINA FE | 220 |
| SYMFI | 125 | TARINA FE 1-20 EQ | 220 |
| SYMFI LO | 126 | TARKA | 263 |
| SYMJEPI | 283 | TASIGNA | 102 |
| SYMLINPEN 120 | 60 | TASMAR | 108 |
| SYMLINPEN 60 | 60 | tavaborole | 71 |
| SYMPROIC | 198 | TAVALISSE | 143 |
| SYMTUZA | 130 | TAYSOFY | 220 |
| SYNALAR | 36 | TAYTULLA | 220 |
| SYNAREL | 202 | tazarotene | 280 |
| SYNDROS | 67 | TAZTIA XT | 148 |
| SYNERA | 273 | TAZVERIK | 102 |
| SYNJARDY | 64 | teclite insulin syringe | 174 |
| SYNJARDY XR | 64 | teclite lancets | 174 |
| SYNRIBO | 101 | teclite pen needle | 174 |
| SYNVISC | 173 | TEGSEDI | 233 |
| SYNVISC-ONE | 174 | TEKTURNA | 264 |
| | | TEKTURNA HCT | 264 |
| T | | telcare | 174 |
| TABLOID | 101 | telmisartan | 260 |
| TABRECTA | 101 | telmisartan-amlodipine | 261 |
| TACLONEX | 279 | telmisartan-hydrochlorothiazid | 261 |
| tacrolimus | 248,279 | temazepam | 140 |
| tadalafil | 288 | TEMIXYS | 128 |
| tadalafil 20 mg tablet (ed/bph) | 288 | TEMODAR | 102 |
| tadalafil 20 mg tablet (pah) | 288 | TEMOVATE | 36 |
| TAFINLAR | 101 | temozolomide | 103 |

| | | | |
|------------------------------------|-----|-------------------------------------|--------|
| TENCON..... | 4 | TIBSOVO..... | 103 |
| tenofovir disoproxil fumarate..... | 128 | TIGAN..... | 68 |
| TENORETIC 100..... | 154 | TIGLUTIK..... | 155 |
| TENORETIC 50..... | 154 | TILIA FE..... | 220 |
| TEPMETKO..... | 103 | timolol maleate..... | 73,154 |
| terazosin hcl..... | 152 | tinidazole..... | 111 |
| terbinafine hcl..... | 69 | tiopronin..... | 251 |
| terbutaline sulfate..... | 143 | TIVICAY..... | 124 |
| terconazole..... | 71 | TIVICAY PD..... | 124 |
| teriparatide..... | 257 | tizanidine hcl..... | 271 |
| TESSALON PERLE..... | 266 | TOBI..... | 38 |
| testosterone..... | 208 | TOBI PODHALER..... | 38 |
| testosterone cypionate..... | 208 | TOBRADEX..... | 25 |
| testosterone enanthate..... | 208 | TOBRADEX ST..... | 25 |
| TESTRED..... | 209 | tobramycin..... | 25,39 |
| TETCAINE..... | 192 | tobramycin-dexamethasone..... | 25 |
| tetrabenazine..... | 157 | TOBREX..... | 25 |
| tetracaine hcl..... | 192 | TOFRANIL..... | 59 |
| tetracycline hcl..... | 41 | TOLAK..... | 103 |
| TEXACORT..... | 36 | tolcapone..... | 108 |
| THALOMID..... | 245 | tolmetin sodium..... | 256 |
| THEO-24..... | 280 | tolterodine tartrate..... | 200 |
| theophylline..... | 280 | tolterodine tartrate er..... | 200 |
| theophylline anhydrous..... | 281 | tolvaptan..... | 182 |
| THEROMEGA SPORT..... | 76 | topcare clickfine..... | 174 |
| thiamine hcl..... | 291 | topcare universal1 lancet..... | 174 |
| thin lancets..... | 174 | topcare universal1 thin lancet..... | 174 |
| THIOLA..... | 251 | TOPICORT..... | 36 |
| THIOLA EC..... | 251 | topiramate..... | 51 |
| thioridazine hcl..... | 123 | topiramate er..... | 51 |
| thiothixene..... | 123 | toremifene citrate..... | 186 |
| THYROGEN..... | 179 | torseamide..... | 180 |
| thyroid..... | 284 | TOUJEO MAX SOLOSTAR..... | 226 |
| THYROLAR-1..... | 285 | TOUJEO SOLOSTAR..... | 227 |
| THYROLAR-1/2..... | 285 | TOVET EMOLLIENT..... | 36 |
| THYROLAR-1/4..... | 285 | TOVIAZ..... | 200 |
| THYROLAR-2..... | 285 | TRACLEER..... | 269 |
| THYROLAR-3..... | 285 | TRADJENTA..... | 61 |
| TIADYLT ER..... | 148 | tramadol hcl..... | 12 |
| tiagabine hcl..... | 50 | tramadol hcl er..... | 13 |
| TIAZAC..... | 148 | tramadol hcl-acetaminophen..... | 13 |

| | | | |
|-------------------------------------|---------|-----------------------------------|-----|
| trandolapril..... | 263 | trifluoperazine hcl..... | 123 |
| trandolapril-verapamil er..... | 264 | trifluridine..... | 25 |
| tranexamic acid..... | 74 | trihexyphenidyl hcl..... | 108 |
| TRANSDERM-SCOP..... | 67 | TRIJARDY XR..... | 64 |
| TRANXENE T-TAB..... | 140 | TRIKAFTA..... | 160 |
| tranylcypromine sulfate..... | 54 | TRIKLO..... | 76 |
| travoprost..... | 74 | TRILIPIX..... | 79 |
| TRAZIMERA..... | 103 | TRILYTE WITH FLAVOR PACKETS..... | 196 |
| trazodone hcl..... | 57,58 | trimethobenzamide hcl..... | 68 |
| TRECTOR..... | 85 | trimethoprim..... | 22 |
| TRELEGY ELLIPTA..... | 160 | trimipramine maleate..... | 59 |
| TREMFYA..... | 280 | TRIMO-SAN..... | 29 |
| treprostinil..... | 269 | TRIMPEX..... | 22 |
| TRETIN-X..... | 273 | TRINATE..... | 290 |
| tretinoin..... | 103,273 | TRINTELLIX..... | 58 |
| tretinoin microsphere..... | 273 | TRIPLE DYE..... | 70 |
| TREXALL..... | 103 | triton x-100..... | 274 |
| TREZIX..... | 13 | TRIUMEQ..... | 128 |
| TRI FEMYNOR..... | 220 | TRIVISC..... | 174 |
| TRI-ESTARYLLA..... | 220 | TRIVORA-28..... | 221 |
| TRI-LEGEST FE..... | 220 | TRIZIVIR..... | 128 |
| TRI-LINYAH..... | 220 | TROKENDI XR..... | 51 |
| TRI-LO-ESTARYLLA..... | 220 | tropium chloride..... | 200 |
| TRI-LO-MARZIA..... | 220 | tropium chloride er..... | 200 |
| TRI-LO-MILI..... | 220 | true comfort pen needle..... | 174 |
| TRI-LO-SPRINTEC..... | 220 | true comfort pro ins syringe..... | 174 |
| TRI-MILI..... | 221 | truedraw..... | 174 |
| TRI-NYMYO..... | 221 | trueplus ketone test strip..... | 285 |
| TRI-PREVIFEM..... | 221 | trueplus lancet..... | 174 |
| TRI-SPRINTEC..... | 221 | trueplus lancets..... | 174 |
| TRI-VYLIBRA..... | 221 | trueplus pen needle..... | 174 |
| TRI-VYLIBRA LO..... | 221 | TRULICITY..... | 62 |
| triamcinolone acetonide..... | 36,207 | TRUSELTIQ..... | 103 |
| triamcinolone diacetate..... | 207 | TRUSOPT..... | 73 |
| triamterene..... | 181 | TRUST NATAL DHA..... | 290 |
| triamterene-hydrochlorothiazid..... | 181 | TRUVADA..... | 128 |
| triazolam..... | 140 | TUKYSA..... | 103 |
| trichloroacetic acid..... | 280 | TULANA..... | 221 |
| TRIDERM..... | 36 | TURALIO..... | 104 |
| TRIDESILON..... | 36 | TUSNEL..... | 266 |
| trientine hcl..... | 205 | TUSNEL DM PEDIATRIC..... | 266 |

| | | | |
|-------------------------------------|-----|-------------------------------------|-----|
| TUSNEL PEDIATRIC..... | 267 | ultra thin lancets..... | 175 |
| TUSSI-PRES PEDIATRIC..... | 267 | ultra thin plus..... | 175 |
| TUSSICAPS..... | 266 | ultra thin plus lancets..... | 175 |
| TUSSLIN..... | 267 | ultra-care lancets..... | 175 |
| TUXARIN ER..... | 266 | ultra-fine micro pen needle..... | 175 |
| TUZISTRA XR..... | 266 | ultra-fine mini pen needle..... | 175 |
| twist lancets..... | 174 | ultra-fine nano pen needle..... | 175 |
| TWYNSTA..... | 261 | ultra-fine original pen needle..... | 175 |
| TYBLUME..... | 221 | ultra-fine short pen needle..... | 176 |
| TYBOST..... | 252 | ultra-thin ii..... | 176 |
| TYDEMY..... | 221 | ultracare pen needle..... | 176 |
| TYKERB..... | 104 | ultralance..... | 176 |
| TYMLOS..... | 257 | ultratlc lancets..... | 176 |
| TYSABRI..... | 245 | unifine pen needle..... | 176 |
| TYVASO..... | 269 | unifine pentips..... | 176 |
| TYVASO INSTITUTIONAL START KIT..... | 270 | unifine pentips maxflow..... | 176 |
| TYVASO REFILL KIT..... | 270 | unifine pentips plus..... | 176 |
| TYVASO STARTER KIT..... | 270 | unifine pentips plus maxflow..... | 176 |
| | | unifine safecontrol..... | 176 |
| U | | unilet comfortouch..... | 176 |
| UBRELVY..... | 83 | unilet excelite..... | 176 |
| UCERIS..... | 207 | unilet excelite ii..... | 176 |
| UDENYCA..... | 145 | unilet gp lancet..... | 177 |
| UKONIQ..... | 104 | unilet lancet..... | 177 |
| ULESFIA..... | 29 | unilet lancets..... | 177 |
| ULORIC..... | 233 | unistik 2..... | 177 |
| ulti-lance..... | 174 | unistik 2 extra..... | 177 |
| ulticare pen needle..... | 175 | unistik 3..... | 177 |
| ulticare safety pen needle..... | 175 | unistik 3 comfort..... | 177 |
| ulticare tb safety syringe..... | 175 | unistik 3 extra..... | 177 |
| ultiguard safepack-pen needle..... | 175 | unistik 3 neonatal..... | 177 |
| ultilet basic..... | 175 | unistik comfort..... | 177 |
| ultilet classic..... | 175 | unistik czt..... | 177 |
| ultilet lancets..... | 175 | unistik extra..... | 177 |
| ultilet pen needle..... | 175 | unistik pro..... | 177 |
| ultilet safety..... | 175 | unistik safety..... | 177 |
| ultra fine lancets..... | 175 | unistik touch..... | 177 |
| ultra flo insulin syringe..... | 175 | UNITHROID..... | 285 |
| ultra flo pen needle..... | 175 | universal 1..... | 177 |
| ultra thin..... | 175 | UPNEEQ..... | 192 |
| ultra thin lancet..... | 175 | UPTRAVI..... | 270 |

| | | | |
|-------------------------------|-----|---------------------|-------|
| urea | 275 | venlafaxine hcl er | 54 |
| URECHOLINE | 141 | VENTAVIS | 270 |
| uristix 4 | 180 | verapamil er | 148 |
| uristix reagent | 180 | verapamil er pm | 148 |
| UROCIT-K | 183 | verapamil hcl | 149 |
| UROGESIC-BLUE | 22 | verapamil sr | 149 |
| UROXATRAL | 3 | VEREGEN | 280 |
| URSO | 196 | VERELAN | 149 |
| URSO FORTE | 196 | VERELAN PM | 149 |
| ursodiol | 196 | verifine pen needle | 177 |
| V | | | |
| valacyclovir | 137 | VERIPRED 20 | 207 |
| VALCHLOR | 104 | VERQUVO | 289 |
| VALCYTE | 137 | VERSACLOZ | 121 |
| valganciclovir hcl | 137 | VERZENIO | 104 |
| valproic acid | 51 | VESTURA | 221 |
| valsartan | 261 | VFEND | 69,70 |
| valsartan-hydrochlorothiazide | 261 | VIBERZI | 198 |
| VALTOCO | 140 | VICODIN HP | 13 |
| VANATOL LQ | 5 | VICTOZA 2-PAK | 63 |
| VANCOCIN HCL | 41 | VICTOZA 3-PAK | 63 |
| vancomycin hcl | 41 | VIDEX | 129 |
| VANDAZOLE | 27 | VIDEX EC | 129 |
| vanishpoint insulin syringe | 177 | VIEKIRA PAK | 204 |
| VANOS | 36 | VIENVA | 221 |
| VANTAS | 202 | vigabatrin | 51 |
| vardenafil hcl | 288 | VIGADRONE | 51 |
| VARUBI | 68 | VIIBRYD | 58 |
| VASCEPA | 76 | VIMPAT | 51 |
| VASERETIC | 264 | VINATE ONE | 290 |
| VASOTEC | 264 | VINATE-M | 290 |
| VECAMYL | 225 | VIORELE | 222 |
| VELETRI | 270 | VIRACEPT | 130 |
| VELIVET | 221 | VIRAMUNE | 126 |
| VELPHORO | 230 | VIRAMUNE XR | 126 |
| VELTASSA | 230 | VIREAD | 129 |
| VEMLIDY | 137 | VIRT-C DHA | 290 |
| VENCLEXTA | 104 | VIRT-FEFA PLUS | 37 |
| VENCLEXTA STARTING PACK | 104 | VISINE TOTALITY | 192 |
| venlafaxine hcl | 54 | VISTARIL | 138 |
| | | VISTOGARD | 233 |
| | | vitamin d2 | 291 |

| | | | |
|-------------------------------|-----|--------------------------|---------|
| VITRAKVI..... | 104 | XCOPRI..... | 51 |
| vivaguard lancet..... | 177 | XELJANZ..... | 241,242 |
| vivaguard lancing device..... | 177 | XELJANZ XR..... | 242 |
| VIVITROL..... | 156 | XELODA..... | 105 |
| VIVLODEX..... | 256 | XELPROS..... | 74 |
| VIZIMPRO..... | 105 | XENAZINE..... | 157 |
| VOCABRIA..... | 124 | XENICAL..... | 198 |
| VOLNEA..... | 222 | XENLETA..... | 42 |
| VOLTAREN-XR..... | 256 | XEPI..... | 28 |
| VONVENDI..... | 74 | XERAC AC..... | 273 |
| voriconazole..... | 70 | XERESE..... | 28 |
| VOSEVI..... | 203 | XERMELLO..... | 195 |
| VOTRIENT..... | 105 | XGEVA..... | 235 |
| VPRIV..... | 186 | XIAFLEX..... | 186 |
| VRAYLAR..... | 121 | XIFAXAN..... | 42 |
| VTOL LQ..... | 5 | XIGDUO XR..... | 64 |
| VUMERITY..... | 246 | XIIDRA..... | 30 |
| VYFEMLA..... | 222 | XOFLUZA..... | 134 |
| VYLEESI..... | 155 | XOLAIR..... | 268 |
| VYLIBRA..... | 222 | XOPENEX..... | 143 |
| VYNDAMAX..... | 151 | XOPENEX CONCENTRATE..... | 143 |
| VYNDAQEL..... | 151 | XOSPATA..... | 105 |
| VYVANSE..... | 18 | XPOVIO..... | 105,106 |
| | | XTAMPZA ER..... | 13 |
| W | | XTANDI..... | 106 |
| WAKIX..... | 21 | XULANE..... | 222 |
| WAL-DRYL..... | 273 | XULTOPHY 100-3.6..... | 227 |
| warfarin sodium..... | 45 | XURIDEN..... | 252 |
| WEGOVY..... | 63 | XYREM..... | 156 |
| WERA..... | 222 | XYWAV..... | 156 |
| WESTHROID..... | 285 | | |
| wheat germ oil..... | 292 | Y | |
| WILZIN..... | 205 | yale needle..... | 177 |
| WIXELA INHUB..... | 160 | YONSA..... | 106 |
| WYMZYA FE..... | 222 | YUVAFEM..... | 190 |
| | | | |
| X | | Z | |
| XADAGO..... | 109 | ZAFEMY..... | 222 |
| XALKORI..... | 105 | zafirlukast..... | 32 |
| XARELTO..... | 46 | zaleplon..... | 138 |
| XATMEP..... | 105 | ZARAH..... | 222 |

| | | | |
|-----------------------------|---------|---------------------------|-------|
| ZARONTIN..... | 53 | zolmitriptan..... | 83,84 |
| ZARXIO..... | 145 | zolmitriptan odt..... | 84 |
| ZAVESCA..... | 252 | zolpidem tartrate..... | 138 |
| ZEBUTAL..... | 5 | zolpidem tartrate er..... | 138 |
| ZEGALOGUE AUTOINJECTOR..... | 75 | ZOLPIMIST..... | 138 |
| ZEGALOGUE SYRINGE..... | 75 | ZOMIG..... | 84 |
| ZEJULA..... | 106 | ZONALON..... | 273 |
| ZELAPAR..... | 109 | zonisamide..... | 52 |
| ZELBORAF..... | 106 | ZONTIVITY..... | 131 |
| ZELNORM..... | 199 | ZORBTIVE..... | 223 |
| ZEMAIRA..... | 268 | ZORTRESS..... | 248 |
| ZEMPLAR..... | 291 | ZOVIA 1-35..... | 222 |
| ZENATANE..... | 280 | ZOVIA 1-35E..... | 222 |
| ZENPEP..... | 196 | ZUBSOLV..... | 14 |
| ZENZEDI..... | 18 | ZUMANDIMINE..... | 222 |
| ZEPATIER..... | 204 | ZUPLENZ..... | 67 |
| ZESTORETIC..... | 264 | ZYDELIG..... | 107 |
| ZETONNA..... | 30 | ZYFLO..... | 33 |
| ZIAC..... | 154 | ZYKADIA..... | 107 |
| ZIAGEN..... | 129 | ZYLET..... | 25 |
| zidovudine..... | 129 | ZYLOPRIM..... | 233 |
| ZIEXTENZO..... | 145 | ZYMAXID..... | 25 |
| zileuton er..... | 32 | ZYPREXA RELPREVV..... | 122 |
| ZILXI..... | 28 | ZYPREXA ZYDIS..... | 122 |
| ziprasidone hcl..... | 121 | ZYTIGA..... | 107 |
| ziprasidone mesylate..... | 122 | ZYVOX..... | 42 |
| ZIRABEV..... | 107 | | |
| ZIRGAN..... | 25 | | |
| ZITHROMAX..... | 231,232 | | |
| ZITHROMAX TRI-PAK..... | 232 | | |
| ZODRYL DAC 50..... | 267 | | |
| ZODRYL DAC 60..... | 267 | | |
| ZODRYL DAC 80..... | 267 | | |
| ZODRYL DEC 50..... | 267 | | |
| ZODRYL DEC 60..... | 267 | | |
| ZODRYL DEC 80..... | 267 | | |
| ZOFRAN..... | 67 | | |
| ZOKINVY..... | 252 | | |
| ZOLADEX..... | 202 | | |
| zoledronic acid..... | 235 | | |
| ZOLINZA..... | 107 | | |